WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

| Project/Site: RSA 22 | City/County: Aitkin | Sampling Date: 02-Sep-17 |
|---|---------------------------------------|--|
| Applicant/Owner: Enbridge | State: MN | Sampling Point: u-51n23w29-f1 |
| Investigator(s): SMR | Section, Township, Range: S | c. 28 t. 51N R. 23W |
| Landform (hillslope, terrace, etc.): Mound | Local relief (concave, convex, no | |
| Subregion (LRR or MLRA): LRR K | | : -93 16.642 Datum: NAD 83 |
| Soil Map Unit Name: 292 | | NWI classification: N/A |
| Are climatic/hydrologic conditions on the site typical for this time | e of year? Yes No | (If no, explain in Remarks.) |
| | - | Circumstances" present? Yes ● No ○ |
| | | xplain any answers in Remarks.) |
| Summary of Findings - Attach site map showi | , | • • |
| Hydrophytic Vegetation Present? Yes No | | |
| Hydric Soil Present? Yes No • | Is the Sampled Area within a Wetland? | Yes ○ No ● |
| Wetland Hydrology Present? Yes ○ No ● | | |
| Hydrology Wetland Hydrology Indicators: Primary Indicators (minimum of one required; check all that applications) | | Secondary Indicators (minimum of 2 required) Surface Soil Cracks (B6) |
| | ed Leaves (B9) | Drainage Patterns (B10) |
| High Water Table (A2) Aquatic Faur | , , | Moss Trim Lines (B16) |
| Saturation (A3) Marl Deposit | | Dry Season Water Table (C2) |
| | ulfide Odor (C1) | Crayfish Burrows (C8) |
| | izospheres along Living Roots (C3) | Saturation Visible on Aerial Imagery (C9) |
| | Reduced Iron (C4) | Stunted or Stressed Plants (D1) |
| | Reduction in Tilled Soils (C6) | Geomorphic Position (D2) |
| ☐ Iron Deposits (B5) ☐ Thin Muck S☐ Inundation Visible on Aerial Imagery (B7) ☐ Other (Expla | ` ' | Shallow Aquitard (D3) |
| Sparsely Vegetated Concave Surface (B8) | ain in Remarks) | Microtopographic Relief (D4) FAC-neutral Test (D5) |
| | | |
| Field Observations: Surface Water Present? Yes No Depth (inc | hes): 0 | |
| | hes):0 | |
| Saturation Present? Ves No. • Depth (inc | Wetland Hydro | ology Present? Yes O No 💿 |
| Describe Recorded Data (stream gauge, monitoring well, aerial | | able: |
| Remarks: | | |

VEGETATION - Use scientific names of plants

| (5) | Absolute | Dominant | Indicator | Dominance Test worksheet: |
|---|----------|--------------------|-----------|--|
| Tree Stratum (Plot size: 30) | % Cover | Species? | Status | Number of Dominant Species |
| 1 | 0 | | | That are OBL, FACW, or FAC: (A) |
| 2 | | | | |
| 3 | | | - | Total Number of Dominant Species Across All Strata: 2 (B) |
| 4 | | | | Species Across Air Strata. |
| 5 | | | | Percent of dominant Species |
| | | | | That Are OBL, FACW, or FAC: 0.0% (A/B) |
| 6 | | | | |
| 7 | | | | Prevalence Index worksheet: |
| Sapling/Shrub Stratum (Plot size: 15) | | Total Cover | | Total % Cover of: Multiply by: |
| | 0 | | | 0BL speci es x 1 =0 |
| 1 | | | | FACW species 0 x 2 = 0 |
| 2 | | | | FAC speciles |
| 3 | | | | FACU species 100 x 4 = 400 |
| 4 | 0 | | | UPL species $\frac{0}{\sqrt{x}} \times 5 = \frac{0}{\sqrt{x}}$ |
| 5 | 0 | | | · · |
| 6 | 0 | | | Column Totals: 100 (A) 400 (B) |
| 7 | | | | Prevalence Index = B/A =4.000 |
| | | : Total Cover | | |
| Herb Stratum (Plot size: 5 | | | | Hydrophytic Vegetation Indicators: |
| 1. Pteridium aquilinum | 60 | ✓ | FACU | Rapid Test for Hydrophytic Vegetation |
| 2 Poa pratensis | | <u></u> | FACU | Dominance Test is > 50% |
| | | Ä | | Prevalence Index is ≤3.0 ¹ |
| 3 | | | | Morphological Adaptations ¹ (Provide supporting |
| 4 | | | | data in Remarks or on a separate sheet) |
| 5 | | | | ☐ Problematic Hydrophytic Vegetation ¹ (Explain) |
| 6 | | | | 1 |
| 7 | | | | Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. |
| 8 | 0 | | | |
| 9 | | | | Definitions of Vegetation Strata: |
| 0 | | | | Tree - Woody plants, 3 in. (7.6 cm) or more in diameter |
| 1 | | | | at breast height (DBH), regardless of height. |
| 2 | | | | |
| <u> </u> | | □ : Total Cover | | Sapling/shrub - Woody plants less than 3 in. DBH and |
| Woody Vine Stratum (Plot size: 30) | | · Iotal Covel | | greater than 3.28 ft (1m) tall |
| 1 | 0 | | | Herb - All herbaceous (non-woody) plants, regardless of |
| 2. | | | | size, and woody plants less than 3.28 ft tall. |
| - | | | | |
| 3 | | | | Woody vine - All woody vines greater than 3.28 ft in |
| 4 | | | | height. |
| | = | Total Cover | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | Hydrophytic |
| | | | | Hydrophytic Vegetation Present? Yes No No |
| | | | | Vegetation |
| | | | | Vegetation |
| lemarks: (Include photo numbers here or on a separate s | sheet.) | | | Vegetation |
| emarks: (Include photo numbers here or on a separate s | sheet.) | | | Vegetation |
| emarks: (Include photo numbers here or on a separate s | sheet.) | | | Vegetation |
| emarks: (Include photo numbers here or on a separate s | sheet.) | | | Vegetation |
| emarks: (Include photo numbers here or on a separate s | sheet.) | | | Vegetation |
| emarks: (Include photo numbers here or on a separate s | sheet.) | | | Vegetation |
| emarks: (Include photo numbers here or on a separate s | sheet.) | | | Vegetation |
| lemarks: (Include photo numbers here or on a separate s | sheet.) | | | Vegetation |

Sampling Point: u-51n23w29-f1

^{*}Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: u-51n23w29-f1

| Depth | | Matrix | | needed to document the indicator or confirm th Redox Features | _ |
|---------------|----------------|-------------|-------------|--|---|
| (inches) | Color (| (moist) | % | Color (moist) % Type 1 Loc2 | Texture Remarks |
| 0-5 | 10YR | 2/2 | 100 | | Fine Sandy Loam |
| 5-20 | 10YR | 4/4 | 100 | | Fine Sandy Loam |
| | - | | | | |
| | - | - | | | |
| | | - | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | - | | | | |
| | - | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 1 Type: C=Cor | ncentration. D | =Depletio | n. RM=Red | uced Matrix, CS=Covered or Coated Sand Grains ² Lc | ocation: PL=Pore Lining, M=Matrix |
| Hydric Soil | | | | | |
| Histosol | | | | Polyvalue Below Surface (S8) (LRR R, | Indicators for Problematic Hydric Soils: 3 |
| | ipedon (A2) | | | MLRA 149B) | 2 cm Muck (A10) (LRR K, L, MLRA 149B) |
| Black His | | | | ☐ Thin Dark Surface (S9) (LRR R, MLRA 149B) | Coast Prairie Redox (A16) (LRR K, L, R) |
| | n Sulfide (A4) | ١ | | Loamy Mucky Mineral (F1) LRR K, L) | 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) |
| | Layers (A5) | | | Loamy Gleyed Matrix (F2) | Dark Surface (S7) (LRR K, L, M) |
| | Below Dark | Surface (A | 11) | Depleted Matrix (F3) | Polyvalue Below Surface (S8) (LRR K, L) |
| _ | rk Surface (A | | , | Redox Dark Surface (F6) | Thin Dark Surface (S9) (LRR K, L) |
| | uck Mineral (| | | Depleted Dark Surface (F7) | Iron-Manganese Masses (F12) (LRR K, L, R) |
| | eyed Matrix (| | | Redox Depressions (F8) | Piedmont Floodplain Soils (F19) (MLRA 149B) |
| | edox (S5) | , | | | Mesic Spodic (TA6) (MLRA 144A, 145, 149B) |
| | Matrix (S6) | | | | Red Parent Material (F21) |
| | face (S7) (LR | R R, MLRA | \ 149B) | | ☐ Very Shallow Dark Surface (TF12) |
| | | | | | Other (Explain in Remarks) |
| Indicators of | or nyaropnytic | c vegetatio | n and wetta | and hydrology must be present, unless disturbed or pro | oblematic. |
| Restrictive I | ayer (if obs | served): | | | |
| Type: _ | | | | | Hydric Soil Present? Yes No • |
| Depth (inc | ches): | | | | Hydric Soil Present? Yes No • |
| Remarks: | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |