WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: RSA 22		City	//County: Aitkin	1	Sampli	ng Date: 01-Sep-17
Applicant/Owner: Enbridge				State: MN	Sampling Point:	u-51n23w30-c1
Investigator(s): DPT			Section, Townsh	ip, Range: S.	30 T. 51N	R. 23W
Landform (hillslope, terrace, etc.):	Hillside		al relief (concave			Slope: 5.2 % / 3.0 °
Subregion (LRR or MLRA): LRR K		Lat.: 46 5	52.3982	Long.:	-93 18.4445	Datum: NAD 83
Soil Map Unit Name: 870C					NWI classification:	N/A
Are climatic/hydrologic conditions o	n the site ty	pical for this time of year?	Yes	No O (I	f no, explain in Remarl	(s.)
Are Vegetation \square , Soil \square	, or Hydrold			•	rcumstances" present?	·
Are Vegetation , Soil	, or Hydrold	ogy naturally proble			Dlain any answers in Re	
Summary of Findings - At	•		•		•	•
Hydrophytic Vegetation Present?	Yes O	No •				
Hydric Soil Present?	$_{ m Yes}$ \circ	No •	Is the Samp		Yes ○ No ●	
Wetland Hydrology Present?	Yes \bigcirc	No 💿	Within a W	cuana:		
Remarks: (Explain alternative pro	cedures here	or in a separate report.)				
Hydrology						
Wetland Hydrology Indicators:				S	econdary Indicators (mini	mum of 2 required)
Primary Indicators (minimum of or	ne required;	check all that apply)			Surface Soil Cracks (Be	b)
Surface Water (A1)		Water-Stained Leaves (B9)		Drainage Patterns (B10))
High Water Table (A2)		Aquatic Fauna (B13)			Moss Trim Lines (B16)	
Saturation (A3)		Marl Deposits (B15)		L	Dry Season Water Tab	le (C2)
Water Marks (B1)		Hydrogen Sulfide Odor	(C1)	L	Crayfish Burrows (C8)	
Sediment Deposits (B2)		Oxidized Rhizospheres a	along Living Roots	(C3)	Saturation Visible on A	erial Imagery (C9)
Drift deposits (B3)		Presence of Reduced Ir	on (C4)		Stunted or Stressed Pla	ants (D1)
Algal Mat or Crust (B4)		Recent Iron Reduction i	in Tilled Soils (C6)		Geomorphic Position (I	D2)
Iron Deposits (B5)		☐ Thin Muck Surface (C7)			Shallow Aquitard (D3)	
Inundation Visible on Aerial Imager	y (B7)	Other (Explain in Remar	rks)		Microtopographic Relie	f (D4)
Sparsely Vegetated Concave Surface	e (B8)		•		FAC-neutral Test (D5)	
Field Observations:						
Surface Water Present? Yes	No 💿	Depth (inches):	0			
Water Table Present? Yes	No 💿	Depth (inches):	0			
Saturation Present? (includes capillary fringe) Yes	No 💿	Depth (inches):	0	etland Hydrolo	ogy Present? Yes	○ No •
Describe Recorded Data (stream ga	auge, monito	oring well, aerial photos, p	revious inspection	ons), if availab	le:	
, ,	3 '	3 / 1 /1	·	,,		
Remarks:						

VEGETATION - Use scientific names of plants

(No. 1 - 20	Absolute	Dominant Species?	Indicator	Dominance Test worksheet:
Tree Stratum (Plot size: 30	% Cover	_	Status	Number of Dominant Species
1. Acer saccharum	40	✓	FACU	That are OBL, FACW, or FAC: (A)
2. Populus tremuloides	-	✓	FACU	Total Number of Dominant
3	0			Species Across All Strata:7 (B)
4	0			
5	0			Percent of dominant Species That Are OBL_FACW_ or FAC:14.3% (A/B)
6	0			That Are OBL, FACW, or FAC:14.3% (A/B)
7	0			Prevalence Index worksheet:
C II (C) I C (D) (D) (D) (T) (T)	70 =	= Total Cove	r	Total % Cover of: Multiply by:
Sapling/Shrub Stratum (Plot size: 15)				0BL speci es0 x 1 =0
1Corylus cornuta		✓	FACU	FACW species x 2 =
2. Acer saccharum	-	~	FACU	FAC speciles 30 x 3 = 90
3	0			FACU speciles 170 x 4 = 680
4				
5	0			'
6	0			Column Totals: <u>220</u> (A) <u>870</u> (B)
7	0			Prevalence Index = B/A = 3.955
Herb Stratum (Plot size: 5)	60 =	= Total Cove	r	Hydrophytic Vegetation Indicators:
Herb Stratum (Plot Size)				Rapid Test for Hydrophytic Vegetation
1 _. Eurybla macrophylla	20	✓	UPL	Dominance Test is > 50%
2. Aralia nudicaulis	30	✓	FACU	Prevalence Index is ≤3.0 ¹
3. Clintonia borealis	30	✓	FAC	Morphological Adaptations ¹ (Provide supporting
4. Pteridium aquilinum	10		FACU	data in Remarks or on a separate sheet)
5	0			Problematic Hydrophytic Vegetation ¹ (Explain)
6	0			
7				¹ Indicators of hydric soil and wetland hydrology must
8				be present, unless disturbed or problematic.
9				Definitions of Vegetation Strata:
10				Tree - Woody plants, 3 in. (7.6 cm) or more in diameter
11				at breast height (DBH), regardless of height.
12				
12.		= Total Cove	-	Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1m) tall
Woody Vine Stratum (Plot size: 30				greater than 3.20 it (1111) tall
1	0			Herb - All herbaceous (non-woody) plants, regardless of
2	0			size, and woody plants less than 3.28 ft tall.
3	0			Woody vine - All woody vines greater than 3.28 ft in
4	0			height.
	0 =	= Total Cove	r	
				Hydrophytic
				Vegetation Present? Yes ○ No ●
				1 result.
5	>			
Remarks: (Include photo numbers here or on a separate she	eet.)			

Sampling Point: u-51n23w30-c1

^{*}Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: u-51n23w30-c1

	iption: (De	scribe to	the depth	needed to	document	the indic	cator or c	onfirm the	absence of indicators.)			
Depth (inches)	Color (Matrix	%	Color		dox Featu		1.002		Domonico		
	Color (Color	moist)		Type ¹	Loc ²	Texture	Remarks		
0-6	10YR	2/2	100						Loam			
6-20	10YR	4/3	95	10YR	4/4	5	C	M	Silt Loam			
		-						-				
-				-	-			-				
				-		-						
-												
1 Type: C=Con	centration D	——————————————————————————————————————	n DM-Dec	uced Matrix	CS-Covere	ad or Coate	ed Sand G	ains 21 oc	ation: PL=Pore Lining. M=N			
Hydric Soil I		- Debietio	II. KIVI—KEC	uccu iviali iX,		or Coali	ca Janu Gi	unio -LUC				
Histosol (Doly.	value Belov	w Surface	(S8) (I DD	P		ematic Hydric Soils: 3		
	pedon (A2)				A 149B)	v Juliace	(30) (LIKIK	IX,	2 cm Muck (A10) (LRR K, L, MLRA 149B)			
Black Hist				Thir	Thin Dark Surface (S9) (LRR R, MLRA 149B)				Coast Prairie Redox (A16) (LRR K, L, R)			
	Sulfide (A4)			Loar	ny Mucky N	Mineral (F1) LRR K, L)	5 cm Mucky Peat or Peat (S3) (LRR K, L, R)			
	Layers (A5)			Loai	ny Gleyed	Matrix (F2))		Dark Surface (S7) (LRR K, L, M)			
	Below Dark S	Surface (A	11)	Dep	leted Matrix	x (F3)			☐ Polyvalue Below Surface (S8) (LRR K, L) ☐ Thin Dark Surface (S9) (LRR K, L)			
☐ Thick Darl	k Surface (A	12)			ox Dark Su				☐ Iron-Manganese Masses (F12) (LRR K, L, R)			
Sandy Mu	ck Mineral (S	S1)			leted Dark		7)		Piedmont Floodplain Soils (F19) (MLRA 149B)			
Sandy Gle	yed Matrix (S4)		☐ Red	ox Depress	ions (F8)			Mesic Spodic (TA6) (MLRA 144A, 145, 149B)			
Sandy Red	dox (S5)								Red Parent Material (F21)			
Stripped N	Matrix (S6)								Very Shallow Dark Surface (TF12)			
Dark Surface (S7) (LRR R, MLRA 149B)					Other (Explain in Remarks)							
³ Indicators of	hydrophytic	vegetatio	n and wetla	and hydrology	must be p	resent, un	ıless distur	bed or probl	lematic.			
Restrictive La												
Type:	, , ,											
Depth (inch	nes):								Hydric Soil Present?	Yes 🔾 No 💿		
Remarks:												
Romants.												