WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: RSA 22	City/County: Aitkin	Sampling Date: 01-Sep-17
Applicant/Owner: Enbridge	State: MN	Sampling Point: u-51n23w30-h1
Investigator(s): DPT	Section, Township, Range: S. 20	9 T. 51N R. 23W
Landform (hillslope, terrace, etc.): Hillside	Local relief (concave, convex, none):	
Subregion (LRR or MLRA): LRR K	Lat.: 46 52.3743 Long.: -9	93 17.5783 Datum: NAD 83
Soil Map Unit Name: 870E		NWI classification: N/A
Are climatic/hydrologic conditions on the site typic	al for this time of year? Yes No (If n	o, explain in Remarks.)
Are Vegetation, Soil, or Hydrology		ımstances" present? Yes ● No ○
Are Vegetation , Soil , or Hydrology		in any answers in Remarks.)
_ , _ ,	nap showing sampling point locations, to	•
Hydrophytic Vegetation Present? Yes O No	o •	
Hydric Soil Present? Yes O No	Is the Sampled Area within a Wetland?	s ○ No ●
Wetland Hydrology Present? Yes O No	o •	-
Remarks: (Explain alternative procedures here or	in a separate report.)	
Hydrology		
Wetland Hydrology Indicators:		endary Indicators (minimum of 2 required)
Primary Indicators (minimum of one required; che		Surface Soil Cracks (B6)
High Water Table (A2)		Drainage Patterns (B10) Moss Trim Lines (B16)
Saturation (A3)		Dry Season Water Table (C2)
Water Marks (B1)		Crayfish Burrows (C8)
Sediment Deposits (B2)		Saturation Visible on Aerial Imagery (C9)
Drift deposits (B3)	Presence of Reduced Iron (C4)	Stunted or Stressed Plants (D1)
Algal Mat or Crust (B4)		Geomorphic Position (D2)
Iron Deposits (B5)		Shallow Aquitard (D3)
Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8)		Microtopographic Relief (D4) FAC-neutral Test (D5)
Sparsely vegetated concave surface (Bb)		rac-neutral rest (D5)
Field Observations: Surface Water Present? Yes No No	Depth (inches): 0	
	Depth (inches):0 Wetland Hydrology	y Present? Yes ○ No •
(includes capillary fringe) Yes V No V	Depth (inches): 0	
Describe Recorded Data (stream gauge, monitorin	ng well, aerial photos, previous inspections), if available:	
Demonder		
Remarks:		

VEGETATION - Use scientific names of plants

vegeration - ose scientific fiames of p	Sampling Point: u-51n23w30-h1			
(8) -1 - 20	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot size: 30)	% Cover	Species?	Status	Number of Dominant Species
1. Populus tremuloides		✓	FACU	That are OBL, FACW, or FAC: (A)
2. Betula papyrifera		✓	FACU	Total Number of Dominant
3. Tilia americana		✓	FACU	Species Across All Strata:
4	0			
5	0			Percent of dominant Species That Are OBL FACW or FAC: 0.0% (A/B)
6				That Are OBL, FACW, or FAC: 0.0% (A/B)
7				Prevalence Index worksheet:
Sapling/Shrub Stratum (Plot size: 15)	90 =	= Total Cove	r	Total % Cover of: Multiply by:
4. Complete comments	60		FACU	0BL speci es x 1 =0
		✓	1700	FACW species 0 x 2 = 0
2				FAC speciles x 3 =0
3			-	FACU species 220 x 4 = 880
4				UPL species $\frac{30}{100} \times 5 = \frac{150}{100}$
5				Col umn Total s: 250 (A) 1030 (B)
6			-	
7				Prevalence Index = B/A =4.120
Herb Stratum (Plot size: 5)	60 =	= Total Cove	r	Hydrophytic Vegetation Indicators:
	50		FAOU	Rapid Test for Hydrophytic Vegetation
1 Pteridium aquilinum		V	FACU	☐ Dominance Test is > 50%
2. Eurybla macrophylla		V	UPL	Prevalence Index is ≤3.0 ¹
3. Aralia nudicaulis		✓	FACU	Morphological Adaptations ¹ (Provide supporting
4				data in Remarks or on a separate sheet)
5				Problematic Hydrophytic Vegetation ¹ (Explain)
6				1
7	0			¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
8	0			
9	0			Definitions of Vegetation Strata:
0	0			Tree - Woody plants, 3 in. (7.6 cm) or more in diameter
1	0			at breast height (DBH), regardless of height.
2				Conline / ohrub - Woody plants loss than 2 in DDI land
	100 =	= Total Cove	r	Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1m) tall
Woody Vine Stratum (Plot size: 30)		_		g. ca. c
1				Herb - All herbaceous (non-woody) plants, regardless of
2	0			size, and woody plants less than 3.28 ft tall.
3	0			Woody vine - All woody vines greater than 3.28 ft in
4	0			height.
	0 =	= Total Cove	r	
				Hydrophytic
				Vegetation Yes ○ No ●
Remarks: (Include photo numbers here or on a separate	sheet.)			

^{*}Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: u-51n23w30-h1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)										
Depth				Redox Features						
(inches)	Color (moi			Color (moist)	%	Type ¹	Loc ²	Texture	Remarks	
0-5	10YR :	2/1 10	<u> </u>					Loam		
5-20	10YR	4/4 10	0					Silt Loam		
				-						
				-				-		
		epletion. R	M=Reduced	Matrix, CS=Cover	ed or Coate	d Sand Gra	ins ² Locat	tion: PL=Pore Lining. M=N		
Hydric Soil Ind			Г					Indicators for Prob	lematic Hydric Soils : 3	
Histosol (A1)	•		L	Polyvalue Belo MLRA 149B)	w Surface (S8) (LRR R		2 cm Muck (A10)	(LRR K, L, MLRA 149B)	
Histic Epiped				Thin Dark Surf	ace (S9) (L	.RR R. MLR.	A 149B)	Coast Prairie Red	ox (A16) (LRR K, L, R)	
Black Histic (Loamy Mucky			,	5 cm Mucky Peat	or Peat (S3) (LRR K, L, R)	
Hydrogen Su]	Loamy Gleyed				Dark Surface (S7) (LRR K, L, M)	
	elow Dark Surfa	aca (A11)	[Depleted Matr					Surface (S8) (LRR K, L)	
	Surface (A12)	ace (ATT)	[Redox Dark Su				Thin Dark Surface		
	Mineral (S1)		[Depleted Dark		7)			Masses (F12) (LRR K, L, R)	
	ed Matrix (S4)		[Redox Depres	sions (F8)				lain Soils (F19) (MLRA 149B)	
Sandy Redox									6) (MLRA 144A, 145, 149B)	
Stripped Mat								Red Parent Mater		
	e (S7) (LRR R,	MLRA 149	B)					☐ Very Shallow Dar		
								Other (Explain in	Remarks)	
			u welland n	ydrology must be	present, un	less distuib	ea or proble	ematic.		
Restrictive Laye	er (if observe	ed):								
Type:								Hydric Soil Present?	Yes ○ No •	
Depth (inches	s):							Tryune Son Fresence	163 0 140 0	
Remarks:										