WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

| Project/Site: RSA 22 | City/County: | Aitkin | Samplii | Sampling Date: 31-Aug-17 | |
|---|--|----------------------------|---|------------------------------------|---|
| Applicant/Owner: Enbridge | | State: MN | Sampling Point: | u-51n24w26-aa4 | |
| Investigator(s): PJK | | Section, T | ownship, Range: S. 26 | T. 51N | R. 24W |
| Landform (hillslope, terrace, etc.) | Mound | Local relief (c | oncave, convex, none): | convex | Slope: <u>1.7</u> % / <u>1.0</u> ° |
| Subregion (LRR or MLRA): LRR | K Lat.: | 46 52.3879 | Long.: -93 | 3 20.750 | Datum: NAD 83 |
| Soil Map Unit Name: 685 | | - | | WI classification: | N/A |
| Are Vegetation, Soil Summary of Findings - , | , or Hydrology 🗌 naturally Attach site map showing | problematic? sampling p | (If needed, explain point locations, tra | any answers in Re ansects, impo | ^{marks.)} rtant features, etc |
| Hydrophytic Vegetation Present? Hydric Soil Present? Wetland Hydrology Present? | Yes ○ No ● Yes ○ No ● Yes ○ No ● | Is the withi | e Sampled Area n a Wetland? Yes | ○ _{No} ● | |
| Remarks: (Explain alternative p WETS analysis shows precipitat | rocedures here or in a separate repo on below normal. | ort.) | | | |

Hydrology

| Wetland Hydrology Indicators: | | Secondary Indicators (minimum of 2 required) | | | | | |
|--|---|--|--|--|--|--|--|
| Primary Indicators (minimum of one reg | Surface Soil Cracks (B6) | | | | | | |
| Surface Water (A1) | Water-Stained Leaves (B9) | Drainage Patterns (B10) | | | | | |
| High Water Table (A2) | Aguatic Fauna (B13) | Moss Trim Lines (B16) | | | | | |
| Saturation (A3) | Marl Deposits (B15) | Dry Season Water Table (C2) | | | | | |
| Water Marks (B1) | Hydrogen Sulfide Odor (C1) | \Box Cravfish Burrows (C8) | | | | | |
| Sediment Deposits (B2) | Ovidized Rhizospheres along Living Roots (C3) | Saturation Visible on Aerial Imagery (C9) | | | | | |
| Drift deposits (B3) | | Stunted or Stressed Plants (D1) | | | | | |
| Algal Mat or Crust (B4) | Recent Iron Reduction in Tilled Soils (C6) | Geomorphic Position (D2) | | | | | |
| Iron Deposits (B5) | | Shallow Aquitard (D3) | | | | | |
| Inundation Visible on Aerial Imagery (B7) | | Microtopographic Relief (D4) | | | | | |
| Sparsely Vegetated Concave Surface (B8) | | EAC-neutral Test (D5) | | | | | |
| | | | | | | | |
| Field Observations: | | | | | | | |
| Surface Water Present? Yes O N | Depth (inches): 0 | | | | | | |
| Water Table Present? Yes O N | Depth (inches): 0 | × · · · · | | | | | |
| Saturation Present? Yes O No. (includes capillary fringe) | Depth (inches): 0 | ydrology Present? Yes 🔾 No 🖲 | | | | | |
| Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Remarks: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

VEGETATION - Use scientific names of plants

| vegeration - use sciencific names of pla | Sampling Point: u-51n24w26-aa4 | | | |
|---|--------------------------------|----------------------|-----------|--|
| (Plot size: 30 | | Dominant Species? | Indicator | Dominance Test worksheet: |
| Tree Stratum (Filt Size:) | <u>% Cover</u> | | Status | Number of Dominant Species |
| | 60 | | FACU | That are OBL, FACW, or FAC: (A) |
| 2. Fraxinus nigra | | | FACW | Total Number of Dominant |
| 3 | | | | Species Across All Strata: (B) |
| 4 | | | | Demont of dominant Crossics |
| 5 | 0 | | | That Are OBL, FACW, or FAC:25.0% (A/B) |
| 6 | 0 | | | |
| 7 | 0 | | | Prevalence Index worksheet: |
| Sapling/Shrub Stratum (Plot size: 15) | 70 = | Total Cove | | Total % Cover of: Multiply by: |
| 1 Alpus incana | 10 | | FACW | OBL species $0 \times 1 = 0$ |
| 2 | 0 | | | FACW species 20 x 2 = 40 |
| 2 | | | | FAC species $0 \times 3 = 0$ |
| 3 | 0 | | | FACU species 130 x 4 = 520 |
| 4 | | | | UPL species x 5 = |
| 5 | | | | Column Totals: 190 (A) 760 (B) |
| 0 7 | | | | |
| 1 | | Total Covo | | Prevalence index = $B/A = 4.000$ |
| Herb Stratum (Plot size: 5) | | | | Hydrophytic Vegetation Indicators: |
| 1 Pteridium aquilinum | 60 | | FACU | Rapid Test for Hydrophytic Vegetation |
| 2 Carex pensylvanica | 40 | | UPI | Dominance Test is > 50% |
| 3 Aralia nudicaulis | 10 | | FACU | Prevalence Index is \leq 3.0 ¹ |
| 1 | 0 | | | Morphological Adaptations ¹ (Provide supporting |
| 4 | | | | data in Remarks or on a separate sheet) |
| 5 | | | | Problematic Hydrophytic vegetation * (Explain) |
| 0 7 | | | | ¹ Indicators of hydric soil and wetland hydrology must |
| 8 | | | | be present, unless disturbed or problematic. |
| 8 | | | | Definitions of Vegetation Strata: |
| 9 | | | | |
| 11 | | | | I ree - Woody plants, 3 in. (7.6 cm) or more in diameter at breast beight (DBH), regardless of beight |
| 12 | | | | a broad height (DDH), regardlood of height. |
| 12 | 110 - | Total Cover | | Sapling/shrub - Woody plants less than 3 in. DBH and |
| _Woody Vine Stratum (Plot size: 30) | | | | greater than 3.28 ft (1m) tall. |
| 1 | 0 | | | Herb - All herbaceous (non-woody) plants, regardless of |
| 2 | 0 | | | size, and woody plants less than 3.28 ft tall. |
| 3 | 0 | | | Woody vine - All woody vines greater than 3.28 ft in |
| 4 | 0 | | | height. |
| | 0 = | Total Cove | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | Hydrophytic |
| | | | | Present? Yes No 🖲 |
| | | | | |
| Remarks: (Include photo numbers here or on a separate she | et.) | | | |
| | , | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

* Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

US Army Corps of Engineers

| Profile Descr | iption: (Des | scribe to | the depth | needed to document | the indicator | or confirm the | absence of indicators.) | | |
|----------------------------|---------------|-------------|----------------|------------------------|-------------------|---------------------------------|---|---------------------------------------|--|
| Depth <u>Matrix</u> | | Red | Redox Features | | | | | | |
| (inches) | Color (| moist) | % | Color (moist) | <u>%</u> Ty | e ¹ Loc ² | Texture | Remarks | |
| 0-3 | 10YR | 2/2 | 100 | | | | Fine Sandy Loam | | |
| 3-12 | 10YR | 3/6 | 100 | | | | Fine Sandy Loam | | |
| 12-20 | 10YR | 4/4 | 100 | | | | Fine Sandy Loam | | |
| | | | | | | | | · · · · · · · · · · · · · · · · · · · | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | · | | | | |
| | | | | | , | | | | |
| | | | | | | | | | |
| | | - | | <u>.</u> | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| ¹ Type: C=Con | centration. D | =Depletic | on. RM=Red | uced Matrix, CS=Covere | d or Coated San | d Grains ² Loca | ation: PL=Pore Lining. M=M | atrix | |
| Hydric Soil I | ndicators: | | | | | | Indicators for Proble | ematic Hydric Soils: ³ | |
| Histosol (| A1) | | | Polyvalue Belov | / Surface (S8) (L | .RR R, | 2 cm Muck (A10) | (LRR K, L, MLRA 149B) | |
| Histic Epi | oedon (A2) | | | | | | Coast Prairie Redox (A16) (LRR K, L, R) | | |
| Black Hist | ic (A3) | | | | | WILRA 149B) | 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) | | |
| Hydrogen | Sulfide (A4) | | | | Antrix (F2) | K, L) | Dark Surface (S7) | (LRR K, L, M) | |
| Stratified | Layers (A5) | | | | (E2) | | Polyvalue Below Se | urface (S8) (LRR K, L) | |
| Depleted | Below Dark S | Surface (A | .11) | | face (E6) | | Thin Dark Surface | (S9) (LRR K, L) | |
| Thick Dar | k Surface (A1 | 12) | | | Surface (F7) | | Iron-Manganese N | lasses (F12) (LRR K, L, R) | |
| Sandy Mu | ck Mineral (S | 51) | | | ons (F8) | | Piedmont Floodplain Soils (F19) (MLRA 149B) | | |
| Sandy Gle | yed Matrix (| S4) | | | | | Mesic Spodic (TA6) (MLRA 144A, 145, 149B) | | |
| Sandy Re | dox (S5) | | | | | | Red Parent Material (F21) | | |
| | /Iatrix (56) | | 1400) | | | | Very Shallow Dark Surface (TF12) | | |
| | | K K, IVILKA | A 149B) | | | | Other (Explain in F | Remarks) | |
| ³ Indicators of | hydrophytic | vegetatio | on and wetla | nd hydrology must be p | resent, unless d | sturbed or probl | lematic. | | |
| Restrictive L | ayer (if obs | erved): | | | | | | | |
| Туре: | | | | | | | | | |
| Depth (incl | nes): | | | | | | Hydric Soil Present? | Yes 🔾 🛛 No 💌 | |
| Remarks: | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |