## WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: RSA 22		City/Co	ounty: Aitkin	Samplin	<b>Date:</b> 25-Aug-17
Applicant/Owner: Enbridge			State: MN	Sampling Point:	u-51n24w27-a1
Investigator(s): DPT/SMR		Sec	tion, Township, Range:	<b>s.</b> 27 <b>t.</b> 51N	<b>R.</b> 24W
Landform (hillslope, terrace, et	:.): Floodplain	Local re	elief (concave, convex, n	one): undulating	Slope: 1.7 % / 1.0 °
Subregion (LRR or MLRA):	RR K	<b>Lat.:</b> 46 52.3	849 Long	-93 21.9669	Datum: NAD 83
Soil Map Unit Name: 1982				NWI classification:	N/A
Are climatic/hydrologic condition	ons on the site ty	pical for this time of year?	Yes ○ No •	(If no, explain in Remarks	5.)
Are Vegetation, Soil _	, or Hydrold		bed? Are "Normal	Circumstances" present?	Yes ● No ○
Are Vegetation , Soil	, or Hydrold	ogy 🗹 naturally problema	atic? (If needed, o	explain any answers in Rei	marks.)
Summary of Findings	•		,	•	•
Hydrophytic Vegetation Preser	nt? Yes	No •			
Hydric Soil Present?	Yes 🔾	No •	Is the Sampled Area within a Wetland?	Yes O No 💿	
Wetland Hydrology Present?	Yes 🔾	No •			
WETS analysis shows precipit	ation below nom	idi. Мізэізэіррі кійсі піпіде по	очріані.		
Hydrology  Wetland Hydrology Indicators				Secondary Indicators (minim	num of 2 required)
Primary Indicators (minimum		check all that apply)		Surface Soil Cracks (B6)	
Surface Water (A1)		Water-Stained Leaves (B9)		Drainage Patterns (B10)	
High Water Table (A2)		Aquatic Fauna (B13)		Moss Trim Lines (B16)	
Saturation (A3)		Marl Deposits (B15)		Dry Season Water Table	(C2)
Water Marks (B1)		Hydrogen Sulfide Odor (C1)	)	Crayfish Burrows (C8)	
Sediment Deposits (B2)		Oxidized Rhizospheres alon		Saturation Visible on Ae	
Drift deposits (B3)		Presence of Reduced Iron (	•	Stunted or Stressed Plan	` '
Algal Mat or Crust (B4)		Recent Iron Reduction in Ti	lled Soils (C6)	Geomorphic Position (D	2)
☐ Iron Deposits (B5)	(0.7)	☐ Thin Muck Surface (C7)		Shallow Aquitard (D3)	-
Inundation Visible on Aerial Ir		Uther (Explain in Remarks)		Microtopographic Relief	(D4)
Sparsely Vegetated Concave S	surface (B8)			FAC-neutral Test (D5)	
Field Observations:	es O No •	Depth (inches): 0			
			<u> </u>		
	es O No 💿	Depth (inches):0		ology Present? Yes	○ No ●
Saturation Present? (includes capillary fringe)	es O No 💿	Depth (inches):0			
Describe Recorded Data (strea	ım gauge, monito	ring well, aerial photos, previ	ous inspections), if avail	able:	
Remarks:					

## **VEGETATION - Use scientific names of plants**

VEGETATION - USE Scientific fiamles of pia	Sampling Point: u-51n24w27-a1					
(01-4-1 20	Absolute	Dominant Species?	Indicator	Dominance Test worksheet:		
Tree Stratum (Plot size: 30 )	% Cover	_species:	Status	Number of Dominant Species		
1				That are OBL, FACW, or FAC:1(A)		
2				Total Number of Dominant		
3				Species Across All Strata: 4 (B)		
4						
5	0			Percent of dominant Species That Are OBL FACW or FAC: 25.0% (A/B)		
6				That Are OBL, FACW, or FAC: 25.0% (A/B)		
7				Prevalence Index worksheet:		
Sapling/Shrub Stratum (Plot size: 15 )	0 = Total Cover		r	Total % Cover of: Multiply by:		
1 Corylus cornuta	5	<b>✓</b>	FACU	0BL species 0 x 1 = 0		
2				FACW species 10 x 2 = 20		
3				FAC species $\underline{20}$ x 3 = $\underline{60}$		
4				FACU species		
5				UPL species $0 \times 5 = 0$		
				Column Total s: 105 (A) 380 (B)		
6						
7				Prevalence Index = B/A = 3.619		
Herb Stratum (Plot size: 5 )	5 =	= Total Cove	Г	Hydrophytic Vegetation Indicators:		
A Olaskima amusasa	40	<b>✓</b>	FACU	Rapid Test for Hydrophytic Vegetation		
	- 10			☐ Dominance Test is > 50%		
2. Rubus Idaeus		<b>✓</b>	FACU	☐ Prevalence Index is $\leq$ 3.0 $^1$		
3. Solidago canadensis			FACU	Morphological Adaptations <sup>1</sup> (Provide supporting		
4. Solidago gigantea			FACW	data in Remarks or on a separate sheet)		
5. Matteuccia struthiopteris		<b>✓</b>	FAC	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)		
6						
7	0			Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.		
8	0					
9	0			Definitions of Vegetation Strata:		
0				Tree - Woody plants, 3 in. (7.6 cm) or more in diameter		
1				at breast height (DBH), regardless of height.		
2		Ī				
Woody Vine Stratum (Plot size: 30 )	=	= Total Cove	r	Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1m) tall		
	0			Herb - All herbaceous (non-woody) plants, regardless of		
1			-	size, and woody plants less than 3.28 ft tall.		
2			-			
3				Woody vine - All woody vines greater than 3.28 ft in		
4				height.		
		Total Cove	r			
				Hydrophytic Vegetation		
				Present? Yes No •		
Pomarkes (Include nhote numbers here or on a conavate sh	unat \			,		
Remarks: (Include photo numbers here or on a separate sh	ect.					

<sup>\*</sup>Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: u-51n24w27-a1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)									
Depth Matrix		Redox Features							
(inches) Color (moist)		(moist)	%_	Type <sup>1</sup>	Loc²	Texture	Remarks		
0-610YR2/210	00					Silty Clay Loam			
6-20 10YR 4/3 99	5 10YR	3/6	5	C	M	Silt Loam			
	-								
	-								
			-						
1									
<sup>1</sup> Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains <sup>2</sup> Location: PL=Pore Lining. M=Matrix									
Hydric Soil Indicators:				(00) (1 = =	_	Indicators for Probl	ematic Hydric Soils: 3		
Histosol (A1)		rvalue Below RA 149B)	Surface (	(S8) (LRR I	₹,	2 cm Muck (A10) (LRR K, L, MLRA 149B)			
Histic Epipedon (A2)			ce (S9) (I	LRR R. MLF	RA 149B)	Coast Prairie Redo	ox (A16) (LRR K, L, R)		
Black Histic (A3)		☐ Thin Dark Surface (S9) (LRR R, MLRA 149B) ☐ Loamy Mucky Mineral (F1) LRR K, L)				5 cm Mucky Peat or Peat (S3) (LRR K, L, R)			
<ul><li>☐ Hydrogen Sulfide (A4)</li><li>☐ Stratified Layers (A5)</li></ul>		Loamy Gleyed Matrix (F2)				Dark Surface (S7) (LRR K, L, M)			
Depleted Below Dark Surface (A11)		Depleted Matrix (F3)					Surface (S8) (LRR K, L)		
Thick Dark Surface (A12)		Redox Dark Surface (F6)				Thin Dark Surface (S9) (LRR K, L)			
Sandy Muck Mineral (S1)		Depleted Dark Surface (F7)				Iron-Manganese Masses (F12) (LRR K, L, R)			
Sandy Gleyed Matrix (S4)	Rec	ox Depressi	ons (F8)			☐ Piedmont Floodplain Soils (F19) (MLRA 149B)			
Sandy Redox (S5)						☐ Mesic Spodic (TA6) (MLRA 144A, 145, 149B)			
Stripped Matrix (S6)						Red Parent Material (F21)			
Dark Surface (S7) (LRR R, MLRA 149B)						<ul><li>✓ Very Shallow Dark Surface (TF12)</li><li>✓ Other (Explain in Remarks)</li></ul>			
							Remarks)		
<sup>3</sup> Indicators of hydrophytic vegetation ar	nd wettand nydrolog	y must be pr	esent, un	iless disturi	bea or proble	ematic.			
Restrictive Layer (if observed):									
Type:						Hydric Soil Present?	Yes O No •		
Depth (inches):						Tryunc con Tresent.	163 0 140 0		
Remarks:									