WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

| Project/Site: RSA 22 | | City/County: | Aitkin | Sampli | Sampling Date: 22-Aug-17 | |
|---|--|---|------------------------|---|----------------------------|--|
| Applicant/Owner: Enbridge | | | State: MN | Sampling Point: | u-51n26w33-b2 | |
| Investigator(s): SMR/RWS | | Section, To | wnship, Range: S. 33 | T. 51N | R. 26W | |
| Landform (hillslope, terrace, etc.): | Mound | Local relief (c | oncave, convex, none): | convex | Slope: 10.5 % / 6.0 | |
| Subregion (LRR or MLRA): LRR K | Lat.: | 46 51.8237 | Long.: -9 | 3 38.1245 | Datum: NAD 83 | |
| Soil Map Unit Name: 540 | | - | | NWI classification: | N/A | |
| Are Vegetation, Soil Are Vegetation, Soil Summary of Findings - At | , or Hydrology naturally | ntly disturbed? problematic? sampling p | (If needed, explai | mstances" present? n any answers in Re ransects, impo | emarks.) | |
| Hydrophytic Vegetation Present? Hydric Soil Present? Wetland Hydrology Present? | Yes ○ No ● Yes ○ No ● Yes ○ No ● | | Sampled Area | s 🔿 No 🖲 | | |
| Remarks: (Explain alternative pro WETS analysis shows precip is be | | ort.) | | | | |

Hydrology

| Wetland Hydrology Indicato | rs: | | Secondary Indicators (minimum of 2 required) |
|--|--------------------|---|--|
| Primary Indicators (minimu | m of one required; | Surface Soil Cracks (B6) | |
| Surface Water (A1) | · · · | Water-Stained Leaves (B9) | Drainage Patterns (B10) |
| High Water Table (A2) | | Aquatic Fauna (B13) | Moss Trim Lines (B16) |
| Saturation (A3) | | Marl Deposits (B15) | Dry Season Water Table (C2) |
| Water Marks (B1) | | Hydrogen Sulfide Odor (C1) | Crayfish Burrows (C8) |
| Sediment Deposits (B2) | | Oxidized Rhizospheres along Living Roots (C3) | |
| Drift deposits (B3) | | Presence of Reduced Iron (C4) | Stunted or Stressed Plants (D1) |
| Algal Mat or Crust (B4) | | Recent Iron Reduction in Tilled Soils (C6) | Geomorphic Position (D2) |
| Iron Deposits (B5) | | Thin Muck Surface (C7) | Shallow Aquitard (D3) |
| Inundation Visible on Aerial | I Imagery (B7) | | Microtopographic Relief (D4) |
| Sparsely Vegetated Concav | 0 9 1 1 | Uther (Explain in Remarks) | FAC-neutral Test (D5) |
| | 0 0411400 (20) | | |
| Field Observations: | | | |
| | Yes 🔿 No 🖲 | Depth (inches): 0 | |
| Water Table Present? | Yes 🔾 🛛 No 🖲 | Depth (inches): 0 | x \bigcirc x \bigcirc |
| Saturation Present? (includes capillary fringe) | Yes 🔾 No 🖲 | Depth (inches): 0 | nd Hydrology Present? Yes 🔿 No 🖲 |
| Describe Recorded Data (str | eam gauge, monito | ring well, aerial photos, previous inspections) | , if available: |
| | | | |
| | | | |
| Remarks: | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

VEGETATION - Use scientific names of plants

| VEGETATION - Use scientific names of plat | Sampling Point: u-51n26w33-b2 | | | |
|---|-------------------------------|--------------|-----------|--|
| (5) | Absolute | Dominant | Indicator | Dominance Test worksheet: |
| _Tree Stratum (Plot size: 30) | % Cover | Species? | Status | Number of Dominant Species |
| 1 | 0 | | | That are OBL, FACW, or FAC:O(A) |
| 2 | 0 | | | Total Number of Dominant |
| 3 | 0 | | | Species Across All Strata: 1 (B) |
| 4 | 0 | | | |
| 5 | | | | Percent of dominant Species That Are OBL_EACW_or_EAC: 0.0% (A/B) |
| 6 | | | | That Are OBL, FACW, or FAC:(A/B) |
| 7 | 0 | | | Prevalence Index worksheet: |
| | 0 = | Total Cover | | Total % Cover of: Multiply by: |
| Sapling/Shrub Stratum (Plot size: 15) | | | | OBL species x 1 = |
| 1. Acer rubrum | 10 | | FAC | FACW species $0 \times 2 = 0$ |
| 2. Corylus cornuta | 80 | \checkmark | FACU | FAC species $10 \times 3 = 30$ |
| 3. Rosa rugosa | 10 | | FACU | |
| 4 | 0 | | | · · |
| 5 | 0 | | | UPL species x 5 = |
| 6 | 0 | | | Column Totals: <u>100</u> (A) <u>390</u> (B) |
| 7 | | | | Prevalence Index = B/A = 3.900 |
| | | Total Cover | | |
| Herb Stratum (Plot size: 5) | | | | Hydrophytic Vegetation Indicators: Rapid Test for Hydrophytic Vegetation |
| 1 | 0 | | | |
| 2 | 0 | | | Dominance Test is > 50% |
| 3 | | | | Prevalence Index is ≤3.0 ¹ |
| 4 | | | | Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) |
| 5 | | | | Problematic Hydrophytic Vegetation ¹ (Explain) |
| 6 | | | | |
| | | | | ¹ Indicators of hydric soil and wetland hydrology must |
| 7 | | | | be present, unless disturbed or problematic. |
| 8 | | | | Definitions of Vegetation Strata: |
| 9 | | | | |
| 10 | | | | Tree - Woody plants, 3 in. (7.6 cm) or more in diameter |
| 11 | 0 | | | at breast height (DBH), regardless of height. |
| 12 | 0 | | | Sapling/shrub - Woody plants less than 3 in. DBH and |
| _ Woody Vine Stratum_(Plot size: _30) | 0 = | Total Cover | | greater than 3.28 ft (1m) tall |
| | 0 | | | |
| 1 | | | | Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. |
| 2 | 0 | | | |
| 3 | 0 | | | Woody vine - All woody vines greater than 3.28 ft in |
| 4 | 0 | | | height. |
| | = | Total Cover | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | Hydrophytic Vegetation |
| | | | | Present? Yes No • |
| | | | | |
| Remarks: (Include photo numbers here or on a separate she | et.) | | | |
| · · · · · · · · · · · · · · · · · · · | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

* Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

US Army Corps of Engineers

| | ription: (De | scribe to | the depth | needed to docum | ent the indi | cator or co | onfirm the | absence of indicators.) | | |
|---------------------------|---|------------|--------------|--|----------------|---|------------------|--|-----------------------------------|--|
| Depth (inches) | Depth <u>Matrix</u> (inches) Color (moist) % | | % | Redox Features | | | Loc ² | Touturo | Barraha | |
| 0-4 | 10YR | <u>2/1</u> | 100 | Color (moist) | <u>%</u> | Type ¹ | LOC ² | Silt Loam | Remarks | |
| | | | | | | | | = | | |
| 4-20 | 10YR | 5/3 | . 85 | 10YR 5/6 | 5 15 | C | M | Clay Loam | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | - | | <u>_</u> | | | | | |
| | | | | | | | | | | |
| | | | | · | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 1 Type: C=Con | centration D |)=Depletio | n RM=Red | luced Matrix CS=Co | vered or Coat | ed Sand Gr | ains 21 oca | ation: PL=Pore Lining. M=Ma | ıtrix | |
| Hydric Soil 1 | | -Depictio | | | | | | | | |
| Histosol (| | | | | olow Surfaco | (S8) (I PD I | 5 | | matic Hydric Soils : ³ | |
| | pedon (A2) | | | Polyvalue Below Surface (S8) (LRR R, MLRA 149B) | | | X 1 | 2 cm Muck (A10) (LRR K, L, MLRA 149B) | | |
| Black Hist | | | | Thin Dark Surface (S9) (LRR R, MLRA 149B) Loamy Mucky Mineral (F1) LRR K, L) | | | | Coast Prairie Redox (A16) (LRR K, L, R) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) | | |
| _ | n Sulfide (A4) | 1 | | | | | | | | |
| | Stratified Layers (A5) | | | Loamy Gleyed Matrix (F2) | | | | Dark Surface (S7) (LRR K, L, M) | | |
| Depleted | Below Dark S | Surface (A | .11) | Depleted Matrix (F3) | | | | Polyvalue Below Surface (S8) (LRR K, L) Thin Dark Surface (S9) (LRR K, L) | | |
| Thick Dar | rk Surface (A | 12) | | | Surface (F6) | | | Iron-Manganese Masses (F12) (LRR K, L, R) Piedmont Floodplain Soils (F19) (MLRA 149B) | | |
| 🗌 Sandy Mu | uck Mineral (S | S1) | | | ark Surface (F | -7) | | | | |
| Sandy Gle | Sandy Gleyed Matrix (S4) | | | | | Mesic Spodic (TA6) (MLRA 144A, 145, 149B) | | | | |
| Sandy Re | | | | | | | | Red Parent Material (F21) | | |
| | Matrix (S6) | | | | | | | Very Shallow Dark Surface (TF12) | | |
| Dark Surf | face (S7) (LR | r r, mlra | A 149B) | | | | | Other (Explain in R | emarks) | |
| ³ Indicators o | f hydrophytic | vegetatio | on and wetla | and hydrology must b | oe present, ur | nless disturi | bed or proble | ematic. | | |
| Restrictive L | ayer (if obs | erved): | | | | | | | | |
| Type: | | - | | | | | | | | |
| Depth (inc | hes): | | | | | | | Hydric Soil Present? | Yes 🔿 No 🖲 | |
| Remarks: | | | | | | | | | | |
| Romano. | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |