WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Aitk	City/County: Aitkin		Sampling Date: 2016-08-29		
Applicant/Owner: Enbridge		State: Minnesota	Samplii	ng Point: w-47n22w11-ae1		
Investigator(s): DPT, MGH	Section, To	ownship, Range: S11, T47N, R	 22W			
Landform (hillslope, terrace, etc.): Depr		Local Relief (concave,		Slope (%): 0-2%		
Subregion (LRR or MLRA):		•	ongitude: -93.08434624	Datum: NAD83		
Soil Map Unit Name: 736				ssification: N/A		
•	he site typical for this time o	of year? (if no explain in Rem	_	No		
Are Vegetation No_, Soil No_, or H	ydrology No significantly	disturbed? Are "Normal Circu	ımstances" present? Yes			
Are Vegetation No_, Soil No_, or Hyd	drology No naturally probl	ematic? (If needed, explain a	any answers in Remarks)			
· — — /			,			
SUMMARY OF FINDINGS - Attach si	te map showing sampling p	oint locations, transects, imp	ortant features, etc.			
Hydrophytic Vegetation Present?	<u>Yes</u>	Is the Sampled Area				
Hydric Soil Present?	<u>Yes</u>	within a Wetland?		Yes		
Wetland Hydrology Present?	<u>Yes</u>	If yes, optional Wetlar	nd Site ID:	<u>w-47n22w11-ae</u>		
Remarks: (Explain alternative procedu	res here or in a separate rep	oort.)				
Existing forest road, no digging, poten	tial buried utilities. Precipita	ation above normal based on	WETS analysis.			
HYDROLOGY						
Wetland Hydrology Indicators:			Secondary Indica	tors (minimum of two required)		
Primary Indicators (minimum of one is	required; check all that app	lv)	Surface So	il Cracks (B6)		
Surface Water (A1)		d Leaves (B9)		atterns (B10)		
High Water Table (A2)	Aquatic Faun			Moss Trim Lines (B16)		
Saturation (A3)	Marl Deposits	s (B15)	Dry-Season Water Table (C2)			
Water Marks (B1)	Hydrogen Sul	fide Odor (C1)	Crayfish Bu	Crayfish Burrows (C8)		
Sediment Deposits (B2)	Oxidized Rhiz	ospheres on Living Roots (C3)	Saturation \	isible on Aerial Imagery (C9)		
Drift Deposits (B3)	Presence of R	Reduced Iron (C4)	Stunted/Str	essed Plants (D1)		
Algal Mat or Crust (B4)	Recent Iron R	eduction in Tilled Soils (C6)	<u>yes</u> Geomorphi	Position (D2)		
Iron Deposits (B5)	Thin Muck Su	ırface (C7)	Shallow Aquitard (D3)			
Inundation Visible on Aerial Imagery (B	nundation Visible on Aerial Imagery (B7) Other (Explain in Rem		rks)Microtopographic Relief (D4)			
Sparsely Vegetated Concave Surface (B	8)		yes FAC-Neutra	Test (D5)		
Field Observations:						
Surface Water Present?	No Depth (ii	nches)				
Water Table Present?	Depth (ii	nches)				
Saturation Present?	No Depth (ii	nches)	Wetland Hydrology Pr	esent? Yes		
(includes capillary fringe)						
Describe Recorded Data (stream gauge	, monitoring well, aerial pho	otos, previous inspections), if	available:			
Remarks:						
No digging, could not verify water table.						
1						

Sapling/Shrub Stratum (Plot Size: 15

Tree Stratum

2. Salix petiolaris

1. Carex lacustris

2. Onoclea sensibilis

3. Calamagrostis canadensis

Herb Stratum (Plot Size: 5

(Plot Size: 30

Absolute

% Cover

5.00

5.00

40.00

30.00

30.00

Indicator

Status

FACW

OBL

OBL

FACW

FACW

Dominant

Species?

_____ = Total Cover

Yes

Yes

____ = Total Cover

Yes

Yes

__ Yes

10				
11.				ody) plants, regardless of size, and
12			woody plants less than 3.28 ft ta	III.
	100	_ = Total Cover	Woody vines - All woody vines g	reater than 3.28 ft in height.
Noody Vine Stratum (Plot Size: 30)				
l				
2.			Hydrophytic	
3.			Vegetation Present?	Yes
1			_	
	0	_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet.	.)		-	
JS Army Corps of Engineers			Northcentral an	d Northeast Region – Version 2.0

Sampling Point: W-47n22w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Matrix **Redox Features** Loc² (inches) Color (moist) Color (moist) % Type¹ Texture Remarks ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) ✓ Other (explain in remarks) Dark Surface (S7) (LRR R, MLRA 149B) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches): Remarks: No digging, existing forest road, soils assumed hydric based on veg/hydro.

Site Photograph 1 Sampling Point: w-47n22w11-ae1



Latitude: 46.5646505775364	Cowardin Classification: PEM		
Longitude: -93.0843459070596	Circular 39: 2		
Direction: south	Eggers & Reed: Fresh (Wet) Meadow		
Remarks:			

Site Photograph 2 Sampling Point: w-47n22w11-ae1



Latitude:	46.5646507451744	Cowardin Classification: PEM
Longitude:	-93.0843459908786	Circular 39: 2
Direction: east	t	Eggers & Reed: Fresh (Wet) Meadow
Remarks:		