| WETLA   | ND DETER                            | RMINATION DATA F                      | ORM - North Centr           | al and Northeast Regio       | on   |     |  |
|---|-------------------------------------|---------------------------------------|-----------------------------|------------------------------|--|-----|--|
| Project/Site: SPP   | Cit                                 | City/County: Aitkin                   |                             | Samp                         | Sampling Date: 2016-08-30                        |     |  |
| Applicant/Owner: Enbridge   |                                     |                                       | State: Minnesota            | Samp                         | ling Point: w-47n22w14-af1                       |     |  |
| Investigator(s): DPT, MGH   |                                     | Section, Townshi                      | p, Range: <u>S14, T47N,</u> | R22W                         |  |     |  |
| Landform (hillslope, terrace, etc.): Depres   | sion                                |                                       | Local Relief (concave       | , convex, none): <u>CL</u>   | Slope (%): <u>0-2%</u>                           |     |  |
| Subregion (LRR or MLRA):  |                                     | Latitude: 46                          | 5.5500184148                | Longitude: -93.08198388.     | Datum: NAD83                                     |     |  |
| Soil Map Unit Name: 533   |                                     |                                       |                             |                              |  |     |  |
| Are climatic/hydrologic conditions on the site typical for this time of year? (if no, explain in Remarks): No                         |                                     |                                       |                             |                              |  |     |  |
| Are Vegetation <u>No</u> , Soil <u>No</u> , or Hyd  | rology <u>No</u>                    | significantly disturb                 | oed? Are "Normal Cire       | cumstances" present? Yes     | 5  |     |  |
| Are Vegetation <u>No</u> , Soil <u>No</u> , or Hydrology <u>No</u> naturally problematic? (If needed, explain any answers in Remarks) |                                     |                                       |                             |                              |  |     |  |
| SUMMARY OF FINDINGS - Attach site   | map show                            | ving sampling point lo                | cations, transects, im      | portant features, etc.       |  |     |  |
| Hydrophytic Vegetation Present?   |                                     | Yes                                   | Is the Sampled Area         |                              |  |     |  |
| Hydric Soil Present?  |                                     | Yes                                   | within a Wetland?           |                              | Yes  |     |  |
| Wetland Hydrology Present?  |                                     | Yes                                   | If yes, optional Wetla      | and Site ID:                 | w-47n22w14-af                                    |     |  |
| Remarks: (Explain alternative procedures  | s here or ir                        | n a separate report.)                 |                             |                              |  |     |  |
| HYDROLOGY   |                                     |                                       |                             |                              |  |     |  |
| Wetland Hydrology Indicators:   |                                     |                                       |                             | Secondary Indi               | cators (minimum of two require                   | ed) |  |
|   | من بالمعمار مام                     |                                       |                             |                              |  | 201 |  |
| Primary Indicators (minimum of one is re  | quirea; ch                          | · · · · · · · · · · · · · · · · · · · | - (00)                      |                              | Soil Cracks (B6)                                 |     |  |
|   | yes Surface Water (A1) Water-Staine |                                       |                             |                              | Drainage Patterns (B10)<br>Moss Trim Lines (B16) |     |  |
|   |                                     |                                       |                             | Dry-Season Water Table (C2)  |  |     |  |
|   |                                     |                                       | or (C1)                     | Crayfish Burrows (C8)        |  |     |  |
| Sediment Deposits (B2)  | Water Marks (B1)Hydrogen Sulfide O  |                                       | es on Living Roots (C3)     |                              |  |     |  |
| Drift Deposits (B3)   |                                     | Presence of Reduced                   |                             |                              |  |     |  |
| Algal Mat or Crust (B4)   |                                     |                                       | n in Tilled Soils (C6)      |                              |  |     |  |
| Iron Deposits (B5)  | _                                   | Thin Muck Surface (C                  |                             |                              |  |     |  |
| Inundation Visible on Aerial Imagery (B7)   |                                     |                                       |                             | Microtopographic Relief (D4) |  |     |  |
| Sparsely Vegetated Concave Surface (B8)   |                                     |                                       | Yes FAC-Neutral Test (D5)   |                              |  |     |  |
| Field Observations:   |                                     | 1                                     |                             |                              |  |     |  |
| Surface Water Present?  | Yes                                 | Depth (inches)                        | 8                           |                              |  |     |  |
| Water Table Present?  | Yes                                 | Depth (inches)                        | 0                           |                              |  |     |  |
| Saturation Present?   | Yes                                 | Depth (inches)                        | 0                           | Wetland Hydrology            | Present? Yes                                     |     |  |
| (includes capillary fringe)   |                                     |                                       |                             |                              |  |     |  |
| Describe Recorded Data (stream gauge, r   | nonitoring                          | well, aerial photos, p                | revious inspections), i     | f available:                 |  |     |  |
| Remarks:  |                                     |                                       |                             |                              |  |     |  |

# **VEGETATION** - Use scientific names of plants.

Sampling Point: w-47n22w...

|                        |                                  | Absolute  | Dominant       | Indicator | Dominance Test worksheet:   |  |
|------------------------|----------------------------------|-----------|----------------|-----------|---|--|
| Tree Stratum           | (Plot Size: 30                   | ) % Cover | Species?       | Status    | Number of Dominant Species  |  |
| 1.                     |                                  |           |                |           | That Are OBL, FACW, or FAC: 4 (A)   |  |
| 2.                     |                                  |           |                |           | Total Number of Dominant  |  |
| 3.                     |                                  |           |                |           | Species Across All Strata: 5 (B)  |  |
| 4.                     |                                  |           |                |           | Percent of Dominant Species   |  |
| 5.                     |                                  |           |                |           | That Are OBL, FACW, or FAC: 80 (A/B)  |  |
| 6.                     |                                  |           |                |           | Prevalence Index worksheet:   |  |
| -                      |                                  |           | _              |           | –<br>Total % Cover of: Multiply by:   |  |
| ···                    |                                  | 0         |                |           | OBL species 60.00 x 1 60  |  |
| Sanling/Shruh Stratum  | n (Plot Size: 15 )               | -         |                |           | FACW species 50.00 x 2 100  |  |
| 1. Alnus incana        | _ (: :====)                      | 10.00     | Yes            | FACW      | FACU species 5.00 x 3 20  |  |
| 2. Betula papyrifera   |                                  | 5.00      | Yes            | FACU      | UPL species 0.00 x 4 0  |  |
|                        |                                  |           |                |           | Column Totals 115 (A) 180 (B)   |  |
|                        |                                  |           | _              |           | Prevalence Index = $B/A = \frac{1.5652173}{1.5652173}$  |  |
| _                      |                                  |           |                |           |   |  |
|                        |                                  |           |                |           | _ Hydrophytic Vegetation Indicators:  |  |
|                        |                                  |           |                |           | 1 - Rapid Test for Hydrophytic Vegetation   |  |
| 7                      |                                  |           |                |           | yes 2 - Dominance Test is > 50%   |  |
|                        | _                                | 15        | = Total Cover  |           | <u>yes</u> 3 - Prevalence Index is $\leq 3.0^1$   |  |
| Herb Stratum (Plot Siz | ze: <u>5</u> )                   |           |                |           | 4 - Morphological Adaptations <sup>1</sup> (Provide<br>supporting data in Remarks or on a separate sheet) |  |
| 1. Carex lacustris     |                                  | 50.00     | Yes            | OBL       | -   |  |
| 2. Calamagrostis cana  |                                  | 20.00     | Yes            | FACW      | Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)   |  |
| 3. Phragmites australi | is                               | 20.00     | Yes            | FACW      | Indicators of hydric soil and wetland hydrology must be present, unless                                   |  |
| 4. Carex stricta       |                                  | 10.00     | No             | OBL       | disturbed or problematic.   |  |
| 5                      |                                  |           |                |           | Definitions of Vegetation Strata:   |  |
| 6                      |                                  |           |                |           | _   |  |
| 7                      |                                  |           |                |           | Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast  |  |
| 8                      |                                  |           |                |           | height (DBH), regardless of height.   |  |
| 9                      |                                  |           |                |           | Sapling/Shrub - Woody plants less than 3 in. DBH and greater than   |  |
| 10                     |                                  |           |                |           | or equal to 3.28 ft (1 m) tall.   |  |
|                        |                                  |           |                |           | Herb - All herbaeceous (non-woody) plants, regardless of size, and  |  |
|                        |                                  |           |                |           | woody plants less than 3.28 ft tall.  |  |
| 12                     |                                  |           |                |           | -1  |  |
|                        |                                  | 100       | _= Total Cover |           | Woody vines - All woody vines greater than 3.28 ft in height.   |  |
| Woody Vine Stratum     | (Plot Size: 30 )                 |           |                |           |   |  |
| 1                      |                                  |           |                |           | -   |  |
| 2                      |                                  |           |                |           | Hydrophytic<br>Vegetation   |  |
| 3                      |                                  |           |                |           | Present? Yes  |  |
| 4                      |                                  |           |                |           |   |  |
|                        |                                  | 0         | =Total Cover   |           |   |  |
| Remarks: (include ph   | oto numbers here or on a separat | e sheet.) |                |           |   |  |
|                        | · ·                              | ·         |                |           |   |  |
|                        |                                  |           |                |           |   |  |
|                        |                                  |           |                |           |   |  |
|                        |                                  |           |                |           |   |  |
|                        |                                  |           |                |           |   |  |
|                        |                                  |           |                |           |   |  |
|                        |                                  |           |                |           |   |  |
|                        |                                  |           |                |           |   |  |
| L                      |                                  |           |                |           |   |  |

US Army Corps of Engineers

Northcentral and Northeast Region – Version 2.0

## SOIL

| Sampling Poin | <sub>t:</sub> w-47n22w |
|---------------|------------------------|
|---------------|------------------------|

| Depth Matri                            | х              | Redox Fe                    | atures                      |                  |                         |  |
|--|----------------|-----------------------------|-----------------------------|------------------|-------------------------|--|
| (inches) Color (moist)                 | %              | Color (moist)               | % Type <sup>1</sup>         | Loc <sup>2</sup> | Texture                 | Remarks  |
|  |                | ·                           |                             |                  |                         |  |
|  |                | ·                           |                             |                  |                         |  |
| <br>                                   |                | ·                           |                             |                  |                         |  |
|  |                |                             |                             |                  |                         |  |
| Type: C=Concentration, D=Depletion,    | RM=Reduced M   | atrix, MS=Masked Sand Grair | ns.                         |                  |                         | <sup>2</sup> Location: PL=Pore Lining, M=Matri |
| Hydric Soil Indicators:                |                | Polyvalue Below Su          | rfaco (SQ) (I PP P          |                  | Indicators for Problem  | matic Hydric Soil <sup>3</sup> :               |
| Histosol (A1)                          |                | <b>149B</b> )               | 11ace (30) (LNN N,          | IVILKA           | 2 cm Muck (A10          | )) (LRR K, L, MLRA 149B)                       |
| Histic Epipedon (A2)                   |                | Thin Dark Surface (S        | 59) <b>(LRR R, MLRA</b>     | 149B)            | Coast Prairie Re        | dox (A16)( <b>LRR K, L, R</b> )                |
| Black Histic (A3)                      |                | Loamy Mucky Mine            | eral (F1) <b>(LRR K, L)</b> |                  | _                       | at or Peat (S3) ( <b>LRR K, L, R</b> )         |
| Hydrogen Sulfide (A4)                  |                | Loamy Gleyed Matr           | rix (F2)                    |                  | Dark Surface (S7        |  |
| Stratified Layers (A5)                 |                | Depleted Matrix (F3         | 3)                          |                  | Polyvalue Below         | v Surface (S8) <b>(LRR K, L)</b>               |
| Depleted Below Dark Surface (A1        | .1)            | Redox Dark Surface          | (F6)                        |                  | Thin Dark Surfac        | e (S9) ( <b>LRR K, L</b> )                     |
| Thick Dark Surface (A12)               |                | Depleted Dark Surfa         | ace (F7)                    |                  | Iron-Maganese           | Masses (F12) (LRR K, L, R)                     |
| Sandy Mucky Mineral (S1)               |                | Redox Depressions           | (F8)                        |                  | Piedmont Flood          | plain Soils (F19) <b>(MLRA 149B)</b>           |
| Sandy Gleyed Matrix (S4)               |                |                             |                             |                  | Mesic Spodic (TA        | A6) <b>(MLRA 144A, 145, 149B)</b>              |
| Sandy Redox (S5)                       |                |                             |                             |                  | Red Parent Mat          | erial (F21)                                    |
| Stripped Matrix (S6)                   |                |                             |                             |                  | Very Shallow Da         | ark Surface (TF12)                             |
| Dark Surface (S7) (LRR R, MLRA 1       | 49B)           |                             |                             |                  | ✓ Other (explain in     | n remarks)                                     |
| Restrictive Layer (if observed):       |                |                             |                             |                  |                         |  |
| Туре:                                  |                |                             |                             | н                | ydric Soil Present? Yes |  |
| Depth (inches):                        |                |                             |                             |                  |                         |  |
| Remarks:                               |                |                             | I                           |                  |                         |  |
| No digging, soils assumed hydric based | on veg and hyd | ro.                         |                             |                  |                         |  |
|  |                |                             |                             |                  |                         |  |

# Site Photograph 1

Sampling Point: w-47n22w14-af1



## Latitude: 46.5500175347985

Longitude: -93.0819885806116

Direction: north

Remarks:

Cowardin Classification: PEM

Eggers & Reed: Shallow Marsh

Circular 39: 3

# Site Photograph 2

Sampling Point: w-47n22w14-af1



Latitude: 46.5500164032416

Longitude: -93.0819900893542

Direction: west

Remarks:

Eggers & Reed: Shallow Marsh

Circular 39: 3