WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	c	ity/County: Aitkin		Samp	ling Date: 2016-08-23
Applicant/Owner: Enbridge			State: Minnesota	Sampl	ing Point: w-50n26w17-ae1
Investigator(s): ZCW, MGH		Section, Townshi	p, Range: S18, T50N, R26	5W	
Landform (hillslope, terrace, etc.): Depre	ession		Local Relief (concave, co	nvex, none): CC	Slope (%): 0-2%
Subregion (LRR or MLRA):		 Latitude: 46	i.8194240984 Lon	gitude: -93.67703732	. Datum: NAD83
Soil Map Unit Name: 928C				NWI C	assification: N/A
Are climatic/hydrologic conditions on th	e site typic	cal for this time of year	? (if no. explain in Remarl		No
Are Vegetation No , Soil No , or Hy Are Vegetation No , Soil No , or Hydr					
SUMMARY OF FINDINGS - Attach site	e map show	wing sampling point lo	cations, transects, impo	rtant features, etc.	
Hydrophytic Vegetation Present?		Yes	Is the Sampled Area		
Hydric Soil Present?		Yes	within a Wetland?		Yes
Wetland Hydrology Present?		Yes	If yes, optional Wetland	Site ID:	w-50n26w18-ai
Remarks: (Explain alternative procedure	es here or	in a separate report.)			
Climatic conditions are "wet" based on	the results	s of a WETS analysis.			
HYDROLOGY					
Wetland Hydrology Indicators:				Secondary Indic	ators (minimum of two required)
Primary Indicators (minimum of one is r	equired; cl	neck all that apply)		Surface S	oil Cracks (B6)
Surface Water (A1)	<u>y</u>	es Water-Stained Leave	s (B9)	Drainage	Patterns (B10)
High Water Table (A2)	_	Aquatic Fauna (B13)		Moss Trin	n Lines (B16)
Saturation (A3)	_	Marl Deposits (B15)		Dry-Seaso	on Water Table (C2)
Water Marks (B1)	_	Hydrogen Sulfide Od	or (C1)	Crayfish B	urrows (C8)
Sediment Deposits (B2)	_	Oxidized Rhizosphere	es on Living Roots (C3)	Saturation	Visible on Aerial Imagery (C9)
Drift Deposits (B3)	=	Presence of Reduced	Iron (C4)	Stunted/S	tressed Plants (D1)
Algal Mat or Crust (B4)	_	Recent Iron Reductio	n in Tilled Soils (C6)	<u>yes</u> Geomorph	nic Position (D2)
Iron Deposits (B5)	_	Thin Muck Surface (C	7)	Shallow A	quitard (D3)
Inundation Visible on Aerial Imagery (B7) _	Other (Explain in Ren	narks)	Microtopo	graphic Relief (D4)
Sparsely Vegetated Concave Surface (B8)			<u>yes</u> FAC-Neutr	al Test (D5)
Field Observations:					
Surface Water Present?	<u>No</u>	Depth (inches)			
Water Table Present?	<u>No</u>	Depth (inches)			
Saturation Present?	<u>No</u>	Depth (inches)		Wetland Hydrology I	Present? Yes
(includes capillary fringe)					
Describe Recorded Data (stream gauge, Remarks:	monitorin	g well, aerial photos, p	revious inspections), if av	railable:	

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species
1.				That Are OBL, FACW, or FAC: 3 (A)
2.				Total Number of Dominant
3.		-		Species Across All Strata: 3 (B)
4.				Percent of Dominant Species
				That Are OBL, FACW, or FAC: 100 (A/B)
6.			-	Prevalence Index worksheet:
7		-	-	Total % Cover of: Multiply by:
	0	= Total Cover		OBL species <u>0.00</u> x 1 <u>0</u>
Sapling/Shrub Stratum (Plot Size: 15				FACW species <u>65.00</u> x 2 <u>130</u>
1. Fraxinus nigra	45.00	Yes	FACW	FACU species <u>0.00</u> x 3 <u>0</u>
2				UPL species <u>0.00</u> x 4 <u>0</u>
3				Column Totals <u>80</u> (A) <u>175</u> (B)
4				Prevalence Index = $B/A = 2.1875$
5.				Hydrophytic Vegetation Indicators:
6.				1 - Rapid Test for Hydrophytic Vegetation
7.	-	-		yes 2 - Dominance Test is > 50%
/-	45	- Total Cause		yes 3 - Prevalence Index is $\le 3.0^{1}$
	45	= Total Cover		
Herb Stratum (Plot Size: 5	20.00	.,	54014	4 - Morphological Adaptations (Provide supporting data in Remarks or on a separate sheet)
1. Osmundastrum cinnamomeum	20.00	Yes	FACW	-
2. Athyrium angustum	15.00	Yes	FAC	Problematic Hydrophytic Vegetation (Explain)
3				1 Indicators of hydric soil and wetland hydrology must be present, unless
4				disturbed or problematic.
5	-	- · ·		Definitions of Vegetation Strata:
6				
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
8.				height (DBH), regardless of height.
9.		-	-	Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
				or equal to 3.28 ft (1 m) tall.
10				4
11	-			Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12				-
	35	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30				
1.				
2.				Hydrophytic
		_	_	Vegetation
3		-		Present?
4		_		-
	0	_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	.)			

Sampling Point: w-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) % Type¹ Texture Remarks 10YR 4 2 446 0-10 95 С M LS ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) **✓** Restrictive Layer (if observed): Type: Rock Hydric Soil Present? Yes Depth (inches): 10 Remarks:

Site Photograph 1 Sampling Point: w-50n26w17-ae1



Latitude: 46.8194092624325	Cowardin Classification: PSS
Longitude: -93.6770266761013	Circular 39: 1
irection: North	Eggers & Reed: Seasonally Flooded Basin
emarks:	

Site Photograph 2 Sampling Point: w-50n26w17-ae1



6770265084632 Circular 39: 1	ngitude: -93.6770265084632	
	-Brader	Circular 39: 1
Eggers & Reed: Seasonally Flooded	on: East	Eggers & Reed: Seasonally Flooded Basi