WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

| Project/Site: SPP | City/County: Aitkin | | Sampling Date: 2016-08-19 |
|---|-----------------------------|---------------------------------|--|
| Applicant/Owner: Enbridge | | State: Minnesota | Sampling Point: w-50n26w18-g1 |
| Investigator(s): ZCW, MGH | Section, Townshi | p, Range: S18, T50N,R26W | |
| Landform (hillslope, terrace, etc.): Depression | <u> </u> | Local Relief (concave, conv | ex, none): CC Slope (%): 0-2% |
| Subregion (LRR or MLRA): | Latitude: 46 | • | ude: -93.68620611 Datum: NAD83 |
| Soil Map Unit Name: 204B | | | NWI Classification: N/A |
| Are climatic/hydrologic conditions on the site ty | nical for this time of year | ? (if no explain in Remarks): | |
| | • | | |
| Are Vegetation No , Soil No , or Hydrology | No significantly distur | bed? Are "Normal Circumsta | ances" present? Yes |
| Are Vegetation No , Soil No , or Hydrology N | o naturally problemati | c? (If needed, explain any a | nswers in Remarks) |
| · · · · · · · · · · · · · · · · · · · | <u> </u> | | , |
| SUMMARY OF FINDINGS - Attach site map sh | owing sampling point lo | cations, transects, importa | nt features, etc. |
| Hydrophytic Vegetation Present? | <u>Yes</u> | Is the Sampled Area | |
| Hydric Soil Present? | Yes | within a Wetland? | Yes |
| Wetland Hydrology Present? | <u>Yes</u> | If yes, optional Wetland Sit | e ID: <u>w-50n26w18-g</u> |
| Remarks: (Explain alternative procedures here | or in a separate report.) | | |
| Climatic conditions are "wet" based on the resu | llts of a WETS analysis. | | |
| | | | |
| | | | |
| HYDROLOGY | | | |
| Wetland Hydrology Indicators: | | | Secondary Indicators (minimum of two required) |
| Primary Indicators (minimum of one is required, | check all that apply) | | Surface Soil Cracks (B6) |
| Surface Water (A1) | Water-Stained Leave | es (B9) | Drainage Patterns (B10) |
| High Water Table (A2) | Aquatic Fauna (B13) | | Moss Trim Lines (B16) |
| Saturation (A3) | Marl Deposits (B15) | | Dry-Season Water Table (C2) |
| Water Marks (B1) | Hydrogen Sulfide Od | lor (C1) | Crayfish Burrows (C8) |
| Sediment Deposits (B2) | Oxidized Rhizospher | es on Living Roots (C3) | Saturation Visible on Aerial Imagery (C9) |
| Drift Deposits (B3) | Presence of Reduced | d Iron (C4) | Stunted/Stressed Plants (D1) |
| Algal Mat or Crust (B4) | Recent Iron Reduction | on in Tilled Soils (C6) | <u>Yes</u> Geomorphic Position (D2) |
| Iron Deposits (B5) | Thin Muck Surface (0 | 27) | Shallow Aquitard (D3) |
| Inundation Visible on Aerial Imagery (B7) | Other (Explain in Re | marks) | Microtopographic Relief (D4) |
| Sparsely Vegetated Concave Surface (B8) | | | Yes FAC-Neutral Test (D5) |
| Field Observations: | | | |
| Surface Water Present? | Depth (inches) | i | |
| Water Table Present? No | Depth (inches) | | |
| Saturation Present? <u>No</u> | Depth (inches) | ' v | Vetland Hydrology Present? Yes |
| (includes capillary fringe) | | | |
| Describe Recorded Data (stream gauge, monitor | ing well, aerial photos, p | revious inspections), if availa | able: |
| | | | |
| Remarks: | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| | Absolute | Dominant | Indicator | Dominance Test worksheet: |
|---|----------|-----------------|-----------|---|
| Tree Stratum (Plot Size: 30) | % Cover | Species? | Status | Number of Dominant Species |
| 1. Fraxinus nigra | 35.00 | Yes | FACW | That Are OBL, FACW, or FAC: 4 (A) |
| 2. Acer rubrum | 10.00 | Yes | FAC | Total Number of Dominant |
| 3. | | | - | Species Across All Strata: 4 (B) |
| 4. | | | - | Percent of Dominant Species |
| | | | | That Are OBL, FACW, or FAC: 100 (A/B) |
| | | | · - | Prevalence Index worksheet: |
| | - | - | | |
| 7 | 45 | | | Total % Cover of: Multiply by: |
| | 45 | = Total Cover | | OBL species <u>0.00</u> x 1 <u>0</u> |
| Sapling/Shrub Stratum (Plot Size: 15 | | | | FACW species <u>50.00</u> x 2 <u>100</u> |
| 1 | | - | - | FACU species <u>0.00</u> x 3 <u>0</u> |
| 2 | | | | UPL species <u>0.00</u> x 4 <u>0</u> |
| 3 | | | | Column Totals <u>75</u> (A) <u>175</u> (B) |
| 4 | | | | Prevalence Index = B/A = 2.3333333 |
| 5 | | | | Hydrophytic Vegetation Indicators: |
| 6 | | | | 1 - Rapid Test for Hydrophytic Vegetation |
| 7. | | - | - | yes 2 - Dominance Test is > 50% |
| | 0 | - Total Cover | | yes 3 - Prevalence Index is $\leq 3.0^{1}$ |
| Herb Stratum (Plot Size: 5 | <u>-</u> | Total cover | | 4 - Morphological Adaptations (Provide |
| 1. Athyrium angustum | 15.00 | Yes | FAC | supporting data in Remarks or on a separate sheet) |
| | | | | 1 |
| 2. Calamagrostis canadensis | 15.00 | Yes | FACW | Problematic Hydrophytic Vegetation ¹ (Explain) |
| 3 | | | | Indicators of hydric soil and wetland hydrology must be present, unless |
| 4 | | - | - | disturbed or problematic. |
| 5 | | | | Definitions of Vegetation Strata: |
| 6 | | | | _ |
| 7 | | _ | _ | Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast |
| 8. | | | | height (DBH), regardless of height. |
| 9 | | | | Sapling/Shrub - Woody plants less than 3 in. DBH and greater than |
| | | | | or equal to 3.28 ft (1 m) tall. |
| 10 | | - | - | - |
| 11 | | | | Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. |
| 12 | | - | - | 4 |
| | 30 | _ = Total Cover | | Woody vines - All woody vines greater than 3.28 ft in height. |
| Woody Vine Stratum (Plot Size: 30) | | | | |
| 1 | | _ | _ | |
| 2. | | | | Hydrophytic |
| 3. | | | | Vegetation Yes |
| | - | - | - | Present? |
| 4 | | | - | - |
| | 0 | _=Total Cover | | |
| Remarks: (include photo numbers here or on a separate sheet | .) | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Sampling Point: w-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) Type¹ Texture Remarks 10YR 2 1 0-4 100 10YR 4 2 10YR 58 90 4-14 10 С Μ LS 10YR 5 2 10YR 58 80 14-24 20 С M LS ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? Yes

Depth (inches):

Remarks:

Site Photograph 1 Sampling Point: w-50n26w18-g1



| Latitude: 46.8203682778839 | Cowardin Classification: PFO |
|------------------------------|---|
| Longitude: -93.6861242261656 | Circular 39: 1 |
| Direction: Northeast | Eggers & Reed: Seasonally Flooded Basin |
| Remarks: | |
| | |
| | |
| | |

Site Photograph 2 Sampling Point: w-50n26w18-g1



| Cowardin Classification: PFO |
|---|
| Circular 39: <u>1</u> |
| Eggers & Reed: Seasonally Flooded Basin |
| |
| |
| |
| |
| _ |