WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	c	ity/County: Aitkin		Samp	ling Date: 2016-08-19	
Applicant/Owner: Enbridge			State: Minnesota	Sampl	ing Point: w-50n26w18-i1	
Investigator(s): ZCW, MGH		Section, Township	p, Range: <u>\$18, T50N, R26</u>	5W		
Landform (hillslope, terrace, etc.): Depre	ession		Local Relief (concave, co	nvex, none): CC	Slope (%): 0-2%	
Subregion (LRR or MLRA):		 Latitude: 46	5.8227470200 Lon	gitude: -93.67855964	. Datum: NAD83	
Soil Map Unit Name: 928C				NWI C	assification: N/A	
Are climatic/hydrologic conditions on th	e site typic	cal for this time of year	? (if no. explain in Remarl		No	
Are Vegetation No , Soil No , or Hy Are Vegetation No , Soil No , or Hydr						
SUMMARY OF FINDINGS - Attach site	e map show	wing sampling point lo	cations, transects, impo	rtant features, etc.		
Hydrophytic Vegetation Present?	·	Yes	Is the Sampled Area			
Hydric Soil Present?		Yes	within a Wetland?		Yes	
Wetland Hydrology Present?		Yes	If yes, optional Wetland	Site ID:	w-50n26w18-i	
Remarks: (Explain alternative procedure	es here or	in a separate report.)				
Climatic conditions are "wet" based on	the results	s of a WETS analysis.				
HYDROLOGY						
Wetland Hydrology Indicators:				Secondary Indic	ators (minimum of two required)	
Primary Indicators (minimum of one is r	equired; cl	neck all that apply)		Surface S	oil Cracks (B6)	
Surface Water (A1)	<u>y</u>	es Water-Stained Leave	s (B9)	Drainage	Patterns (B10)	
High Water Table (A2)			Aquatic Fauna (B13)		Moss Trim Lines (B16)	
Saturation (A3)	_	Marl Deposits (B15)		Dry-Seaso	on Water Table (C2)	
Water Marks (B1)	_	Hydrogen Sulfide Ode	or (C1)	Crayfish B	urrows (C8)	
Sediment Deposits (B2) Oxidized		Oxidized Rhizosphere	es on Living Roots (C3)	Saturation	Visible on Aerial Imagery (C9)	
Drift Deposits (B3) Presence of F		Presence of Reduced	Iron (C4)	Stunted/S	Stunted/Stressed Plants (D1)	
Algal Mat or Crust (B4)	_	Recent Iron Reductio	n in Tilled Soils (C6)	<u>yes</u> Geomorph	nic Position (D2)	
Iron Deposits (B5)	-	Thin Muck Surface (C	7)	Shallow A	quitard (D3)	
Inundation Visible on Aerial Imagery (B7)) _	Other (Explain in Ren	narks)		ographic Relief (D4)	
Sparsely Vegetated Concave Surface (B8)			<u>yes</u> FAC-Neutr	ral Test (D5)	
Field Observations:						
Surface Water Present?	No	Depth (inches)				
Water Table Present?	No	Depth (inches)				
Saturation Present?	No	Depth (inches)		Wetland Hydrology I	Present? Yes	
(includes capillary fringe)						
Describe Recorded Data (stream gauge, Remarks:	monitorii	g weii, aeriai priotos, pi	revious inspections), ii av	ranabie.		

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30	% Cover	Species?	Status	Number of Dominant Species
1. Fraxinus nigra	40.00	Yes	FACW	That Are OBL, FACW, or FAC: 3 (A)
2				Total Number of Dominant
3				Species Across All Strata: 3 (B)
4				Percent of Dominant Species
5.		_	_	That Are OBL, FACW, or FAC: 100 (A/B)
6.				Prevalence Index worksheet:
7.				Total % Cover of: Multiply by:
	40	= Total Cover		OBL species 20.00 x 1 20
Sapling/Shrub Stratum (Plot Size: 15	<u></u>	_ = 10tal cover		FACW species 75.00 x 2 150
1.				FACU species 0.00 x 3 0
			-	
2		-	-	
3		_	_	Column Totals 95 (A) 170 (B)
4				Prevalence Index = B/A = <u>1.7894736</u>
5			<u> </u>	Hydrophytic Vegetation Indicators:
6				1 - Rapid Test for Hydrophytic Vegetation
7			_	yes 2 - Dominance Test is > 50%
	0	_ = Total Cover		<u>yes</u> 3 - Prevalence Index is $\le 3.0^1$
Herb Stratum (Plot Size: 5)				4 - Morphological Adaptations ¹ (Provide
1. Calamagrostis canadensis	35.00	Yes	FACW	supporting data in Remarks or on a separate sheet)
2. Carex lacustris	15.00	Yes	OBL	Problematic Hydrophytic Vegetation ¹ (Explain)
3. Iris versicolor	5.00	No	OBL	Indicators of hydric soil and wetland hydrology must be present, unless
4				disturbed or problematic.
5			_	Definitions of Vegetation Strata:
6.				
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
8.				height (DBH), regardless of height.
9.				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
				or equal to 3.28 ft (1 m) tall.
10		_	_	-
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12				-
	55	_ = Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30)				
1				
2				Hydrophytic
3.				Vegetation Yes Yes
4.				
	0	=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	+)			-
The state of the separate sheet	,			

Sampling Point: w-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) % Type¹ Texture Remarks 10YR 2 1 MM 8-0 100 10YR 4 2 10YR 4 6 90 8-24 10 С M SCL ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches):

Remarks:

Site Photograph 1 Sampling Point: w-50n26w18-i1



Latitude: 46.8227334414114	Cowardin Classification: PFO
Longitude: -93.678545393137	Circular 39: 1
Direction: Northwest	Eggers & Reed: Seasonally Flooded Basin
Remarks:	

Site Photograph 2 Sampling Point: w-50n26w18-i1



Latitude: 46.8227339862351	Couradia Classification, DEO
	Cowardin Classification: PFO
Longitude: -93.6785444711276	Circular 39: 1
ection: Northeast	Eggers & Reed: Seasonally Flooded Basin
marks:	