## WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	C	ity/County: Aitkin		Sampling Date: 2016-08-22			
Applicant/Owner: Enbridge			State: Minnesota	Sampli	ng Point: <u>w-50n26w18-j1</u>		
Investigator(s): ZCW, MGH		Section, Townshi	p, Range: S18, T50N, R26	W			
Landform (hillslope, terrace, etc.):	epression		Local Relief (concave, con	nvex, none): CC	Slope (%): 0-2%		
Subregion (LRR or MLRA):		 Latitude: 46	5.8254535785 Long	 gitude: -93.67770284	Datum: NAD83		
Soil Map Unit Name: 204B				NWI Cla	assification: N/A		
Are climatic/hydrologic conditions of	n the site typic	al for this time of year	? (if no. explain in Remark		No		
Are Vegetation No , Soil No , or		<del></del>			-		
SUMMARY OF FINDINGS - Attac	h site map sho	ving sampling point lo	cations, transects, impor	tant features, etc.			
Hydrophytic Vegetation Present?		Yes	Is the Sampled Area				
Hydric Soil Present?		Yes	within a Wetland?		Yes		
Wetland Hydrology Present?		Yes	If yes, optional Wetland	Site ID:	w-50n26w18-j		
Remarks: (Explain alternative proce	edures here or i	in a separate report.)	•				
Climatic conditions are "wet" base	d on the results	s of a WETS analysis.					
HYDROLOGY							
Wetland Hydrology Indicators:				Secondary Indica	ators (minimum of two required)		
Primary Indicators (minimum of on	e is required; cł	neck all that apply)		Surface Sc	oil Cracks (B6)		
Surface Water (A1)				Drainage Patterns (B10)			
High Water Table (A2)				Moss Trim Lines (B16)			
Saturation (A3)	_	Marl Deposits (B15)		Dry-Season Water Table (C2)			
Water Marks (B1)				Crayfish Burrows (C8)			
Sediment Deposits (B2)	ediment Deposits (B2) Oxidized Rhizospher		es on Living Roots (C3)	Saturation	Visible on Aerial Imagery (C9)		
Drift Deposits (B3)	Presence of Reduce		I Iron (C4)	Stunted/St	ressed Plants (D1)		
Algal Mat or Crust (B4)	_	Recent Iron Reductio	on in Tilled Soils (C6)	<u>yes</u> Geomorphi	<u>yes</u> Geomorphic Position (D2)		
Iron Deposits (B5)	=	Thin Muck Surface (C	27)	Shallow Aq	Shallow Aquitard (D3)		
Inundation Visible on Aerial Image	undation Visible on Aerial Imagery (B7) Other (Explain in Re		marks)Microtopographic Relief (D4)		graphic Relief (D4)		
Sparsely Vegetated Concave Surface	:e (B8)	1		yes_FAC-Neutra	al Test (D5)		
Field Observations:							
Surface Water Present?	<u>No</u>	Depth (inches)					
Water Table Present?	<u>No</u>	Depth (inches)					
Saturation Present?	<u>No</u>	Depth (inches)		Wetland Hydrology P	resent? Yes		
(includes capillary fringe)							
Describe Recorded Data (stream ga	uge, monitorini	g well, aerial photos, p	revious inspections), if av	ailable:			

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30	% Cover	Species?	Status	Number of Dominant Species
Populus tremuloides	50.00	Yes	FAC	That Are OBL, FACW, or FAC: 3 (A)
2. Fraxinus nigra	35.00	Yes	FACW	Total Number of Dominant
3.			-" "	Species Across All Strata: 3 (B)
4.				Percent of Dominant Species
5.		_		That Are OBL, FACW, or FAC: 100 (A/B)
6.				Prevalence Index worksheet:
7.		_		Total % Cover of: Multiply by:
	85	= Total Cover		OBL species 0.00 x 1 0
Sapling/Shrub Stratum (Plot Size: 15 )	-			FACW species 90.00 x 2 180
1. Fraxinus nigra	15.00	Yes	FACW	FACU species 0.00 x 3 0
2. Populus tremuloides	5.00	Yes	FAC	UPL species 0.00 x 4 0
3		_	_	Column Totals 145 (A) 345 (B)
	-			Prevalence Index = B/A = 2.3793103
_		_	_	Hydrophytic Vegetation Indicators:
			_	1 - Rapid Test for Hydrophytic Vegetation
		_	_	yes 2 - Dominance Test is > 50%
7	20	- Total Causer	_	yes 3 - Prevalence Index is $\leq 3.0^{1}$
Harl Charter (Diet Cine 5	20	_ = Total Cover		<u>'</u>
Herb Stratum (Plot Size: 5 )  1. Calamagrostis canadensis	40.00	Yes	FACW	4 - Morphological Adaptations (Provide supporting data in Remarks or on a separate sheet)
	40.00		FACW	Outhless tis third and this Venetation 1 (5)
2				Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3				Indicators of hydric soil and wetland hydrology must be present, unless
4		<u> </u>		disturbed or problematic.
5				Definitions of Vegetation Strata:
6			_	-
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height.
8		_		-
9		_	_	Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
10				or equal to 3.28 ft (1 m) tall.
11.				Herb - All herbaeceous (non-woody) plants, regardless of size, and
12.				woody plants less than 3.28 ft tall.
	40	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30		_		, , , ,
1.				
				Hydrophytic
2.	-			Vegetation
3	-	_	_	Present?
4				4
	0	=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	t.)			

Sampling Point: w-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc<sup>2</sup> (inches) Color (moist) % Color (moist) % Type<sup>1</sup> Texture Remarks 10YR 2 1 0-4 100 FSL 10YR 5 2 10YR 58 95 4-24 C M LS <sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil<sup>3</sup>: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches): Remarks:

Site Photograph 1 Sampling Point: w-50n26w18-j1



tude: -93.6777066999056 Circular 39: 1	Latitude: 46.8254726892773	Cowardin Classification: PFO	
	Longitude: -93.6777066999056	Circular 39: 1	
Northeast Eggers & Reed: Seasonally	ection: Northeast	Eggers & Reed: Seasonally Flooded Basin	

Site Photograph 2 Sampling Point: w-50n26w18-j1



是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	新兴·特殊等于公司的2011年的,1911年的1911年的1911年的1911年的1911年的1911年的1911年的1911年的1911年的1911年的1911年的1911年的1911年的1911年的1911年的191
Latitude: 46.8254727311868	Cowardin Classification: PFO
Longitude: -93.6777088792004	Circular 39: 1
Direction: Southwest	Eggers & Reed: Seasonally Flooded Basin
Remarks:	