WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	_ c	City/County: Aitkin		Sampling Date: 2016-08-22		
Applicant/Owner: Enbridge		State: Minnesota		Sampling Point: w-50n26w18-m1		
Investigator(s): ZCW, MGH		Section, Townshi	p, Range: S18, T50N, R26	5W		
Landform (hillslope, terrace, etc.): Depress	sion		Local Relief (concave, co		Slope (%): 0-2%	
Subregion (LRR or MLRA):		 Latitude: 46	•	gitude: -93.67959899	Datum: NAD83	
Soil Map Unit Name: 928D					ssification: N/A	
Are climatic/hydrologic conditions on the	sita tynic	cal for this time of year	2 (if no evalain in Remarl		No	
		•	•			
Are Vegetation No_, Soil No_, or Hyd	rology N	 significantly disturb 	ped? Are "Normal Circum	nstances" present? Yes		
Are Vegetation No_, Soil No_, or Hydro	logy No	_ naturally problemation	c? (If needed, explain an	y answers in Remarks)		
CLINANA DV OF FINDINGS. Assess of the						
SUMMARY OF FINDINGS - Attach site	map snov			rtant features, etc.		
Hydrophytic Vegetation Present?		Yes Vos	Is the Sampled Area		Vaa	
Hydric Soil Present?		Yes	within a Wetland?	C'1 - 1D	<u>Yes</u>	
Wetland Hydrology Present?	horo or	Yes	If yes, optional Wetland	Site iD:	<u>w-50n26w18-m</u>	
Remarks: (Explain alternative procedures						
Climatic conditions are "wet" based on the	ne results	s of a WETS analysis.				
HYDROLOGY						
Wetland Hydrology Indicators:				Secondary Indica	tors (minimum of two required)	
Primary Indicators (minimum of one is required; check all that apply) Surface Soil Cracks (B6)						
Surface Water (A1)	_			Drainage Patterns (B10)		
High Water Table (A2)	_	Aquatic Fauna (B13)	, ,	Moss Trim I		
Saturation (A3)	_	Marl Deposits (B15)		Dry-Season Water Table (C2)		
Water Marks (B1)		Hydrogen Sulfide Od	or (C1)	Crayfish Bur	rows (C8)	
Sediment Deposits (B2)			on Living Roots (C3)Saturation \		isible on Aerial Imagery (C9)	
Drift Deposits (B3)	 -		Iron (C4)Stunted/Str		essed Plants (D1)	
Algal Mat or Crust (B4)	Mat or Crust (B4) Recent Iron Reduction		n in Tilled Soils (C6) <u>yes</u> Geomorphi		Position (D2)	
Iron Deposits (B5)	Iron Deposits (B5) Thin Muck Surface (C		7)Shallow Aqui		itard (D3)	
Inundation Visible on Aerial Imagery (B7)	undation Visible on Aerial Imagery (B7) Other (Explain in Ren		arks)Microtopographic Re		raphic Relief (D4)	
Sparsely Vegetated Concave Surface (B8)				<u>yes</u> FAC-Neutral	Test (D5)	
Field Observations:		,				
Surface Water Present?	<u>No</u>	Depth (inches)				
Water Table Present?	No_	Depth (inches)				
Saturation Present?	No_	Depth (inches)		Wetland Hydrology Pr	esent? Yes	
(includes capillary fringe)						
Describe Recorded Data (stream gauge, m	nonitorin	g well, aerial photos, p	revious inspections), if av	ailable:		
Remarks:						
I .						

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30	% Cover	Species?	Status	Number of Dominant Species
1. Fraxinus nigra	35.00	Yes	FACW	That Are OBL, FACW, or FAC: 2 (A)
2.				Total Number of Dominant
3.		_		Species Across All Strata: 2 (B)
			_	Percent of Dominant Species
		_	-	That Are OBL, FACW, or FAC: 100 (A/B)
6		-		Prevalence Index worksheet:
7	-	-	-	Total % Cover of: Multiply by:
	35	_ = Total Cover		OBL species <u>55.00</u> x 1 <u>55</u>
Sapling/Shrub Stratum (Plot Size: 15				FACW species <u>50.00</u> x 2 <u>100</u>
1				FACU species <u>0.00</u> x 3 <u>0</u>
2			- 1	UPL species <u>0.00</u> x 4 <u>0</u>
3				Column Totals <u>115</u> (A) <u>185</u> (B)
4.			- '	Prevalence Index = B/A = 1.6086956
5.				Hydrophytic Vegetation Indicators:
-			- 1	1 - Rapid Test for Hydrophytic Vegetation
		_		
7				yes 2 - Dominance Test is > 50%
_	0	_ = Total Cover		yes 3 - Prevalence Index is ≤ 3.0 ¹
Herb Stratum (Plot Size: 5				4 - Morphological Adaptations (Provide
1. Osmunda spectabilis	35.00	Yes	OBL	supporting data in Remarks or on a separate sheet)
2. Scirpus atrovirens	20.00	Yes	OBL	Problematic Hydrophytic Vegetation ¹ (Explain)
3. Calamagrostis canadensis	15.00	No	FACW	1,
4. Athyrium angustum	10.00	No	FAC	Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
5.				Definitions of Vegetation Strata:
6.				
			_	Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
		-	-	height (DBH), regardless of height.
8			- ·	†
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10				or equal to 3.20 ft (1 ff) tuil.
11.				Herb - All herbaeceous (non-woody) plants, regardless of size, and
12.				woody plants less than 3.28 ft tall.
	80	- Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Manda Vina Charles (Diat Cine 20		_ = 10tai covei		Woody Wiles All Woody Wiles greater than 3.20 te in neight.
Woody Vine Stratum (Plot Size: 30)				
1	· -	_	_	-
2.				Hydrophytic Vegetation
3	· -			Present? Yes
4.				
	0	=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	•)	_		•
Remarks. (include proto numbers here of on a separate sheet)			

Sampling Point: w-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Type¹ Loc² (inches) Color (moist) % Color (moist) % Texture Remarks 10YR 3 1 100 0-3 SL 10YR 5 1 10YR 58 95 3-10 С Μ SL ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Dark Surface (S7) (LRR K, M) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches): Remarks:

Site Photograph 1 Sampling Point: w-50n26w18-m1



Latitude: 46.8192923348833	Cowardin Classification: PFO
Longitude: -93.6795805581786	Circular 39: 1
Direction: North	Eggers & Reed: Seasonally Flooded Basin
Pomarke	

Site Photograph 2 Sampling Point: w-50n26w18-m1



Latitude: 46.8192924606118	Cowardin Classification: PFO			
Longitude: -93.6795806419977	Circular 39: 1			
Direction: West	Eggers & Reed: Seasonally Flooded Basin			
Remarks:				