Project/Site: SPP		City/County: Aitkin			Sampling Date: 2016-08-22		
Applicant/Owner: Enbridge			State: Minnesota		Sampling	Point: w-50n26w18-n1	
Investigator(s): ZCW, MGH			o, Range: S18, T50N,	, R26W	r c		
Landform (hillslope, terrace, etc.): De	pression		Local Relief (concav		СС	Slope (%): 0-2%	
Subregion (LRR or MLRA):	•		.8187190965	Longitude: -93.6		Datum: NAD83	
Soil Map Unit Name: 928C						sification: N/A	
Are climatic/hydrologic conditions or	the site typica	I for this time of year?	? (if no, explain in Re	emarks):		No	
Are Vegetation <u>No</u> , Soil <u>No</u> , or	Hydrology No	significantly disturb	ed? Are "Normal Ci	rcumstances" pre	esent? Yes		
Are Vegetation <u>No</u> , Soil <u>No</u> , or H	ydrology No	naturally problematic	? (If needed, explai	in any answers in	Remarks)		
SUMMARY OF FINDINGS - Attach	site man show	ing sampling point lo	rations transects in	mnortant feature	s etc		
Hydrophytic Vegetation Present?		Yes	Is the Sampled Area		5, 220		
Hydric Soil Present?	,	Yes	within a Wetland?			Yes	
Wetland Hydrology Present?			If yes, optional Wet	land Site ID:		 w-50n26w18-n	
Remarks: (Explain alternative proced	dures here or ir	a separate report.)					
HYDROLOGY							
HYDROLOGY Wetland Hydrology Indicators:				Secor	idary Indicato	ors (minimum of two required	
	is required; che	eck all that apply)		<u>Secor</u>	idary Indicato		
Wetland Hydrology Indicators:	is required; che		s (B9)	<u>Secor</u>		Cracks (B6)	
Wetland Hydrology Indicators: Primary Indicators (minimum of one			s (B9)	<u>Secor</u>	Surface Soil	Cracks (B6) terns (B10)	
Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1)		s Water-Stained Leaves	s (B9)	<u>Secor</u>	Surface Soil Drainage Pat Moss Trim Lii	Cracks (B6) terns (B10)	
Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) yes High Water Table (A2)		s Water-Stained Leaves Aquatic Fauna (B13)		<u>Secor</u>	Surface Soil Drainage Pat Moss Trim Lii	Cracks (B6) terns (B10) nes (B16) Vater Table (C2)	
Wetland Hydrology Indicators:         Primary Indicators (minimum of one		s Water-Stained Leaves Aquatic Fauna (B13) Marl Deposits (B15)	or (C1)	<u>Secor</u>	Surface Soil ( Drainage Pat Moss Trim Liu Dry-Season V Crayfish Burro	Cracks (B6) terns (B10) nes (B16) Vater Table (C2)	
Wetland Hydrology Indicators:         Primary Indicators (minimum of one		S Water-Stained Leaves Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odo	or (C1) s on Living Roots (C3)	<u>Secor</u>	Surface Soil ( Drainage Pat Moss Trim Lii Dry-Season V Crayfish Burro Saturation Vis	Cracks (B6) terns (B10) nes (B16) Vater Table (C2) ows (C8)	
Wetland Hydrology Indicators:         Primary Indicators (minimum of one		S Water-Stained Leaves Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odc Oxidized Rhizosphere	or (C1) is on Living Roots (C3) Iron (C4)		Surface Soil ( Drainage Pat Moss Trim Lii Dry-Season V Crayfish Burro Saturation Vis	Cracks (B6) terns (B10) vater Table (C2) vws (C8) ible on Aerial Imagery (C9) sed Plants (D1)	
Wetland Hydrology Indicators:         Primary Indicators (minimum of one         Surface Water (A1)         yes       High Water Table (A2)         yes       Saturation (A3)         Water Marks (B1)         Sediment Deposits (B2)         Drift Deposits (B3)         Algal Mat or Crust (B4)         Iron Deposits (B5)	<u>ye</u>  	Water-Stained Leaves     Aquatic Fauna (B13)     Marl Deposits (B15)     Hydrogen Sulfide Odc     Oxidized Rhizosphere     Presence of Reduced     Recent Iron Reduction     Thin Muck Surface (C)	or (C1) is on Living Roots (C3) Iron (C4) n in Tilled Soils (C6) 7)		Surface Soil ( Drainage Pat Moss Trim Liu Dry-Season V Crayfish Burro Saturation Vis Stunted/Stres Geomorphic F Shallow Aquit	Cracks (B6) terns (B10) hes (B16) Vater Table (C2) ows (C8) ible on Aerial Imagery (C9) sed Plants (D1) Position (D2) ard (D3)	
Wetland Hydrology Indicators:         Primary Indicators (minimum of one	<u>ye</u>    (B7)	S Water-Stained Leaves Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odc Oxidized Rhizosphere Presence of Reduced Recent Iron Reduction	or (C1) is on Living Roots (C3) Iron (C4) n in Tilled Soils (C6) 7)	  yes	Surface Soil ( Drainage Pat Moss Trim Lii Dry-Season V Crayfish Burro Saturation Vis Stunted/Stres Geomorphic F Shallow Aquit Microtopogra	Cracks (B6) terns (B10) hes (B16) Vater Table (C2) bws (C8) ible on Aerial Imagery (C9) sed Plants (D1) Position (D2) ard (D3) phic Relief (D4)	
Wetland Hydrology Indicators:         Primary Indicators (minimum of one	<u>ye</u>    (B7)	Water-Stained Leaves     Aquatic Fauna (B13)     Marl Deposits (B15)     Hydrogen Sulfide Odc     Oxidized Rhizosphere     Presence of Reduced     Recent Iron Reduction     Thin Muck Surface (C)	or (C1) is on Living Roots (C3) Iron (C4) n in Tilled Soils (C6) 7)	  yes	Surface Soil ( Drainage Pat Moss Trim Liu Dry-Season V Crayfish Burro Saturation Vis Stunted/Stres Geomorphic F Shallow Aquit	Cracks (B6) terns (B10) hes (B16) Vater Table (C2) bws (C8) ible on Aerial Imagery (C9) sed Plants (D1) Position (D2) ard (D3) phic Relief (D4)	
Wetland Hydrology Indicators:         Primary Indicators (minimum of one	<u>ye</u> 	S Water-Stained Leaves Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odc Oxidized Rhizosphere Presence of Reduced Recent Iron Reduction Thin Muck Surface (C Other (Explain in Rem	or (C1) s on Living Roots (C3) Iron (C4) n in Tilled Soils (C6) 7) narks)	  yes	Surface Soil ( Drainage Pat Moss Trim Lii Dry-Season V Crayfish Burro Saturation Vis Stunted/Stres Geomorphic F Shallow Aquit Microtopogra	Cracks (B6) terns (B10) hes (B16) Vater Table (C2) bws (C8) ible on Aerial Imagery (C9) sed Plants (D1) Position (D2) ard (D3) phic Relief (D4)	
Wetland Hydrology Indicators:         Primary Indicators (minimum of one	(B7)	S Water-Stained Leaves Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odc Oxidized Rhizosphere Presence of Reduced Recent Iron Reductior Thin Muck Surface (C Other (Explain in Rem	or (C1) is on Living Roots (C3) Iron (C4) n in Tilled Soils (C6) 7) narks)	  yes	Surface Soil ( Drainage Pat Moss Trim Lii Dry-Season V Crayfish Burro Saturation Vis Stunted/Stres Geomorphic F Shallow Aquit Microtopogra	Cracks (B6) terns (B10) hes (B16) Vater Table (C2) bws (C8) ible on Aerial Imagery (C9) sed Plants (D1) Position (D2) ard (D3) phic Relief (D4)	
Wetland Hydrology Indicators:         Primary Indicators (minimum of one         Surface Water (A1)         yes       High Water Table (A2)         yes       Saturation (A3)         Water Marks (B1)       Sediment Deposits (B2)         Drift Deposits (B3)       Algal Mat or Crust (B4)         Iron Deposits (B5)       Inundation Visible on Aerial Imagery         Sparsely Vegetated Concave Surface         Field Observations:         Surface Water Present?         Water Table Present?	(B7) (B8) <u>No</u> <u>Yes</u>	S Water-Stained Leaves Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odc Oxidized Rhizosphere Presence of Reduced Recent Iron Reduction Thin Muck Surface (C Other (Explain in Rem Depth (inches)	or (C1) is on Living Roots (C3) Iron (C4) n in Tilled Soils (C6) 7) narks) 1	yes	Surface Soil ( Drainage Pat Moss Trim Lii Dry-Season V Crayfish Burro Saturation Vis Stunted/Stres Geomorphic F Shallow Aquit Microtopogra FAC-Neutral T	Cracks (B6) terns (B10) hes (B16) Vater Table (C2) bws (C8) ible on Aerial Imagery (C9) sed Plants (D1) Position (D2) ard (D3) phic Relief (D4) test (D5)	
Wetland Hydrology Indicators:         Primary Indicators (minimum of one         Surface Water (A1)         yes         High Water Table (A2)         yes         Saturation (A3)         Water Marks (B1)         Sediment Deposits (B2)         Drift Deposits (B3)         Algal Mat or Crust (B4)         Iron Deposits (B5)         Inundation Visible on Aerial Imagery         Sparsely Vegetated Concave Surface         Field Observations:         Surface Water Present?         Water Table Present?         Saturation Present?	(B7)	S Water-Stained Leaves Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odc Oxidized Rhizosphere Presence of Reduced Recent Iron Reductior Thin Muck Surface (C Other (Explain in Rem	or (C1) is on Living Roots (C3) Iron (C4) n in Tilled Soils (C6) 7) narks) 1	yes	Surface Soil ( Drainage Pat Moss Trim Lii Dry-Season V Crayfish Burro Saturation Vis Stunted/Stres Geomorphic F Shallow Aquit Microtopogra	Cracks (B6) terns (B10) hes (B16) Vater Table (C2) bws (C8) ible on Aerial Imagery (C9) sed Plants (D1) Position (D2) ard (D3) phic Relief (D4) test (D5)	
Wetland Hydrology Indicators:         Primary Indicators (minimum of one	(B7) (B8) <u>No</u> <u>Yes</u> <u>Yes</u>	S Water-Stained Leaves Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odd Oxidized Rhizosphere Presence of Reduced Recent Iron Reduction Thin Muck Surface (C Other (Explain in Rem Depth (inches) Depth (inches)	or (C1) s on Living Roots (C3) Iron (C4) n in Tilled Soils (C6) 7) narks) <u>1</u> 0	yes Wetland H	Surface Soil ( Drainage Pat Moss Trim Lii Dry-Season V Crayfish Burro Saturation Vis Stunted/Stres Geomorphic F Shallow Aquit Microtopogra FAC-Neutral T	Cracks (B6) terns (B10) hes (B16) Vater Table (C2) bws (C8) ible on Aerial Imagery (C9) sed Plants (D1) Position (D2) ard (D3) phic Relief (D4) test (D5)	
Wetland Hydrology Indicators:         Primary Indicators (minimum of one         Surface Water (A1)         yes         High Water Table (A2)         yes         Saturation (A3)         Water Marks (B1)         Sediment Deposits (B2)         Drift Deposits (B3)         Algal Mat or Crust (B4)         Iron Deposits (B5)         Inundation Visible on Aerial Imagery         Sparsely Vegetated Concave Surface         Field Observations:         Surface Water Present?         Water Table Present?         Saturation Present?	(B7) (B8) <u>No</u> <u>Yes</u> <u>Yes</u>	S Water-Stained Leaves Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odd Oxidized Rhizosphere Presence of Reduced Recent Iron Reduction Thin Muck Surface (C Other (Explain in Rem Depth (inches) Depth (inches)	or (C1) s on Living Roots (C3) Iron (C4) n in Tilled Soils (C6) 7) narks) <u>1</u> 0	yes Wetland H	Surface Soil ( Drainage Pat Moss Trim Lii Dry-Season V Crayfish Burro Saturation Vis Stunted/Stres Geomorphic F Shallow Aquit Microtopogra FAC-Neutral T	Cracks (B6) terns (B10) hes (B16) Vater Table (C2) bws (C8) ible on Aerial Imagery (C9) sed Plants (D1) Position (D2) ard (D3) phic Relief (D4) test (D5)	

## **VEGETATION** - Use scientific names of plants.

Sampling Point: w-50n26w...

	Absolute	Dominant	Indicator	Dominance Test worksheet:	
Tree Stratum (Plot Size: 30 )	% Cover	Species?	Status	Number of Dominant Species	
1. Fraxinus nigra	50.00	Yes	FACW	That Are OBL, FACW, or FAC: <u>3</u> (A)	
2.				Total Number of Dominant	
3				Species Across All Strata: <u>3</u> (B)	
4.				Percent of Dominant Species	
5.				That Are OBL, FACW, or FAC: 100 (A/B)	
6				Prevalence Index worksheet:	
7				Total % Cover of: Multiply by:	
	50	= Total Cover		OBL species 5.00 x 1 5	
Sapling/Shrub Stratum (Plot Size: 15 )				FACW species 60.00 x 2 120	
1				FACU species $0.00 \times 3 = 0$	
2				UPL species 0.00 x 4 0	
3				Column Totals <u>65</u> (A) <u>125</u> (B)	
				Prevalence Index = B/A = 1.9230769	
				Hydrophytic Vegetation Indicators:	
5					
6				1 - Rapid Test for Hydrophytic Vegetation	
7				yes 2 - Dominance Test is > 50% yes 3 - Prevalence Index is $\leq 3.0^1$	
	0	= Total Cover		<u> </u>	
Herb Stratum (Plot Size: 5)	10.00		54014	4 - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)	
1. Calamagrostis canadensis	10.00	Yes	FACW		
2. Carex lacustris	5.00	Yes	OBL	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)	
3				<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless	
4				disturbed or problematic.	
5				Definitions of Vegetation Strata:	
6					
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height.	
8					
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than	
10				or equal to 3.28 ft (1 m) tall.	
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and	
12.				woody plants less than 3.28 ft tall.	
	15	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.	
Woody Vine Stratum (Plot Size: 30 )					
1.					
		-		Hydrophytic	
2				Vegetation	
3				Present?	
4					
	0	=Total Cover			
Remarks: (include photo numbers here or on a separate sheet.	)				

US Army Corps of Engineers

Northcentral and Northeast Region – Version 2.0

## SOIL

Depth (inches) 0-18	Matrix Color (moist)	%		Feature	-			
. ,		70	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remarks
0-10	10YR 2 1	100		_	71		M	
18-24	10YR 5 1	95	10YR 5 8	5	с	М	LS	
·							·	
·							· ·	
							·	
							·	
·								
	ration, D=Depletion, RM=	Reduced Ma	atrix, MS=Masked Sand G	rains.			·	<sup>2</sup> Location: PL=Pore Lining, M=Matrix
Hydric Soil Indicate	ors:						Indicators for Problemati	c Hydric Soil <sup>3</sup> :
Histosol (A1)	I		Polyvalue Below <b>149B)</b>	Surface (S	58) <b>(LRR R</b>	, MLRA	2 cm Muck (A10) ( <b>LR</b>	R K, L, MLRA 149B)
Histic Epiped	lon (A2)		Thin Dark Surfac	:e (S9) <b>(LR</b>	R R, MLRA	149B)	Coast Prairie Redox	(A16)( <b>LRR K, L, R</b> )
Black Histic (	A3)		Loamy Mucky N	lineral (F1	) (LRR K, L	)	5 cm Mucky Peat or	Peat (S3) ( <b>LRR K, L, R</b> )
Hydrogen Su	llfide (A4)		Loamy Gleyed N	1atrix (F2)			Dark Surface (S7) (LF	RR K, M)
Stratified Lay	vers (A5)		Depleted Matrix	: (F3)			Polyvalue Below Sur	face (S8) <b>(LRR K, L)</b>
Depleted Bel	low Dark Surface (A11)		Redox Dark Surf	ace (F6)			Thin Dark Surface (S9	9) (LRR K, L)
Thick Dark Su	urface (A12)		Depleted Dark S	urface (F7	)		Iron-Maganese Mass	ses (F12) (LRR K, L, R)
Sandy Mucky	y Mineral (S1)		Redox Depressio	ons (F8)			Piedmont Floodplain	Soils (F19) <b>(MLRA 149B)</b>
Sandy Gleyed	d Matrix (S4)						Mesic Spodic (TA6) (I	MLRA 144A, 145, 149B)
Sandy Redox	: (S5)						Red Parent Material	(F21)
Stripped Mat	trix (S6)						Very Shallow Dark Su	urface (TF12)
Dark Surface	e (S7) <b>(LRR R, MLRA 149</b> E	3)					Other (explain in ren	narks)
Restrictive Layer (if	fobserved):							
Туре:						ŀ	Hydric Soil Present? Yes	
Depth (inc	ches):							

Site Photograph 1



Latitude: 46.8187194318015

Longitude: -93.681079913018

Cowardin Classification: PFO

Circular 39: 7

Direction: South

Eggers & Reed: Hardwood Swamp/Coniferous Swamp

Remarks:

Site Photograph 2



Latitude: 46.8187062722135

Longitude: -93.6810684298106

Cowardin Classification: PFO

Circular 39: 7

Direction: East

Eggers & Reed: Hardwood Swamp/Coniferous Swamp

Remarks: