## WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Aitkin		Sampling Date: 2016-08-22		
Applicant/Owner: Enbridge		State: Minnesota	Sampling Point: w-50n26	iw18-o1	
Investigator(s): ZCW, MGH	Section, Townsh	ip, Range: S26, T50N, R26	N		
Landform (hillslope, terrace, etc.): Depression		Local Relief (concave, co	nvex, none): CC Slope (%	_ .): 0-2%	
Subregion (LRR or MLRA):	 Latitude: 4	•	itude: -93.68169615 Datum: NAD	83	
Soil Map Unit Name: 928C			NWI Classification: N/A		
·	typical for this time of year	? (if no. explain in Remark			
Are climatic/hydrologic conditions on the site typical for this time of year? (if no, explain in Remarks):  Are Vegetation No_, Soil No_, or Hydrology No_ significantly disturbed? Are "Normal Circumstances" present? Yes					
Are Vegetation No , Soil No , or Hydrology	No naturally problemati	c? (If needed, explain an	answers in Remarks)		
SUMMARY OF FINDINGS - Attach site map	showing sampling point lo	ocations, transects, impor	ant features, etc.		
Hydrophytic Vegetation Present?	Yes	Is the Sampled Area			
Hydric Soil Present?	Yes	within a Wetland?	Yes		
Wetland Hydrology Present?	Yes	If yes, optional Wetland	Site ID: w-50n26w18-o		
Remarks: (Explain alternative procedures he	re or in a separate report.)	•			
Climatic conditions are "wet" based on the r	esults of a WETS analysis.				
HYDROLOGY					
			Secondary Indicators (minimum of	two required)	
Wetland Hydrology Indicators:			Secondary Indicators (minimum of	two required)	
Primary Indicators (minimum of one is required; check all that apply)  Surface Soil Cracks (B6)					
Surface Water (A1)	yes Water-Stained Leave	es (B9)	Drainage Patterns (B10)		
yes High Water Table (A2)	Aquatic Fauna (B13)		Moss Trim Lines (B16)		
yes Saturation (A3)	Marl Deposits (B15)		Dry-Season Water Table (C2)		
Water Marks (B1)	Hydrogen Sulfide Oc	dor (C1)	Crayfish Burrows (C8)		
Sediment Deposits (B2)	Oxidized Rhizospher	es on Living Roots (C3)	Saturation Visible on Aerial Image	ery (C9)	
Drift Deposits (B3)	Presence of Reduce		Stunted/Stressed Plants (D1)		
Algal Mat or Crust (B4)	Recent Iron Reduction	on in Tilled Soils (C6)	<u>Yes</u> Geomorphic Position (D2)		
Iron Deposits (B5)	Thin Muck Surface (	C7)	Shallow Aquitard (D3)		
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Re	marks)	Microtopographic Relief (D4)		
Sparsely Vegetated Concave Surface (B8)  Yes FAC-Neutral Test (D5)					
Field Observations:					
Surface Water Present?					
Water Table Present? Ye					
Saturation Present? Ye	Depth (inches	) <u>0</u>	Wetland Hydrology Present?	<u>Yes</u>	
(includes capillary fringe)					
Describe Recorded Data (stream gauge, mon	toring well, aerial photos, p	previous inspections), if av	ailable:		
Remarks:					

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30	% Cover	Species?	Status	Number of Dominant Species
1. Fraxinus nigra	45.00	Yes	FACW	That Are OBL, FACW, or FAC: 4 (A)
2. Acer rubrum	15.00	Yes	FAC	Total Number of Dominant
3. Ulmus americana	10.00	No	FAC	Species Across All Strata: 4 (B)
4.		-		Percent of Dominant Species
				That Are OBL, FACW, or FAC: 100 (A/B)
			-	
6	-	-		Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
	70	= Total Cover		OBL species <u>5.00</u> x 1 <u>5</u>
Sapling/Shrub Stratum (Plot Size: 15				FACW species <u>70.00</u> x 2 <u>140</u>
1. Ulmus americana	5.00	Yes	FAC	FACU species <u>0.00</u> x 3 <u>0</u>
2			<del></del>	UPL species <u>0.00</u> x 4 <u>0</u>
3				Column Totals <u>105</u> (A) <u>235</u> (B)
4				Prevalence Index = B/A = 2.2380952
5.				Hydrophytic Vegetation Indicators:
6.				1 - Rapid Test for Hydrophytic Vegetation
7.		-		yes 2 - Dominance Test is > 50%
/·	5	- Total Cover		yes 3 - Prevalence Index is $\leq 3.0^{1}$
Hards Chartering (Diet Cines 5	<u>5</u>	_ = Total Cover		<del></del>
Herb Stratum (Plot Size: 5)	25.00	V	FAC)4/	4 - Morphological Adaptations (Provide supporting data in Remarks or on a separate sheet)
1. Calamagrostis canadensis	25.00	Yes	FACW	- <b>-</b>
2. Caltha palustris	5.00	No	OBL	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3		_	_	Indicators of hydric soil and wetland hydrology must be present, unless
4		_	_	disturbed or problematic.
5		_	_	Definitions of Vegetation Strata:
6		_	_	_
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
8.				height (DBH), regardless of height.
9.				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
				or equal to 3.28 ft (1 m) tall.
10	-			-
11		_	_	Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12				4
	30	_ = Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30 )				
1				
2.	-			Hydrophytic
		_	_	Vegetation Yes
3		_	_	Present?
4		-		4
	0	_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	:.)			

Sampling Point: w-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc<sup>2</sup> (inches) Color (moist) % Color (moist) % Type<sup>1</sup> Texture Remarks 10YR 2 1 100 0-15 10YR 5 1 10YR 58 95 15-24 С Μ LS <sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil<sup>3</sup>: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches): Remarks:

Site Photograph 1 Sampling Point: w-50n26w18-o1



Latitude: 46.8190006027434	Cowardin Classification: PFO
Longitude: -93.681695731444	Circular 39: 1
Direction: West	Eggers & Reed: Seasonally Flooded Basin
Remarks:	

Site Photograph 2 Sampling Point: w-50n26w18-o1



Latitude: 46.8190001836483	Cowardin Classification: PFO	
Longitude: -93.6816954799869	Circular 39: 1	
Direction: North	Eggers & Reed: Seasonally Flooded Basin	
Remarks:		