WETLA	ND DETER	MINATION DATA F	ORM - North Central a	and Northeast	Region			
Project/Site: SPP	Cit	City/County: Aitkin			Sampling Date: 2016-08-22			
Applicant/Owner: Enbridge			State: Minnesota	innesota Sampling Point: w-50n26w18-q1				
Investigator(s): ZCW, MGH		Section, Townshi	p, Range: R18, T50N, R26	5W				
Landform (hillslope, terrace, etc.): Depre	ssion		Local Relief (concave, co	onvex, none): CC		Slope (%): 0	-2%	
Subregion (LRR or MLRA):		Latitude: 46	5.8186583277 Lon	gitude: -93.6850	)5712	 Datum: NAD83		
Soil Map Unit Name: 928C					NWI Classific	ation: N/A		
Are climatic/hydrologic conditions on th	e site typica	l for this time of year	? (if no, explain in Remar			No		
Are Vegetation <u>No</u> , Soil <u>No</u> , or Hy	drology <u>No</u>	significantly disturb	oed? Are "Normal Circum	nstances" presen	t? Yes			
Are Vegetation <u>No</u> , Soil <u>No</u> , or Hydrology <u>No</u> naturally problematic? (If needed, explain any answers in Remarks)								
SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.								
Hydrophytic Vegetation Present?		Yes	Is the Sampled Area					
Hydric Soil Present?		Yes	within a Wetland? Yes					
Wetland Hydrology Present?		Yes	If yes, optional Wetland	Site ID:	w-5	i0n26w18-q		
Remarks: (Explain alternative procedure	es here or ir	a separate report.)	•					
HYDROLOGY								
Wetland Hydrology Indicators:				<u>Secondar</u>	y Indicators	(minimum of tw	o required)	
Primary Indicators (minimum of one is r	equired; che	eck all that apply)		S	urface Soil Crac	ks (B6)		
Surface Water (A1)		Water-Stained Leave	es (B9)		rainage Pattern			
High Water Table (A2)	_	Aquatic Fauna (B13)		M	Moss Trim Lines (B16)			
Saturation (A3)			arl Deposits (B15)			Dry-Season Water Table (C2)		
Water Marks (B1)	Water Marks (B1) Hydrogen S		or (C1)	Cra	Crayfish Burrows (C8)			
Sediment Deposits (B2)	diment Deposits (B2) Oxidized Rhizosph		es on Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)				
Drift Deposits (B3)	t Deposits (B3) Presence of Reduce		l Iron (C4)	Stu	Stunted/Stressed Plants (D1)			
Algal Mat or Crust (B4)	al Mat or Crust (B4) Recent Iron Reduct		on in Tilled Soils (C6)	yes <sub>Ge</sub>	_Geomorphic Position (D2)			
Iron Deposits (B5)	n Deposits (B5) Thin Muck Surface (		27)	allow Aquitard	ow Aquitard (D3)			
Inundation Visible on Aerial Imagery (B7	Inundation Visible on Aerial Imagery (B7) Other (Explain in Rer							
Sparsely Vegetated Concave Surface (B8				yes <sub>FA</sub>	C-Neutral Test	(D5)		
Field Observations:								
Surface Water Present?	<u>No</u>	Depth (inches)						
Water Table Present?	<u>No</u>	Depth (inches)						
Saturation Present?	<u>No</u>	Depth (inches)		Wetland Hydro	ology Presen	t? <u>r</u>	es	
(includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:								
Describe Recorded Data (stream gauge,	monitoring	well, aerial photos, p	revious inspections), if av	allable:				
Remarks:			· · · · · · · · · · · · · · · · · · ·					

## **VEGETATION** - Use scientific names of plants.

Sampling Point: w-50n26w...

	Absolute	Dominant	Indicator	Dominance Test worksheet:	
Tree Stratum (Plot Size: 30 )	% Cover	Species?	Status	Number of Dominant Species	
1. Fraxinus nigra	40.00	Yes	FACW	That Are OBL, FACW, or FAC: 4(A)	
2. Acer rubrum	15.00	Yes	FAC	Total Number of Dominant	
3. Tilia americana	10.00	No	FACU	Species Across All Strata: 4 (B)	
4.				Percent of Dominant Species	
5.				That Are OBL, FACW, or FAC: 100 (A/B)	
6				Prevalence Index worksheet:	
7.				Total % Cover of: Multiply by:	
···	65	= Total Cover		OBL species         10.00         x 1         10	
Sapling/Shrub Stratum (Plot Size: 15 )				FACW species 65.00 x 2 130	
1. Acer rubrum	10.00	Yes	FAC	FACU species 10.00 x 3 40	
				UPL species 0.00 x 4 0	
2					
3				Column Totals <u>110</u> (A) <u>255</u> (B) Prevalence Index = B/A = 2.3181818	
4					
5				Hydrophytic Vegetation Indicators:	
6				1 - Rapid Test for Hydrophytic Vegetation	
7				<u>yes</u> 2 - Dominance Test is > 50%	
	10	= Total Cover		<u>yes</u> 3 - Prevalence Index is $\leq 3.0^1$	
Herb Stratum (Plot Size: 5)				4 - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)	
1. Calamagrostis canadensis	25.00	Yes	FACW	supporting data in Remarks or on a separate sneet)	
2. Osmunda spectabilis	10.00	Yes	OBL	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)	
3				1 Indicators of hydric soil and wetland hydrology must be present, unless	
4				disturbed or problematic.	
5				Definitions of Vegetation Strata:	
6					
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast	
8				height (DBH), regardless of height.	
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than	
				or equal to 3.28 ft (1 m) tall.	
10				Herb - All herbaeceous (non-woody) plants, regardless of size, and	
11				woody plants less than 3.28 ft tall.	
12					
	35	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.	
Woody Vine Stratum (Plot Size: 30 )					
1					
2				Hydrophytic Vegetation	
3				Present? Yes	
4					
	0	=Total Cover			
Remarks: (include photo numbers here or on a separate sheet.	)				

Northcentral and Northeast Region – Version 2.0

## SOIL

	tion: (Describe to the	depth nee	eded to document the			nfirm th	e absence of ind	licators.)	
Depth	Matrix		Redox Features			2			
(inches)	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remarks	
0-3	10YR 3 1	100					Μ		
3-11	10YR 4 2	95	10YR 4 6	_ 5	<u>C</u>	M	LS		
11-24	10YR 5 1	90	10YR 5 8	10			LS		
		_		_					
				-					
				-	_				
<sup>1</sup> Type: C=Concent	tration, D=Depletion, RM		atrix, MS=Masked Sand Gr	 ains.				<sup>2</sup> Location: PL=Pore Lining, M=Matrix.	
Hydric Soil Indica							Indicators for I	Problematic Hydric Soil <sup>3</sup> :	
			Polyvalue Below	Surface (S	58) <b>(LRR R</b>	, MLRA	2 cm Mur	ck (A10) ( <b>LRR K, L, MLRA 149B</b> )	
Histosol (A:			☐ 149B)	(60) (1.8)					
Histic Epipe			Thin Dark Surface			-		irie Redox (A16)( <b>LRR K, L, R</b> )	
Black Histic			Loamy Mucky M		) (LRR K, L	)		cky Peat or Peat (S3) ( <b>LRR K, L, R</b> )	
Hydrogen S	Sulfide (A4)		Loamy Gleyed M	atrix (F2)				ace (S7) ( <b>LRR K, M</b> )	
Stratified La	ayers (A5)		Depleted Matrix	(F3)			Polyvalue	Below Surface (S8) <b>(LRR K, L)</b>	
Depleted B	elow Dark Surface (A11)		Redox Dark Surfa	ace (F6)			Thin Dark Surface (S9) (LRR K, L)		
Thick Dark	Surface (A12)		Depleted Dark Su	urface (F7	)		Iron-Maganese Masses (F12) (LRR K, L, R)		
Sandy Muc	ky Mineral (S1)		Redox Depressio	ns (F8)			Piedmont	Floodplain Soils (F19) <b>(MLRA 149B)</b>	
Sandy Gley	ed Matrix (S4)						Mesic Spo	dic (TA6) <b>(MLRA 144A, 145, 149B)</b>	
Sandy Redo	ox (S5)						Red Parer	nt Material (F21)	
Stripped M	atrix (S6)						Very Shal	low Dark Surface (TF12)	
Dark Surfac	ce (S7) <b>(LRR R, MLRA 1498</b>	3)					🗌 Other (ex	plain in remarks)	
Restrictive Layer	(if observed):	Ľ	]						
Туре:							Hydric Soil Present?	Yes	
Depth (ii	nches):					ſ	ayunc son Present?	<u></u>	
Remarks:									

Site Photograph 1

Sampling Point: w-50n26w18-q1



Latitude: 46.8186960462917

Longitude: -93.6849645898618

Cowardin Classification: PFO

Circular 39: 1

Direction: North

Eggers & Reed: Seasonally Flooded Basin

Remarks:

## Site Photograph 2

Sampling Point: w-50n26w18-q1



Latitude: 46.8186961720202

Longitude: -93.6849645898618

Cowardin Classification: PFO

Circular 39: 7

Remarks:

Direction: West

Eggers & Reed: Seasonally Flooded Basin