WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

| Project/Site: SPP | City/County: Aitkin | | Sampling Date: 2016-08-22 | | |
|---|--|--------------------------------|---|---------------------------|--|
| Applicant/Owner: Enbridge | | State: Minnesota | Sampling P | oint: w-50n26w18-t1 | |
| Investigator(s): ZCW, MGH | Section, Townsh | ip, Range: S18, T50N, R26V | | | |
| Landform (hillslope, terrace, etc.): Depression | | Local Relief (concave, con | vex, none): CC | Slope (%): 0-2% | |
| Subregion (LRR or MLRA): | Latitude: 4 | • | tude: -93.68296642 | Datum: NAD83 | |
| Soil Map Unit Name: 928C | | | | cation: N/A | |
| Are climatic/hydrologic conditions on the site | typical for this time of year | r? (if no. explain in Remarks | | No | |
| _ | | | | | |
| Are Vegetation No , Soil No , or Hydrolog | gy No significantly distur | bed? Are "Normal Circums | tances" present? Yes | | |
| Are Vegetation No , Soil No , or Hydrology | No naturally problemati | ic? (If needed, explain any | answers in Remarks) | | |
| <u> </u> | | | | | |
| SUMMARY OF FINDINGS - Attach site map | showing sampling point lo | ocations, transects, import | ant features, etc. | | |
| Hydrophytic Vegetation Present? | Yes | Is the Sampled Area | | | |
| Hydric Soil Present? | Yes | within a Wetland? | <u>Ye</u> | S | |
| Wetland Hydrology Present? | <u>Yes</u> | If yes, optional Wetland S | ite ID: <u>w</u> - | 50n26w18-t | |
| Remarks: (Explain alternative procedures her | e or in a separate report.) | | | | |
| Climatic conditions are "wet" based on the re | sults of a WETS analysis. | | | | |
| | | | | | |
| | | | | | |
| HYDROLOGY | | | | | |
| Wetland Hydrology Indicators: | | | Secondary Indicators | (minimum of two required) | |
| Primary Indicators (minimum of one is required; check all that apply) Surface Soil Cracks (B6) | | | | | |
| Surface Water (A1) | Water-Stained Leave | es (B9) | Drainage Patter | | |
| High Water Table (A2) | Aquatic Fauna (B13) | | Moss Trim Lines (B16) | | |
| Saturation (A3) | Marl Deposits (B15) | | Dry-Season Water Table (C2) | | |
| Water Marks (B1) | Hydrogen Sulfide Odor (C1) | | Crayfish Burrows (C8) | | |
| Sediment Deposits (B2) | Oxidized Rhizospheres on Living Roots (C3) | | Saturation Visible on Aerial Imagery (C9) | | |
| Drift Deposits (B3) | Presence of Reduced | d Iron (C4) | Stunted/Stressed Plants (D1) | | |
| Algal Mat or Crust (B4) | Recent Iron Reduction | on in Tilled Soils (C6) | <u>Yes</u> Geomorphic Position (D2) | | |
| Iron Deposits (B5) | Thin Muck Surface (| C7) | Shallow Aquitard (D3) | | |
| Inundation Visible on Aerial Imagery (B7) | Other (Explain in Re | marks) | Microtopograph | ic Relief (D4) | |
| Sparsely Vegetated Concave Surface (B8) | | | yes FAC-Neutral Tes | t (D5) | |
| Field Observations: | | | | | |
| Surface Water Present? No | Depth (inches) |) | | | |
| Water Table Present? No | | · | | | |
| Saturation Present? <u>No</u> | Depth (inches) |) | Wetland Hydrology Prese | nt? Yes | |
| (includes capillary fringe) | | | | | |
| Describe Recorded Data (stream gauge, monit | oring well, aerial photos, p | previous inspections), if avai | ilable: | | |
| | | | | | |
| Remarks: | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | Absolute | Dominant | Indicator | Dominance Test worksheet: |
|---|----------|---------------|-----------|---|
| Tree Stratum (Plot Size: 30) | % Cover | Species? | Status | Number of Dominant Species |
| 1. | | | | That Are OBL, FACW, or FAC: 4 (A) |
| 2 | | | | Total Number of Dominant |
| 3. | | | | Species Across All Strata: 4 (B) |
| 4. | | | | Percent of Dominant Species |
| 5. | | - | - | That Are OBL, FACW, or FAC: 100 (A/B) |
| | - | | · - | Prevalence Index worksheet: |
| | - | | | ` |
| 7 | | | | Total % Cover of: Multiply by: |
| | 0 | = Total Cover | | OBL species <u>5.00</u> x 1 <u>5</u> |
| Sapling/Shrub Stratum (Plot Size: 15) | | | | FACW species <u>35.00</u> x 2 <u>70</u> |
| 1. Fraxinus nigra | 35.00 | Yes | FACW | FACU species <u>0.00</u> x 3 <u>0</u> |
| 2. Populus tremuloides | 10.00 | Yes | FAC | UPL species <u>0.00</u> x 4 <u>0</u> |
| 3 | | | | Column Totals <u>70</u> (A) <u>165</u> (B) |
| 4 | | | | Prevalence Index = B/A = 2.3571428 |
| 5 | | | | Hydrophytic Vegetation Indicators: |
| 6 | | | <u></u> | 1 - Rapid Test for Hydrophytic Vegetation |
| 7 | | | | yes 2 - Dominance Test is > 50% |
| | 45 | = Total Cover | | yes 3 - Prevalence Index is ≤ 3.0 ¹ |
| Herb Stratum (Plot Size: 5) | | | | 4 - Morphological Adaptations (Provide |
| 1. Athyrium angustum | 20.00 | Yes | FAC | supporting data in Remarks or on a separate sheet) |
| 2. Carex retrorsa | 5.00 | Yes | OBL | Problematic Hydrophytic Vegetation ¹ (Explain) |
| 3. | | | | 1 |
| 4. | | | | Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. |
| | | - | - | Definitions of Vegetation Strata: |
| 5 6. | - | | - | Deminions of Vegetation Strata. |
| | | | - | Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast |
| 7 | | | | height (DBH), regardless of height. |
| 8 | | | | 1 |
| 9 | | | _ | Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. |
| 10 | | | | |
| 11 | | | | Herb - All herbaeceous (non-woody) plants, regardless of size, and |
| 12 | | | | woody plants less than 3.28 ft tall. |
| | 25 | = Total Cover | | Woody vines - All woody vines greater than 3.28 ft in height. |
| Woody Vine Stratum (Plot Size: 30) | | | | |
| 1. | | | | |
| | | - | 1 | Hydrophytic |
| 2 | | | | Vegetation |
| 3 | | | | Present? |
| 4 | | | - | 4 |
| | 0 | _=Total Cover | | |
| Remarks: (include photo numbers here or on a separate sheet | .) | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Sampling Point: w-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) % Type¹ Texture Remarks 10YR 3 2 100 0-5 FSL 10YR 5 1 10YR 58 5-24 90 10 С M LS ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches): Remarks:

Site Photograph 1 Sampling Point: w-50n26w18-t1



| LANCE OF THE PROPERTY OF THE PARTY OF THE PA | A CONTRACTOR OF THE PROPERTY O |
|--|--|
| Latitude: 46.818095692477 | Cowardin Classification: PSS |
| Longitude: -93.6829629913845 | Circular 39: 1 |
| Direction: West | Eggers & Reed: Seasonally Flooded Basin |
| Remarks: | |

Site Photograph 2 Sampling Point: w-50n26w18-t1



| A STATE OF THE STA | |
|--|---|
| Latitude: 46.8180958182056 | Cowardin Classification: PSS |
| Longitude: -93.6829624884703 | Circular 39: 1 |
| Direction: South | Eggers & Reed: Seasonally Flooded Basin |
| Remarks: | |