WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	Ci	ity/County: Aitkin		Samplii	ng Date: 2016-08-22	
Applicant/Owner: Enbridge			State: Minnesota	Samplir	ng Point: <u>w-50n26w18-v1</u>	
Investigator(s): ZCW, MGH		Section, Townshi	p, Range: S18, T50N, R26	W		
Landform (hillslope, terrace, etc.): D	epression		Local Relief (concave, co	nvex, none): CC	Slope (%): 0-2%	
Subregion (LRR or MLRA):		 Latitude: 46	5.8176354840 Long	gitude: -93.68329315	Datum: NAD83	
Soil Map Unit Name: 928D				NWI Cla	ssification: N/A	
Are climatic/hydrologic conditions o	n the site typic	al for this time of year	? (if no. explain in Remark		No	
Are Vegetation No , Soil No , o						
SUMMARY OF FINDINGS - Attack	ı site map shov	wing sampling point lo	cations, transects, impor	tant features, etc.		
Hydrophytic Vegetation Present?		Yes	Is the Sampled Area			
Hydric Soil Present?		Yes	within a Wetland?		Yes	
Wetland Hydrology Present?		Yes	If yes, optional Wetland	Site ID:	w-50n26w18-v	
Remarks: (Explain alternative proce	dures here or i	in a separate report.)	•			
Climatic conditions are "wet" based	I on the results	s of a WETS analysis.				
HYDROLOGY						
Wetland Hydrology Indicators:				Secondary Indica	tors (minimum of two required)	
Primary Indicators (minimum of one	is required; ch	neck all that apply)		Surface Soi	il Cracks (B6)	
Surface Water (A1)	_	Water-Stained Leave	s (B9)	Drainage Pa	atterns (B10)	
High Water Table (A2)	_	Aquatic Fauna (B13) Moss Trim Lines (Lines (B16)		
Saturation (A3)	_	Marl Deposits (B15)		Dry-Season Water Table (C2)		
Water Marks (B1)	_	Hydrogen Sulfide Odor (C1)		Crayfish Burrows (C8)		
Sediment Deposits (B2)	_	Oxidized Rhizospheres on Liv		Saturation Visible on Aerial Imagery (C9)		
Drift Deposits (B3)	_	Presence of Reduced Iron (C4)		Stunted/Stressed Plants (D1)		
Algal Mat or Crust (B4)	_	Recent Iron Reductio	n in Tilled Soils (C6)	<u>yes</u> Geomorphic	Position (D2)	
Iron Deposits (B5)	_	Thin Muck Surface (C	27)	Shallow Aqu	uitard (D3)	
Inundation Visible on Aerial Imager	y (B7) _	Other (Explain in Ren	narks)	Microtopog	raphic Relief (D4)	
Sparsely Vegetated Concave Surface	e (B8)			<u>yes</u> FAC-Neutral	Test (D5)	
Field Observations:						
Surface Water Present?	<u>No</u>	Depth (inches)				
Water Table Present?	<u>No</u>	Depth (inches)				
Saturation Present?	<u>No</u>	Depth (inches)		Wetland Hydrology Pr	resent? Yes	
(includes capillary fringe)						
Describe Recorded Data (stream gas	ige, monitoring	g well, aerial photos, p	revious inspections), if av	ailable:		

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species
1				That Are OBL, FACW, or FAC: 2 (A)
2.				Total Number of Dominant
3.		-		Species Across All Strata: 2 (B)
4.				Percent of Dominant Species
				That Are OBL, FACW, or FAC: 100 (A/B)
		-	-	
6	-			Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
	0	= Total Cover		OBL species <u>25.00</u> x 1 <u>25</u>
Sapling/Shrub Stratum (Plot Size: 15				FACW species <u>10.00</u> x 2 <u>20</u>
1. Fraxinus nigra	5.00	Yes	FACW	FACU species x 3
2				UPL species <u>0.00</u> x 4 <u>0</u>
3				Column Totals <u>35</u> (A) <u>45</u> (B)
4				Prevalence Index = B/A = 1.2857142
5.				Hydrophytic Vegetation Indicators:
6.				1 - Rapid Test for Hydrophytic Vegetation
7.				yes 2 - Dominance Test is > 50%
· -	5	- Total Cover		yes 3 - Prevalence Index is $\leq 3.0^{1}$
Hards Chartery (Diet Circ. 5	<u> </u>	_ = Total Cover		
Herb Stratum (Plot Size: 5	25.00	V	OBL	4 - Morphological Adaptations (Provide supporting data in Remarks or on a separate sheet)
1. Scirpus atrovirens	25.00	Yes	OBL	-l
2. Fraxinus nigra	5.00	No	FACW	Problematic Hydrophytic Vegetation ¹ (Explain)
3		_	_	Indicators of hydric soil and wetland hydrology must be present, unless
4		_	_	disturbed or problematic.
5		_	_	Definitions of Vegetation Strata:
6		_	_	
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
8.				height (DBH), regardless of height.
9.				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
				or equal to 3.28 ft (1 m) tall.
10		_		-
11		-	_	Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12		_		_
	30	_ = Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30				
1				
2.		-		Hydrophytic
	· -	_	_	Vegetation Yes
3		_	_	Present?
4				-
	0	_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	t.)			

Sampling Point: w-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) % Type¹ Texture Remarks 10YR 3 1 100 0-3 FSL 10YR 5 1 10YR 58 90 3-15 10 С M LS ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) **✓** Restrictive Layer (if observed): Type: Rock Hydric Soil Present? Yes

Depth (inches): 15

Remarks:

Site Photograph 1 Sampling Point: w-50n26w18-v1



Cowardin Classification: PEM
Circular 39: 1
Eggers & Reed: Seasonally Flooded Basin

Site Photograph 2 Sampling Point: w-50n26w18-v1



Latitude: 46.8176359450881 Cowardin Classification: PEM					
Longitude: -93.6832890474179	Circular 39: 1				
rection: East	Eggers & Reed: Seasonally Flooded Basin				
emarks:					