WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

City/County: Aitkin		Sampling Date: 2016-08-22		
	State: Minnesota	Sampling	g Point: w-50n26w18-y1	
Section, Townshi	p, Range: S18, T50N, R26W	,		
	Local Relief (concave, conv	rex, none): CC	Slope (%): 0-2%	
Latitude: 46	•	· · · · —	Datum: NAD83	
_			sification: N/A	
pical for this time of vear	? (if no. explain in Remarks)		No	
•				
No significantly disturb	ped? Are "Normal Circumst	ances" present? Yes		
o naturally problemati	c? (If needed, explain any a	answers in Remarks)		
_				
lowing sampling point lo	cations, transects, importa	nt features, etc.		
Yes	Is the Sampled Area			
Yes	within a Wetland?			
<u>Yes</u>	If yes, optional Wetland Sit	te ID:	w-50n26w18-y	
or in a separate report.)	-			
ılts of a WETS analysis.				
		Secondary Indicate	ors (minimum of two required)	
chack all that annly)				
Primary Indicators (minimum of one is required; check all that apply) Surface Water (A1) Water-Stained Leaves (B9) Drainage Patterns (B10)				
		Moss Trim Lines (B16)		
		Dry-Season Water Table (C2)		
		Crayfish Burrows (C8)		
		Saturation Visible on Aerial Imagery (C9)		
		Stunted/Stressed Plants (D1)		
Recent Iron Reduction in Tilled Soils (C6)		YES Geomorphic Position (D2)		
Thin Muck Surface (C7)		Shallow Aquitard (D3)		
Other (Explain in Remarks)		Microtopogra	phic Relief (D4)	
		yes FAC-Neutral 1	Test (D5)	
Depth (inches)				
Depth (inches)	2			
Depth (inches)	<u>0</u>	Wetland Hydrology Pre	sent? Yes_	
ing well, aerial photos, p	revious inspections), if avail	able:		
<u> </u>	Section, Townshi Latitude: 46 pical for this time of year No significantly disturb on naturally problemation Yes Yes Yes Yes or in a separate report.) alts of a WETS analysis. check all that apply) Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Od Oxidized Rhizospher Presence of Reduced Recent Iron Reductic Thin Muck Surface (Control of the Control of	State: Minnesota Section, Township, Range: S18, T50N, R26W Local Relief (concave, conv.) Latitude: 46.8169279676 Longit pical for this time of year? (if no, explain in Remarks) No significantly disturbed? Are "Normal Circumst." No naturally problematic? (If needed, explain any and sampling point locations, transects, importated and separate report.) Is the Sampled Area within a Wetland? If yes, optional Wetland Signor in a separate report.) Lults of a WETS analysis. Check all that apply) Water-Stained Leaves (B9) Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres on Living Roots (C3) Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (C6) Thin Muck Surface (C7) Other (Explain in Remarks) Depth (inches) Depth (inches) Depth (inches) Depth (inches) Depth (inches) Depth (inches)	State: Minnesota Sampling Section, Township, Range: S18, T50N, R26W Local Relief (concave, convex, none): CC Latitude: 46.8169279676 Longitude: -93.68080976 NWI Class pical for this time of year? (if no, explain in Remarks): No significantly disturbed? Are "Normal Circumstances" present? Yes on naturally problematic? (If needed, explain any answers in Remarks) nowing sampling point locations, transects, important features, etc. Yes	

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30	% Cover	Species?	Status	Number of Dominant Species
1. Fraxinus nigra	40.00	Yes	FACW	That Are OBL, FACW, or FAC: 4 (A)
2. Betula occidentalis	15.00	Yes	FACW	Total Number of Dominant
3. Ulmus americana	5.00	No	FAC	Species Across All Strata: 4 (B)
4.				Percent of Dominant Species
				That Are OBL, FACW, or FAC: 100 (A/B)
			-	
6	-			Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
	60	= Total Cover		OBL species <u>35.00</u> x 1 <u>35</u>
Sapling/Shrub Stratum (Plot Size: 15				FACW species <u>105.00</u> x 2 <u>210</u>
1. Fraxinus nigra	10.00	Yes	FACW	FACU species <u>0.00</u> x 3 <u>0</u>
2				UPL species <u>0.00</u> x 4 <u>0</u>
3				Column Totals <u>145</u> (A) <u>260</u> (B)
4				Prevalence Index = B/A = 1.7931034
5.				Hydrophytic Vegetation Indicators:
6.				1 - Rapid Test for Hydrophytic Vegetation
7.				yes 2 - Dominance Test is > 50%
/·	10	- Total Cover		yes 3 - Prevalence Index is $\leq 3.0^{1}$
Hards Chartering (Diet Cines 5	10	Total Cover		
Herb Stratum (Plot Size: 5)	40.00	V	FAC)4/	4 - Morphological Adaptations (Provide supporting data in Remarks or on a separate sheet)
1. Calamagrostis canadensis	40.00	Yes	- FACW	-
2. Carex retrorsa	25.00	Yes	OBL	Problematic Hydrophytic Vegetation ¹ (Explain)
3. Caltha palustris	10.00	No No	OBL	1 Indicators of hydric soil and wetland hydrology must be present, unless
4			_	disturbed or problematic.
5			_	Definitions of Vegetation Strata:
6			_	_
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
8.				height (DBH), regardless of height.
9.				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
				or equal to 3.28 ft (1 m) tall.
10	-			-
11		-	_	Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12				4
	75	_ = Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30)				
1				
2.			<u> </u>	Hydrophytic
		-	_	Vegetation Yes
3			_	Present?
4				4
	0	_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	.)			

Sampling Point: w-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) Type¹ Texture Remarks % 10YR 2 1 MM 0-20 100 10YR 2 1 20-28 100 Other Silty Clay 10YR 5 1 10YR 58 90 28-34 10 С M Other Silty Clay ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed):

Depth (inches):

Remarks:

Hydric Soil Present? Yes

Site Photograph 1 Sampling Point: w-50n26w18-y1



Latitude: 46.8169417558674	Cowardin Classification: PFO
Longitude: -93.6807943415769	Circular 39: 7
rection: South	Eggers & Reed: Hardwood Swamp/Coniferous Swam
	eggers & Reed: Hardwood Swamp, connerous
emarks:	

Site Photograph 2 Sampling Point: w-50n26w18-y1



Latitude: 46.816941965415	Cowardin Classification: PFO
Longitude: -93.6807942577579	Circular 39: 7
Direction: West	Eggers & Reed: Hardwood Swamp/Coniferous Swamp
Remarks:	