WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: A	City/County: Aitkin		Sampling Date: 2016-08-10		
Applicant/Owner: Enbridge		State: Minnesota	Sampli	ng Point: <u>w-50n26w6-b1</u>		
Investigator(s): ZCW, MGH	Section,	Township, Range: S6, T50N,	R26W			
Landform (hillslope, terrace, etc.): Dep	ression	Local Relief (concav	ve, convex, none): CC	Slope (%): 0-2%		
Subregion (LRR or MLRA):	La [†]	titude: 46.8539713696	Longitude: -93.68324303	Datum: NAD83		
Soil Map Unit Name: 504B			NWI Cla	ssification: N/A		
Are climatic/hydrologic conditions on	the site typical for this tim	ne of year? (if no, explain in R	emarks):	No		
Are Vegetation No , Soil No , or Hy	Hydrology <u>No</u> significan	tly disturbed? Are "Normal C	ircumstances" present? Yes	-		
SUMMARY OF FINDINGS - Attach s	ite map showing samplin	g point locations, transects, i	mportant features, etc.			
Hydrophytic Vegetation Present?	Yes	Is the Sampled Are	a			
Hydric Soil Present?	Yes	within a Wetland?		Yes		
Wetland Hydrology Present?	Yes	If yes, optional We	tland Site ID:	w-50n26w6-b		
Remarks: (Explain alternative proced	ures here or in a separate	report.)				
Climatic conditions are "wet" based on the results of a WETS analysis.						
HYDROLOGY						
Wetland Hydrology Indicators:			Secondary Indica	tors (minimum of two required)		
Primary Indicators (minimum of one i	required; check all that a	pply)	Surface Sc	il Cracks (B6)		
Surface Water (A1)			Drainage Patterns (B10)			
yes High Water Table (A2)	Aquatic F	auna (B13)	Moss Trim	Lines (B16)		
yes Saturation (A3)	Marl Dep	osits (B15)	Dry-Seasor	Water Table (C2)		
Water Marks (B1)	Hydrogen	Sulfide Odor (C1)	Crayfish Bu	Crayfish Burrows (C8)		
Sediment Deposits (B2)	Oxidized I	Rhizospheres on Living Roots (C3)	Saturation	Visible on Aerial Imagery (C9)		
Drift Deposits (B3)	Presence	of Reduced Iron (C4)	Stunted/St	ressed Plants (D1)		
Algal Mat or Crust (B4)	Recent Iro	on Reduction in Tilled Soils (C6)	<u>yes</u> Geomorphi	c Position (D2)		
Iron Deposits (B5)	Thin Muc	k Surface (C7)	Shallow Aq	uitard (D3)		
Inundation Visible on Aerial Imagery (Inundation Visible on Aerial Imagery (B7) Other (Explain in Rer		arks)Microtopographic Relief (D4)			
Sparsely Vegetated Concave Surface (B8)		yes FAC-Neutra	l Test (D5)		
Field Observations:						
Surface Water Present?	<u>No</u> Depti	n (inches)				
Water Table Present?	•	n (inches) 3				
Saturation Present?	<u>Yes</u> Depti	n (inches) <u>0</u>	Wetland Hydrology P	resent? Yes		
(includes capillary fringe)						
Describe Recorded Data (stream gaug	e, monitoring well, aerial	photos, previous inspections)	, it available:			

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species
1. Fraxinus nigra	50.00	Yes	FACW	That Are OBL, FACW, or FAC: 4 (A)
2. Acer rubrum	20.00	Yes	FAC	Total Number of Dominant
3.			-	Species Across All Strata: 4 (B)
4	-			Percent of Dominant Species
				'
5	-			
6				Prevalence Index worksheet:
7			-	Total % Cover of: Multiply by:
	70	= Total Cover		OBL species <u>5.00</u> x 1 <u>5</u>
Sapling/Shrub Stratum (Plot Size: 15				FACW species <u>130.00</u> x 2 <u>260</u>
1. Alnus incana	15.00	Yes	FACW	FACU species <u>0.00</u> x 3 <u>0</u>
2. Fraxinus nigra	5.00	Yes	FACW	UPL species <u>0.00</u> x 4 <u>0</u>
3				Column Totals <u>155</u> (A) <u>325</u> (B)
4				Prevalence Index = B/A = 2.0967741
5.				Hydrophytic Vegetation Indicators:
6.			-	1 - Rapid Test for Hydrophytic Vegetation
7.	-	-	-	yes 2 - Dominance Test is > 50%
/-	20	- Tatal Cause		yes 3 - Prevalence Index is $\le 3.0^{1}$
	20	= Total Cover		
Herb Stratum (Plot Size: 5	50.00	v	54014	4 - Morphological Adaptations (Provide supporting data in Remarks or on a separate sheet)
1. Calamagrostis canadensis	60.00	Yes	FACW	- -
2. Iris versicolor	5.00	No	OBL	Problematic Hydrophytic Vegetation ¹ (Explain)
3				Indicators of hydric soil and wetland hydrology must be present, unless
4		-		disturbed or problematic.
5	-	- · ·		Definitions of Vegetation Strata:
6			_	
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
8.				height (DBH), regardless of height.
9.		-		Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
			-	or equal to 3.28 ft (1 m) tall.
10				-
11	-			Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12		_		-
	65	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30				
1.				
				Hydrophytic
2		_	·	Vegetation
3	-	-		Present?
4		-	-	-
	0	_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	.)			

Sampling Point: w-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) % Type¹ Texture Remarks 10YR 2 1 100 0-13 10YR 4 2 10YR 58 95 13-24 С Μ cl ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches): Remarks:

Site Photograph 1 Sampling Point: w-50n26w6-b1



Latitude: 46.854036916091	Cowardin Classification: PFO			
Longitude: -93.6831844412663	Circular 39: 7			
Direction: West	Eggers & Reed: Hardwood Swamp/Coniferous Swamp			
Remarks:				

Site Photograph 2 Sampling Point: w-50n26w6-b1



の大人のなる。 「 「 「 」 「 」 「 」 「 」 「 」 「 」 「 」 「 」 「			
Latitude: 46.8540330604155	Cowardin Classification: PFO		
Longitude: -93.6832015403487	Circular 39: 7		
Direction: South	Eggers & Reed: Hardwood Swamp/Coniferous Swamp		
Remarks:			