WETLAY		NATION DATA F	ORM - North Ce	ntral and N	ortheast Region			
Project/Site: SPP		City/County: Aitkin			Sampling Date: 2016-08-11			
Applicant/Owner: Enbridge		State: Minnesota			Sampling Point: w-50n26w6-f1			
Investigator(s): ZCW, MGH		Section, Township, Range: S6, T50N, R26W				<u> </u>		
Landform (hillslope, terrace, etc.): Depress								
	51011	Local Relief (concave, convex, none): <u>Concave</u>				•		
Subregion (LRR or MLRA): Soil Map Unit Name: 504B		Latitude: <u>46.8551326403</u> Longitude: <u>-93.67919088</u> Datum: <u>NAD</u> NWI Classification: N/A						
•	-its tunical for	this time of your	2 /:f the overlain in f					
Are climatic/hydrologic conditions on the site typical for this time of year? (if no, explain in Remarks): No								
Are Vegetation <u>No</u> , Soil <u>No</u> , or Hyde	rology <u>No</u> się	gnificantly disturb	oed? Are "Normal	Circumstance	es" present? Yes			
An Magnetical No. Coil No. or Undro	I No noti		2 (If readed own					
Are Vegetation <u>No</u> , Soil <u>No</u> , or Hydrol	logy <u>no</u> hatu	irally problematic	c? (It needed, exp	lain any answ	ers in Remarks)			
SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.								
Hydrophytic Vegetation Present?	Yes	anihing beinere	Is the Sampled Ar	-				
Hydric Soil Present?	Yes	-	within a Wetland			Yes		
Wetland Hydrology Present?	Yes	— —			:	w-50n26w6-f		
Remarks: (Explain alternative procedures here or in a separate report.)								
Climatic conditions are "wet" based on the results of a WETS analysis.								
HYDROLOGY								
Wetland Hydrology Indicators:					Secondary Indicat	ors (minimum o	of two required)	
Primary Indicators (minimum of one is rec	quired; check a	II that apply)			Surface Soil	Cracks (B6)		
Surface Water (A1)	Surface Water (A1) Water-Stained Leaves (B9)				Drainage Pa	tterns (B10)		
High Water Table (A2)	A	Aquatic Fauna (B13)			Moss Trim L	ines (B16)		
Saturation (A3)	11	Marl Deposits (B15)			Dry-Season Water Table (C2)			
Water Marks (B1)	ł	Hydrogen Sulfide Odor (C1)			Crayfish Burrows (C8)			
Sediment Deposits (B2)	(	Oxidized Rhizospheres on Living Roots (C3)			Saturation Visible on Aerial Imagery (C9)			
Drift Deposits (B3)	F	Presence of Reduced Iron (C4)			Stunted/Stressed Plants (D1)			
Algal Mat or Crust (B4)	F	Recent Iron Reduction in Tilled Soils (C6)			Yes Geomorphic Position (D2)			
Iron Deposits (B5)	т	Thin Muck Surface (C7)			Shallow Aquitard (D3)			
Inundation Visible on Aerial Imagery (B7)	(	Other (Explain in Remarks)			Microtopographic Relief (D4)			
Sparsely Vegetated Concave Surface (B8)					<u>yes</u> FAC-Neutral	Test (D5)		
Field Observations:								
Surface Water Present?	No	Depth (inches)						
Water Table Present?	No	Depth (inches)						
Saturation Present?	No	Depth (inches)		Wetl	and Hydrology Pre	esent?	Yes	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

(includes capillary fringe)

## **VEGETATION** - Use scientific names of plants.

Sampling Point: w-50n26w...

	Absolute	Dominant	Indicator	Dominance Test worksheet:	
Tree Stratum (Plot Size: <u>30</u> )	% Cover	Species?	Status	Number of Dominant Species	
1. Quercus bicolor	60.00	Yes		That Are OBL, FACW, or FAC: 3 (A)	
2.				Total Number of Dominant	
3				Species Across All Strata: 4(B)	
4.				Percent of Dominant Species	
5.				That Are OBL, FACW, or FAC: 75 (A/B)	
6.				Prevalence Index worksheet:	
7				Total % Cover of: Multiply by:	
	60	= Total Cover		OBL species 5.00 x 1 5	
Sapling/Shrub Stratum (Plot Size: 15 )				FACW species 20.00 x 2 40	
1. Populus tremuloides	30.00	Yes	FAC	FACU species 0.00 x 3 0	
2. Quercus bicolor	10.00	Yes		UPL species 70.00 x 4 350	
3				Column Totals 140 (A) 530 (B)	
4.				Prevalence Index = $B/A = 3.7857142$	
5				Hydrophytic Vegetation Indicators:	
6				1 - Rapid Test for Hydrophytic Vegetation	
7				yes 2 - Dominance Test is > 50%	
	40	= Total Cover		no 3 - Prevalence Index is $\leq 3.0^1$	
Herb Stratum (Plot Size: 5 )				4 - Morphological Adaptations <sup>1</sup> (Provide	
1. Calamagrostis canadensis	20.00	Yes	FACW	supporting data in Remarks or on a separate sheet)	
2. Acer rubrum	15.00	Yes	FAC	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)	
3. Iris versicolor	5.00	No	OBL		
4.	5.00			<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless	
5.				disturbed or problematic.	
				Definitions of Vegetation Strata:	
6				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast	
7				height (DBH), regardless of height.	
8					
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.	
10					
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.	
12					
	40	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.	
Woody Vine Stratum (Plot Size: 30 )					
1					
2.				Hydrophytic	
3.				Vegetation Present? Yes	
4.				1	
	0	=Total Cover		1	
Remarks: (include photo numbers here or on a separate sheet.	)				
Remarks. (include proto numbers here of on a separate sheet.	.)				

US Army Corps of Engineers

Northcentral and Northeast Region – Version 2.0

## SOIL

		depth ne	eded to document the			nfirm th	e absence of ind	licators.)		
Depth (in the set)		Matrix Redox Fea						Descente		
(inches) 0-2	Color (moist) 10YR 2 1	% 100	Color (moist)	%	Type-	Loc <sup>2</sup>	Texture M	Remarks		
2-15	10YR 4 2	90	10YR 5 8	10	с	M	LS			
15-24	10YR 6 2	<u> </u>	10YR 5 6	- 10	- <u>c</u>	M	LS			
				_						
						·				
				_		·				
						·	·			
						·				
<sup>1</sup> Type: C=Concen	tration, D=Depletion, RM	Reduced M	atrix, MS=Masked Sand Gr	ains.						
Hydric Soil Indica	tors:						Indicators for P	Problematic Hydric Soil <sup>3</sup> :		
Histosol (A:	1)		Polyvalue Below <b>149B)</b>	Surface (	58) <b>(LRR R</b>	, MLRA	2 cm Muc	:k (A10) ( <b>LRR K, L, MLRA 149B</b> )		
Histic Epipe			Thin Dark Surface	≏ (S9) <b>(I R</b>	R R. MIRA	(149B)		irie Redox (A16)(LRR K, L, R)		
Black Histic			Loamy Mucky M				<b>—</b>	cky Peat or Peat (S3) ( <b>LRR K, L, R</b> )		
Hydrogen S		Loamy Gleyed Matrix (F2)			Dark Surface (S7) (LRR K, M)					
Stratified La			Depleted Matrix (F3)				Polyvalue Below Surface (S8) (LRR K, L)			
	elow Dark Surface (A11)		Redox Dark Surface (F6)				Thin Dark Surface (S9) (LRR K, L)			
	Surface (A12)		Depleted Dark Surface (F7)				Iron-Maganese Masses (F12) (LRR K, L, R)			
	ky Mineral (S1)		Redox Depressions (F8)				Piedmont Floodplain Soils (F19) (MLRA 149B)			
	ed Matrix (S4)			15 (10)			_	dic (TA6) <b>(MLRA 144A, 145, 149B)</b>		
Sandy Redo	ox (S5)						_	nt Material (F21)		
Stripped M	atrix (S6)						Very Shall	low Dark Surface (TF12)		
Dark Surfac	ce (S7) <b>(LRR R, MLRA 149</b> E	3)					Other (exp	plain in remarks)		
Restrictive Layer	(if observed):	Γ								
Туре:						ł	Hydric Soil Present?	Yes		
Depth (i	nches):									
Remarks:										
1										

## Site Photograph 1

Sampling Point: w-50n26w6-f1



Latitude: 46.8551381305296

Longitude: -93.6792213936277

Cowardin Classification: PFO

Circular 39: 1

Remarks:

Direction: East

Eggers & Reed: Seasonally Flooded Basin

## Site Photograph 2



Latitude: 46.8551409803767

Longitude: -93.679219549609

Cowardin Classification: PFO

Circular 39: 1

Direction: West

Remarks:

Eggers & Reed: Seasonally Flooded Basin