WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Aitkin			Sampling Date: 2016-08-16			
Applicant/Owner: Enbridge			State: Minnesota	Sar	mpling Point: w-50n2	26w7-a1	
Investigator(s): ZCW, MGH		Section, Township	p, Range: <u>S7, T50W,</u>	R26W		<u></u>	
Landform (hillslope, terrace, etc.): Depres	sion		Local Relief (concav	e, convex, none): CC	Slope (%): 0-2%	
Subregion (LRR or MLRA):		Latitude: 46	.8296256708	Longitude: -93.6811670	— 08	D83	
Soil Map Unit Name: 204B		_		NW	/I Classification: N/A		
Are climatic/hydrologic conditions on the	site typic	al for this time of year	? (if no, explain in Re	 emarks):	No		
Are Vegetation NO. Soil NO. or Hyd	Irology No	a cignificantly disturb	and? Ara "Normal Ci	reumetaneae" procenta '	Vec		
Are Vegetation No_, Soil No_, or Hydrology No_ significantly disturbed? Are "Normal Circumstances" present? Yes_ Are Vegetation No_, Soil No_, or Hydrology No_ naturally problematic? (If needed, explain any answers in Remarks)							
SUMMARY OF FINDINGS - Attach site	map shov	ving sampling point lo	cations, transects, ir	mportant features, etc.			
Hydrophytic Vegetation Present?		Yes	Is the Sampled Area	a		-	
Hydric Soil Present?		Yes	within a Wetland?		Yes		
Wetland Hydrology Present?		<u>Yes</u>	If yes, optional Wet	land Site ID:	<u>w-50n26w7-a</u>		
Remarks: (Explain alternative procedures	s here or i	n a separate report.)	-				
Climatic conditions are "wet" based on t	he results	of a WETS analysis.					
HYDROLOGY							
Wetland Hydrology Indicators:				Secondary In	ndicators (minimum o	of two required)	
Primary Indicators (minimum of one is required; check all that apply) Surface Soil Cracks (B6)							
Surface Water (A1)	_	Water-Stained Leave	s (B9)	Draina	age Patterns (B10)		
High Water Table (A2)		Aquatic Fauna (B13)		Moss	Moss Trim Lines (B16)		
Saturation (A3)		Marl Deposits (B15)		Dry-Se	Dry-Season Water Table (C2)		
Water Marks (B1)		Hydrogen Sulfide Ode	or (C1)	Crayfis	Crayfish Burrows (C8)		
Sediment Deposits (B2)		Oxidized Rhizosphere	es on Living Roots (C3)	Satura	Saturation Visible on Aerial Imagery (C9)		
Drift Deposits (B3)		Presence of Reduced	Iron (C4)	Stunte	Stunted/Stressed Plants (D1)		
Algal Mat or Crust (B4)		Recent Iron Reductio	n in Tilled Soils (C6)	<u>yes</u> Geomo	Yes Geomorphic Position (D2)		
Iron Deposits (B5)		Thin Muck Surface (C	7)	Shallov	Shallow Aquitard (D3)		
Inundation Visible on Aerial Imagery (B7)	_	Other (Explain in Ren	narks)		topographic Relief (D4)		
Sparsely Vegetated Concave Surface (B8)				yes FAC-Ne	eutral Test (D5)		
Field Observations:	NI -						
Surface Water Present?	No	Depth (inches)					
Water Table Present?	No	Depth (inches)				V	
Saturation Present?	No	Depth (inches)		Wetland Hydrolog	gy Present?	<u>Yes</u>	
(includes capillary fringe)			ii\	if a vailable v			
Describe Recorded Data (stream gauge, r	nonitoring	g weii, aeriai photos, pi	revious inspections),	ir available:			
Remarks:							

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species
1.				That Are OBL, FACW, or FAC: 4 (A)
2.				Total Number of Dominant
3.			-	Species Across All Strata: 4 (B)
4.				Percent of Dominant Species
		-		That Are OBL, FACW, or FAC: 100 (A/B)
			-	
6	-	-	-	Prevalence Index worksheet:
7		-		Total % Cover of: Multiply by:
	0	_ = Total Cover		OBL species <u>0.00</u> x 1 <u>0</u>
Sapling/Shrub Stratum (Plot Size: 15				FACW species <u>90.00</u> x 2 <u>180</u>
1. Fraxinus nigra	40.00	Yes	FACW	FACU species <u>0.00</u> x 3 <u>0</u>
2. Populus tremuloides	15.00	Yes	FAC	UPL species <u>0.00</u> x 4 <u>0</u>
3				Column Totals <u>105</u> (A) <u>225</u> (B)
4				Prevalence Index = B/A = 2.1428571
5.				Hydrophytic Vegetation Indicators:
6				1 - Rapid Test for Hydrophytic Vegetation
7.		-	-	yes 2 - Dominance Test is > 50%
· -	55	- Total Cover	-	yes 3 - Prevalence Index is $\leq 3.0^{1}$
Hards Chartery (Diet Cias 5	33	_ = Total Cover		'
Herb Stratum (Plot Size: 5)	25.00	V	FACIAL	4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)
1. Calamagrostis canadensis	35.00	Yes	FACW	-
2. Osmundastrum cinnamomeum	15.00	Yes	FACW	Problematic Hydrophytic Vegetation ¹ (Explain)
3		_	_	Indicators of hydric soil and wetland hydrology must be present, unless
4				disturbed or problematic.
5			_	Definitions of Vegetation Strata:
6			_	<u>]</u>
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
8.				height (DBH), regardless of height.
9.				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
				or equal to 3.28 ft (1 m) tall.
10			-	
11			-	Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12				
	50	_ = Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30				
1				_
2.	-	-	<u> </u>	Hydrophytic
3.				Vegetation Yes
		_	_	Present?
4			_	1
	0	_=Total Cover	-	
Remarks: (include photo numbers here or on a separate sheet	t.)			
l				

Sampling Point: w-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) Type¹ Texture Remarks 10YR 3 1 0-4 100 LS 10YR 4 2 10YR 4 6 90 4-15 10 С Μ FSL 10YR 5 2 10YR 5 6 85 15-24 15 С M LS ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? Yes

Depth (inches):

Remarks:

Site Photograph 1 Sampling Point: w-50n26w7-a1



THE RESERVE OF THE PARTY OF THE	The state of the s
Latitude: 46.829693689986	Cowardin Classification: PSS
Longitude: -93.6812239141145	Circular 39: 1
Direction: West	Eggers & Reed: Seasonally Flooded Basin
Remarks:	

Site Photograph 2 Sampling Point: w-50n26w7-a1



	THE RESERVE TO A COLUMN TWO IS NOT THE RESERVE TO T	
Latitude:	46.8296936061669	Cowardin Classification: PSS
Longitude:	-93.6812245846667	Circular 39: 1
Direction: Nort	th	Eggers & Reed: Seasonally Flooded Basin
Remarks:		