vvi		INATION DATA F	FORM - North Central a	and Northeast Region			
Project/Site: SPP	City/	County: <u>Aitkin</u>		Sampling Date: 2016-08-16			
Applicant/Owner: Enbridge			State: Minnesota	Samplir	ng Point: <u>w-50n26w7-f1</u>		
Investigator(s): ZCW, MGH		_ Section, Townshi	p, Range: <u>S7, T50, R26W</u>				
Landform (hillslope, terrace, etc.): D	epression		Local Relief (concave, co	nvex, none): <u>CC</u>	Slope (%): <u>0-2%</u>		
Subregion (LRR or MLRA):		Latitude: 46	5.835995665795 Long	gitude: -93.68264590	Datum: NAD83		
Soil Map Unit Name: 204B				NWI Cla	ssification: N/A		
Are climatic/hydrologic conditions o	on the site typical f	or this time of year	? (if no, explain in Remark	<s):< td=""><td>No</td></s):<>	No		
Are Vegetation <u>No</u> , Soil <u>No</u> , o	r Hydrology <u>No</u>	significantly disturb	ped? Are "Normal Circum	stances" present? Yes			
Are Vegetation <u>No</u> , Soil <u>No</u> , or I	Hydrology <u>No</u> na	aturally problemation	c? (If needed, explain and	y answers in Remarks)			
SUMMARY OF FINDINGS - Attack	n site map showin	g sampling point lo	cations, transects, impor	tant features, etc.			
Hydrophytic Vegetation Present?	Ye	<u>!S</u>	Is the Sampled Area				
Hydric Soil Present?	Ye	<u>!S</u>	within a Wetland?		Yes		
Wetland Hydrology Present?	Ye	. <u>s</u>	If yes, optional Wetland	nd Site ID: w-50n26w7-f			
Remarks: (Explain alternative proce	dures here or in a	separate report.)					
HYDROLOGY Wetland Hydrology Indicators:				Secondary Indica	tors (minimum of two required)		
	- :- roquiradi chac	II that apply)			tors (minimum of two required)		
Primary Indicators (minimum of one	<u>a is requirea; checi</u>		(00)	Surface Soil Cracks (B6) Drainage Patterns (B10)			
Surface Water (A1)		Water-Stained Leave		Moss Trim Lines (B16)			
High Water Table (A2)		_ Aquatic Fauna (B13)			(D16)		
Saturation (A3) Water Marks (B1)		Marl Dopocite (P15)					
		Marl Deposits (B15)	or (C1)	Dry-Season	Water Table (C2)		
		Hydrogen Sulfide Od		Dry-Season Crayfish Bu	Water Table (C2) rows (C8)		
Sediment Deposits (B2)		Hydrogen Sulfide Od Oxidized Rhizosphere	es on Living Roots (C3)	Dry-Season Crayfish Bun Saturation N	Water Table (C2) rows (C8) /isible on Aerial Imagery (C9)		
Sediment Deposits (B2)		 Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reduced 	es on Living Roots (C3) I Iron (C4)	Dry-Season Crayfish Bun Saturation N	Water Table (C2) rows (C8) 'isible on Aerial Imagery (C9) essed Plants (D1)		
Sediment Deposits (B2)		 Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio 	es on Living Roots (C3) I Iron (C4) on in Tilled Soils (C6)	Dry-Season Crayfish But Saturation \ Stunted/Str	Water Table (C2) rows (C8) risible on Aerial Imagery (C9) essed Plants (D1) r Position (D2)		
Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4)	Y (B7)	 Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reduced 	es on Living Roots (C3) J Iron (C4) on in Tilled Soils (C6) C7)	Dry-Season Crayfish Bur Saturation N Stunted/Str YES Geomorphic Shallow Aqu	Water Table (C2) rows (C8) risible on Aerial Imagery (C9) essed Plants (D1) r Position (D2)		
Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5)		 Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio Thin Muck Surface (C 	es on Living Roots (C3) J Iron (C4) on in Tilled Soils (C6) C7)	Dry-Season Crayfish Bur Saturation N Stunted/Str YES Geomorphic Shallow Aqu	Water Table (C2) rows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) iitard (D3) raphic Relief (D4)		
Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imager		 Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio Thin Muck Surface (C 	es on Living Roots (C3) J Iron (C4) on in Tilled Soils (C6) C7)	Dry-Season Crayfish Bur Saturation N Stunted/Str <u>YES</u> Geomorphi Shallow Aqu Microtopog	Water Table (C2) rows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) iitard (D3) raphic Relief (D4)		
Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imager Sparsely Vegetated Concave Surfac		 Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio Thin Muck Surface (C 	es on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7) marks)	Dry-Season Crayfish Bur Saturation N Stunted/Str <u>YES</u> Geomorphi Shallow Aqu Microtopog	Water Table (C2) rows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) iitard (D3) raphic Relief (D4)		
Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imager Sparsely Vegetated Concave Surfac Field Observations:	e (B8)	 Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio Thin Muck Surface (C Other (Explain in Ren 	es on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7) marks)	Dry-Season Crayfish Bur Saturation N Stunted/Str <u>YES</u> Geomorphi Shallow Aqu Microtopog	Water Table (C2) rows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) iitard (D3) raphic Relief (D4)		
Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imager Sparsely Vegetated Concave Surfac Field Observations: Surface Water Present?	e (B8)	 Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio Thin Muck Surface (C Other (Explain in Ren 	es on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7) marks)	Dry-Season Crayfish Bur Saturation N Stunted/Str <u>YES</u> Geomorphi Shallow Aqu Microtopog	Water Table (C2) rows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) .iitard (D3) raphic Relief (D4) Test (D5)		
Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imager Sparsely Vegetated Concave Surface Field Observations: Surface Water Present? Water Table Present?	e (B8) <u>No</u>	 Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio Thin Muck Surface (C Other (Explain in Ren Depth (inches) Depth (inches)	es on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7) marks)	Dry-Season Crayfish Bur Saturation N Stunted/Str YES Geomorphi Shallow Aqu Microtopog <u>YES_</u> FAC-Neutra	Water Table (C2) rows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) .iitard (D3) raphic Relief (D4) Test (D5)		

Remarks:

VEGETATION - Use scientific names of plants.

Sampling Point: w-50n26w...

	Absolute	Dominant	Indicator	Dominance Test worksheet:	
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species	
1. Fraxinus nigra	10.00	Yes	FACW	That Are OBL, FACW, or FAC: <u>3</u> (A)	
2.				Total Number of Dominant	
3				Species Across All Strata: <u>3</u> (B)	
4.				Percent of Dominant Species	
5.				That Are OBL, FACW, or FAC: 100 (A/B)	
6.				Prevalence Index worksheet:	
7				Total % Cover of: Multiply by:	
	10	= Total Cover		OBL species 0.00 x 1 0	
Sapling/Shrub Stratum (Plot Size: 15)				FACW species 125.00 x 2 250	
1. Fraxinus nigra	45.00	Yes	FACW	FACU species 0.00 x 3 0	
2. Populus tremuloides	15.00	Yes	FAC	UPL species 0.00 x 4 0	
3				Column Totals 140 (A) 295 (B)	
4				Prevalence Index = $B/A = 2.1071428$	
5				Hydrophytic Vegetation Indicators:	
6				1 - Rapid Test for Hydrophytic Vegetation	
7				yes 2 - Dominance Test is > 50%	
	60	= Total Cover		yes 3 - Prevalence Index is $\leq 3.0^{1}$	
Herb Stratum (Plot Size: 5)	<u></u>			4 - Morphological Adaptations ¹ (Provide	
1. Calamagrostis canadensis	70.00	Yes	FACW	supporting data in Remarks or on a separate sheet)	
2.				Problematic Hydrophytic Vegetation ¹ (Explain)	
3				¹ Indicators of hydric soil and wetland hydrology must be present, unless	
			·	disturbed or problematic.	
5				Definitions of Vegetation Strata:	
6				Tree Woody plants 2 in (76 cm) or more in diameter at breast	
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height.	
8					
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.	
10					
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.	
12					
	70	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.	
Woody Vine Stratum (Plot Size: 30)					
1					
2.				Hydrophytic	
3.				Vegetation Present? Yes	
4.		-			
	0	=Total Cover		1	
Remarks: (include photo numbers here or on a separate sheet.)				

US Army Corps of Engineers

Northcentral and Northeast Region – Version 2.0

SOIL

	tion: (Describe to the	depth nee				nfirm th	e absence of ind	licators.)
Depth	Matrix			Feature		2		
(inches)	Color (moist) 10YR 2 1	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-3	101R 2 1		10YR 4 6			- <u> </u>	<u>M</u>	
3-12	101R 4 2	<u>95</u>	101R 4 6	- 5	<u> </u>	<u>M</u>	FSL	
12-17	1018 5 1	85	1018 4 6	_ 15	<u>C</u>	M	LS	
						·	·	
						·	·	
							·	
						·	·	
						·	·	
				_				
							·	
¹ Type: C=Concent	tration, D=Depletion, RM:	Reduced Ma	trix, MS=Masked Sand G	rains.				² Location: PL=Pore Lining, M=Matrix.
Hydric Soil Indica	tors:		Polyvalue Below	Surface (58) /I BB B	MIRA	Indicators for F	Problematic Hydric Soil ³ :
Histosol (A1	1)		149B)	Surface (.	56) (LNK N	, WILKA	2 cm Muc	ck (A10) (LRR K, L, MLRA 149B)
Histic Epipe	edon (A2)		Thin Dark Surface	e (S9) (LR	R R, MLRA	A 149B)	Coast Pra	irie Redox (A16)(LRR K, L, R)
Black Histic	(A3)		Loamy Mucky M	ineral (F1) (LRR K, L	.)	5 cm Muc	ky Peat or Peat (S3) (LRR K, L, R)
Hydrogen S	ulfide (A4)		Loamy Gleyed M	atrix (F2)			Dark Surf	ace (S7) (LRR K, M)
Stratified La	ayers (A5)		Depleted Matrix	(F3)			Polyvalue	Below Surface (S8) (LRR K, L)
Depleted B	elow Dark Surface (A11)		Redox Dark Surfa	ace (F6)			Thin Dark	Surface (S9) (LRR K, L)
Thick Dark	Surface (A12)		Depleted Dark Su	urface (F7	')		Iron-Mag	anese Masses (F12) (LRR K, L, R)
Sandy Mucl	ky Mineral (S1)		Redox Depressio	ns (F8)			Piedmont	Floodplain Soils (F19) (MLRA 149B)
	ed Matrix (S4)			. ,			Mesic Spo	dic (TA6) (MLRA 144A, 145, 149B)
Sandy Redo								nt Material (F21)
Stripped Ma							_	low Dark Surface (TF12)
Dark Surfac	e (S7) (LRR R, MLRA 149	3)					Other (ex	plain in remarks)
Restrictive Layer (·					-
Type: Rock			_					
·	nches): <u>17</u>					ł	Hydric Soil Present?	Yes
Remarks:								

Site Photograph 1



Latitude: 46.8360092863877

Longitude: -93.6826407072075

Cowardin Classification: PSS

Circular 39: 1

Remarks:

Direction: West

Eggers & Reed: Seasonally Flooded Basin

Site Photograph 2



Latitude: 46.8360092863877

Longitude: -93.6826405395695

Cowardin Classification: PSS

Circular 39: 1

Direction: South

Eggers & Reed: Seasonally Flooded Basin