WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Aitkin		Sampling Date: 2016-08-16				
Applicant/Owner: Enbridge		State: Minnesota	Samplin	g Point: <u>w-50n26w7-g1</u>			
Investigator(s): ZCW, MGH Section, Township, Range: S7, T50N, R26W							
Landform (hillslope, terrace, etc.): Depressio	1	Local Relief (concave, con	vex, none): CC	Slope (%): 0-2%			
Subregion (LRR or MLRA):	 Latitude: 4	6.8360242061 Longi	itude: -93.68333179	Datum: NAD83			
Soil Map Unit Name: 292			NWI Clas	ssification: N/A			
Are climatic/hydrologic conditions on the site	e typical for this time of yea	r? (if no, explain in Remarks		No			
Are Vegetation No_, Soil No_, or Hydrology No_ significantly disturbed? Are "Normal Circumstances" present? Yes_							
Are Vegetation No_, Soil No_, or Hydrology No_ naturally problematic? (If needed, explain any answers in Remarks)							
SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.							
Hydrophytic Vegetation Present?	Yes	Is the Sampled Area					
Hydric Soil Present?	Yes	within a Wetland? Yes		Yes			
Wetland Hydrology Present?	Yes	If yes, optional Wetland Site ID:		w-50n26w7-g			
Remarks: (Explain alternative procedures he	re or in a separate report.)						
Climatic conditions are "wet" based on the	results of a WETS analysis.						
HYDROLOGY							
			Secondary Indicat	ors (minimum of two required)			
Wetland Hydrology Indicators: Secondary Indicators (minimum of two required)							
Primary Indicators (minimum of one is requi			Surface Soil				
Surface Water (A1)	Water-Stained Leaves (B9)		Drainage Patterns (B10)				
yes High Water Table (A2)	Aquatic Fauna (B13)		Moss Trim Lines (B16)				
yes Saturation (A3)	Marl Deposits (B15)		Dry-Season Water Table (C2)				
Water Marks (B1)	Hydrogen Sulfide Odor (C1)		Crayfish Burrows (C8)				
Sediment Deposits (B2)	Oxidized Rhizospheres on Living Roots (C3)		Saturation Visible on Aerial Imagery (C9)				
Drift Deposits (B3)		Presence of Reduced Iron (C4) Stunted/Stressed Plants Recent Iron Reduction in Tilled Soils (C6) Yes Geomorphic Position (D					
Algal Mat or Crust (B4) Iron Deposits (B5)		Recent Iron Reduction in Tilled Soils (C6)					
Inundation Visible on Aerial Imagery (B7)		Thin Muck Surface (C7) Shallow Aquitard (D3) Other (Explain in Remarks) Microtopographic Relief (D4)					
Sparsely Vegetated Concave Surface (B8)	Other (Explain in Re	illarksj	yes FAC-Neutral Test (D5)				
Field Observations:			<u>ros</u> ine neutra	Test (bs)			
Surface Water Present? N	Depth (inches	,					
	Depth (inches	·					
	Depth (inches	′ 	Wetland Hydrology Pre	esent? Yes			
(includes capillary fringe)	Depth (menes		wedana nyarology i n				
Describe Recorded Data (stream gauge, mor	itoring well aerial photos i	previous inspections) if avail	ilahle:				
Describe necorded Bata (stream gauge, mor	itoring wen, derial photos, p	orevious inspections,, it avail	nable.				
Remarks:							

	Absolute	Dominant	Indicator	Dominance Test worksheet:	
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species	
1. Fraxinus nigra	40.00	Yes	FACW	That Are OBL, FACW, or FAC: 5(A)	
2. Populus tremuloides	10.00	Yes	FAC	Total Number of Dominant	
3.				Species Across All Strata: 5 (B)	
4.				Percent of Dominant Species	
5		-	-	That Are OBL, FACW, or FAC: 100 (A/B)	
	-		· -	Prevalence Index worksheet:	
	-			`	
7				Total % Cover of: Multiply by:	
	50	= Total Cover		OBL species 30.00 x 1 30	
Sapling/Shrub Stratum (Plot Size: 15)				FACW species <u>115.00</u> x 2 <u>230</u>	
1. Alnus incana	20.00	Yes	FACW	FACU species <u>0.00</u> x 3 <u>0</u>	
2. Fraxinus nigra	10.00	Yes	FACW	UPL species <u>0.00</u> x 4 <u>0</u>	
3				Column Totals <u>155</u> (A) <u>290</u> (B)	
4				Prevalence Index = B/A = <u>1.8709677</u>	
5				Hydrophytic Vegetation Indicators:	
6			<u></u>	1 - Rapid Test for Hydrophytic Vegetation	
7				yes 2 - Dominance Test is > 50%	
	30	= Total Cover		yes 3 - Prevalence Index is ≤ 3.0 ¹	
Herb Stratum (Plot Size: 5				4 - Morphological Adaptations 1 (Provide	
1. Calamagrostis canadensis	45.00	Yes	FACW	supporting data in Remarks or on a separate sheet)	
2. Carex lacustris	30.00	Yes	OBL	Problematic Hydrophytic Vegetation ¹ (Explain)	
3.					
4.				Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.	
5.	_		-	Definitions of Vegetation Strata:	
6.				Deminions of Vegetation Strata.	
			-	Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast	
7			-	height (DBH), regardless of height.	
8				1	
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.	
10					
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and	
12				woody plants less than 3.28 ft tall.	
	75	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.	
Woody Vine Stratum (Plot Size: 30)					
1.					
2.				Hydrophytic	
	-	-	-	Vegetation	
3	-		-	Present?	
4	0			4	
		=Total Cover			
Remarks: (include photo numbers here or on a separate sheet	.)				

Sampling Point: w-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) % Type¹ Texture Remarks 10YR 2 1 100 0-17 Μ 10YR 4 2 10YR 4 6 95 FSL 17-24 C Μ ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Black Histic (A3) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches): Remarks:

Site Photograph 1

Latitude: 46.8360629724775

Longitude: 93.683265661908

Direction: East

Remarks:

Sampling Point: w-50n26w7-g1

Cowardin Classification: PFO

Circular 39: 1

Eggers & Reed: Seasonally Flooded Basin

Site Photograph 2

Sampling Point: w-50n26w7-g1

Cowardin Classification: PFO

Longitude: -93.6832701043167

Direction: South

Eggers & Reed: Seasonally Flooded Basin

Remarks: