WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	Ci	ty/County: Aitkin		San	mpling Date: 2016-08-	17
Applicant/Owner: Enbridge			State: Minnesota	San	npling Point: w-50n26	w7-l1
Investigator(s): ZCW, MGH		Section, Township	p, Range: <u>\$7, T50N, I</u>	R26W		_
Landform (hillslope, terrace, etc.): Depress	sion		Local Relief (concav	e, convex, none): CC	Slope (%)	: 0-2%
Subregion (LRR or MLRA):		Latitude: 46	.8406626256	Longitude: -93.6805602		33
Soil Map Unit Name: 292				NW	I Classification: N/A	
Are climatic/hydrologic conditions on the	site typica	al for this time of year	? (if no, explain in Re	marks):	No	
Are Vegetation No_, Soil No_, or Hyd	rology <u>No</u>	significantly disturb	oed? Are "Normal Ci	rcumstances" present? <u>Y</u>	/es	
Are Vegetation No_, Soil No_, or Hydro	ogy <u>No</u>	naturally problematio	c? (If needed, explai	in any answers in Remark	(s)	
SUMMARY OF FINDINGS - Attach site	map show	ving sampling point lo	cations, transects, ir	nportant features, etc.		
Hydrophytic Vegetation Present?		Yes	Is the Sampled Area	a		
Hydric Soil Present?		Yes	within a Wetland?		<u>Yes</u>	
Wetland Hydrology Present?		Yes	If yes, optional Wet	land Site ID:	<u>w-50n26w7-l</u>	
Remarks: (Explain alternative procedures	nere or n	. a separate reporti,				
HYDROLOGY						
Wetland Hydrology Indicators:				Secondary Inc	dicators (minimum of t	two required)
Primary Indicators (minimum of one is red	uired; ch	eck all that apply)		Surfac	ce Soil Cracks (B6)	
Surface Water (A1)	_	Water-Stained Leave	s (B9)	Draina	ge Patterns (B10)	
no High Water Table (A2)	_	Aquatic Fauna (B13)		Moss 1	Trim Lines (B16)	
no Saturation (A3)	_	Marl Deposits (B15)		Dry-Se	eason Water Table (C2)	
Water Marks (B1)	_	Hydrogen Sulfide Ode	or (C1)	Crayfisl	h Burrows (C8)	
Sediment Deposits (B2)	_	Oxidized Rhizosphere	es on Living Roots (C3)	Saturat	tion Visible on Aerial Image	ry (C9)
Drift Deposits (B3)	_	Presence of Reduced	Iron (C4)		d/Stressed Plants (D1)	
Algal Mat or Crust (B4)	_	Recent Iron Reductio			orphic Position (D2)	
Iron Deposits (B5)	_	Thin Muck Surface (C			v Aquitard (D3)	
Inundation Visible on Aerial Imagery (B7)	_	Other (Explain in Ren	narks)		opographic Relief (D4)	
Sparsely Vegetated Concave Surface (B8)	-			yes FAC-Ne	eutral Test (D5)	
Field Observations:	No	Danth (inches)				
Surface Water Present?	No	Depth (inches)				
Water Table Present? Saturation Present?	No	Depth (inches)		National Hudwales	Dunnant2	Yes
(includes capillary fringe)	140	Depth (inches)		Wetland Hydrolog	y Present?	163
Describe Recorded Data (stream gauge, m	onitoring	well periol photos p	rovious inspostions)	if available:		
Describe Necorded Data (stream gauge, ii	ionitoring	g well, aeriai pilotos, pi	revious irispections),	ii available.		
Remarks:						

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30	% Cover	Species?	Status	Number of Dominant Species
1				That Are OBL, FACW, or FAC: 2 (A)
2.		_		Total Number of Dominant
3.				Species Across All Strata: 2 (B)
				Percent of Dominant Species
		_		That Are OBL, FACW, or FAC: 100 (A/B)
		_	_	
6		_		Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
	0	_ = Total Cover		OBL species <u>65.00</u> x 1 <u>65</u>
Sapling/Shrub Stratum (Plot Size: 15				FACW species <u>10.00</u> x 2 <u>20</u>
1		_	_	FACU species x 3
2				UPL species <u>0.00</u> x 4 <u>0</u>
3.				Column Totals 75 (A) 85 (B)
4.				Prevalence Index = B/A = 1.1333333
5.		_		Hydrophytic Vegetation Indicators:
		_	-	
		_		1 - Rapid Test for Hydrophytic Vegetation
7			-	yes 2 - Dominance Test is > 50%
	0	_ = Total Cover		<u>yes</u> 3 - Prevalence Index is $\leq 3.0^{1}$
Herb Stratum (Plot Size: 5				4 - Morphological Adaptations 1 (Provide
1. Scirpus cyperinus	40.00	Yes	OBL	supporting data in Remarks or on a separate sheet)
2. Carex retrorsa	15.00	Yes	OBL	Problematic Hydrophytic Vegetation ¹ (Explain)
3. Typha X glauca	10.00	No	OBL	1
4. Poa palustris	10.00	No	FACW	Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
5.				Definitions of Vegetation Strata:
	-			
			_	Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
7				height (DBH), regardless of height.
8				-
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10				of equal to 3.20 ft (1 fff) tall.
11.				Herb - All herbaeceous (non-woody) plants, regardless of size, and
12.				woody plants less than 3.28 ft tall.
	75	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
NV 1 N 6 1 (DI 16: 30	<u></u>	= 10tal covel		woody vines - All woody vines greater than 3.20 ft in neight.
Woody Vine Stratum (Plot Size: 30)				
1				-
2				Hydrophytic Vegetation
3				Present? Yes
4.				
	0	=Total Cover		
Remarks: (include photo numbers here or on a separate shee				
nemarks. (include prioto flumbers here of on a separate snee	,			

Sampling Point: w-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) % Type¹ Texture Remarks 10YR 2 1 100 0-3 10YR 5 1 10YR 58 3-14 80 20 С Μ LS ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) **✓** Restrictive Layer (if observed): Type: Rock Hydric Soil Present? Yes Depth (inches): 14

Remarks:

Site Photograph 1 Sampling Point: w-50n26w7-l1



如果是一个人,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的。这个人的人的,我们就是一个人的人的。这个人的人的人,我们就是一个人的人的人		
Latitude: 46.8406489631597	Cowardin Classification: PEM	
Longitude: -93.6805863865592	Circular 39: 2	
Direction: West	Eggers & Reed: Fresh (Wet) Meadow	
Remarks:		

Site Photograph 2 Sampling Point: w-50n26w7-l1



Latitude: 46.8406489631597	Cowardin Classification: PEM
Longitude: -93.6805863027402	Circular 39: 2
rection: North	Eggers & Reed: Fresh (Wet) Meadow
narks:	