WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

City/County: Aitkin	Sampling Date: 07-Sep-17
State: MN	Sampling Point: w-51n23w24-d1
Section, Township, Range: \$	T. 51N R. 23W
Local relief (concave, convex, no	
16 53.968 Long	: -93 11.3759 Datum: NAD 83
	NWI classification: PFOB
ar? Yes No	(If no, explain in Remarks.)
	Circumstances" present? Yes ● No ○
	xplain any answers in Remarks.)
,	s, transects, important features, etc
Is the Sampled Area within a Wetland?	Yes ● No ○
Within a Fredung:	
i.)	
	Secondary Indicators (minimum of 2 required)
	Surface Soil Cracks (B6)
es (B9)	Drainage Patterns (B10)
)	Moss Trim Lines (B16)
	Dry Season Water Table (C2)
dor (C1)	Crayfish Burrows (C8)
dor (C1) res along Living Roots (C3)	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9)
dor (C1) res along Living Roots (C3) ed Iron (C4)	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1)
dor (C1) res along Living Roots (C3) ed Iron (C4) ion in Tilled Soils (C6)	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) Geomorphic Position (D2)
dor (C1) res along Living Roots (C3) od Iron (C4) ion in Tilled Soils (C6) (C7)	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3)
dor (C1) res along Living Roots (C3) ed Iron (C4) ion in Tilled Soils (C6)	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) ✓ Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4)
dor (C1) res along Living Roots (C3) od Iron (C4) ion in Tilled Soils (C6) (C7)	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3)
dor (C1) res along Living Roots (C3) rd Iron (C4) ion in Tilled Soils (C6) (C7) emarks)	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) ✓ Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4)
dor (C1) res along Living Roots (C3) red Iron (C4) ion in Tilled Soils (C6) (C7) remarks)	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) ✓ Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4)
dor (C1) res along Living Roots (C3) rd Iron (C4) ion in Tilled Soils (C6) (C7) remarks) 3 0 Wetland Hydro	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) ✓ Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4) ✓ FAC-neutral Test (D5)
dor (C1) res along Living Roots (C3) red Iron (C4) ion in Tilled Soils (C6) (C7) remarks) 3 0 Wetland Hydro	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4) FAC-neutral Test (D5)
dor (C1) res along Living Roots (C3) rd Iron (C4) ion in Tilled Soils (C6) (C7) remarks) 3 0 Wetland Hydro	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4) FAC-neutral Test (D5)
dor (C1) res along Living Roots (C3) red Iron (C4) ion in Tilled Soils (C6) (C7) remarks) 3 0 Wetland Hydro	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4) FAC-neutral Test (D5)
dor (C1) res along Living Roots (C3) red Iron (C4) ion in Tilled Soils (C6) (C7) remarks) 3 0 Wetland Hydro	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4) FAC-neutral Test (D5)
dor (C1) res along Living Roots (C3) red Iron (C4) ion in Tilled Soils (C6) (C7) remarks) 3 0 Wetland Hydro	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4) FAC-neutral Test (D5)
dor (C1) res along Living Roots (C3) red Iron (C4) ion in Tilled Soils (C6) (C7) remarks) 3 0 Wetland Hydro	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4) FAC-neutral Test (D5)
dor (C1) res along Living Roots (C3) red Iron (C4) ion in Tilled Soils (C6) (C7) remarks) 3 0 Wetland Hydro	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4) FAC-neutral Test (D5)
dor (C1) res along Living Roots (C3) red Iron (C4) ion in Tilled Soils (C6) (C7) remarks) 3 0 Wetland Hydro	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4) FAC-neutral Test (D5)
dor (C1) res along Living Roots (C3) red Iron (C4) ion in Tilled Soils (C6) (C7) remarks) 3 0 Wetland Hydro	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4) FAC-neutral Test (D5)
	Section, Township, Range: Scool relief (concave, convex, note 6 53.968 Long. Are "Normal oblematic? (If needed, exampling point locations Is the Sampled Area within a Wetland? Long. Long. Are "Normal oblematic? (If needed, exampling point locations Long. Long.

VEGETATION - Use scientific names of plants

vederation - ose scientific fiames of pic	Sampling Point: w-51n23w24-d1			
(Diet size: 30	Absolute	Dominant Species?	Indicator	Dominance Test worksheet:
Tree Stratum (Plot size: 30	% Cover		Status	Number of Dominant Species
1. Fraxinus nigra		✓	FACW	That are OBL, FACW, or FAC:4(A)
2	0			Total Number of Dominant
3	0			Species Across All Strata: 4 (B)
4	0			
5				Percent of dominant Species
6		$\overline{\Box}$		That Are OBL, FACW, or FAC: 100.0% (A/B)
7		$\overline{\Box}$		Prevalence Index worksheet:
		= Total Cove		Total % Cover of: Multiply by:
Sapling/Shrub Stratum (Plot size: 15)		- 100010	-	0BL speci es 100 x 1 = 100
1 . Alnus incana	30	✓	FACW	FACW species 110 x 2 = 220
2	0			
3	· ·	$\overline{\sqcap}$	-	FAC species $0 \times 3 = 0$
4		$\overline{\Box}$		FACU species $0 \times 4 = 0$
5		$\overline{\Box}$	-	UPL speci es $0 \times 5 = 0$
6		$\overline{\Box}$		Column Totals: <u>210</u> (A) <u>320</u> (B)
		$\overline{\Box}$	-	Dravalance Index D/A 1 524
7		- Total Carra		Prevalence Index = B/A = 1.524
Herb Stratum (Plot size: 5	=	= Total Cove		Hydrophytic Vegetation Indicators:
	70	✓	OBL	Rapid Test for Hydrophytic Vegetation
0.0.1.11		▼		✓ Dominance Test is > 50%
2. Carex lacustris			OBL	✓ Prevalence Index is ≤3.0 ¹
3				Morphological Adaptations ¹ (Provide supporting
4				data in Remarks or on a separate sheet)
5	0			Problematic Hydrophytic Vegetation ¹ (Explain)
6	0			1
7	0			Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
8	0			
9	0			Definitions of Vegetation Strata:
10				Tree - Woody plants, 3 in. (7.6 cm) or more in diameter
l1				at breast height (DBH), regardless of height.
12		$\overline{\Box}$		
	-	= Total Cove		Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1m) tall
Woody Vine Stratum (Plot size: 30)			-	greater than 3.26 it (1111) tall
1	0			Herb - All herbaceous (non-woody) plants, regardless of
2	0		-	size, and woody plants less than 3.28 ft tall.
3	0			Woody vine - All woody vines greater than 3.28 ft in
4	0			height.
Ti	0 =	= Total Cove		
		- 100010	-	
				Hydrophytic
				Vegetation
				Present? Yes No O
Remarks: (Include photo numbers here or on a separate sl	neet.)			

^{*}Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: w-51n23w24-d1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)										
Depth						_				
(inches)	Color	(moist)	%	Color (moist)	%	Type	Loc ²	Texture	Remarks
0-9	10YR	2/1	100				_		Muck	
9-20	10YR	5/1	80	10YR	5/4	20	С	М	Very Fine Sandy Loam	
									-	
							-		-	
							_			
	-				-					
	-	-			-					
	-				-					
1										
•		•	n. RM=Red	uced Matrix, (CS=Covere	ed or Coate	ed Sand G	rains ² Loca	ation: PL=Pore Lining. M=Ma	atrix
Hydric Soil I									Indicators for Proble	ematic Hydric Soils: 3
Histosol (A	•				value Belov A 149B)	w Surface	(S8) (LRR	R,		[LRR K, L, MLRA 149B)
✓ Histic Epip					,	ace (S9) (I	ייא ם ממו	DA 140D)		x (A16) (LRR K, L, R)
Black Histi										or Peat (S3) (LRR K, L, R)
	Sulfide (A4					Mineral (F1		.)	Dark Surface (S7)	(LRR K, L, M)
	Layers (A5)				iy Gieyed eted Matri	Matrix (F2))			urface (S8) (LRR K, L)
	Below Dark		11)						Thin Dark Surface	(S9) (LRR K, L)
	k Surface (A					rface (F6)	7)		☐ Iron-Manganese M	lasses (F12) (LRR K, L, R)
	ck Mineral (Surface (F	7)		Piedmont Floodpla	in Soils (F19) (MLRA 149B)
	yed Matrix	(S4)		Reuc	x Depress	SIONS (F8)			Mesic Spodic (TA6)) (MLRA 144A, 145, 149B)
Sandy Red									Red Parent Materia	al (F21)
Stripped N									Very Shallow Dark	Surface (TF12)
☐ Dark Surfa	ace (S7) (LF	RR R, MLRA	(149B)						Other (Explain in R	Remarks)
³ Indicators of	hydrophyti	c vegetatio	n and wetla	ind hydrology	must be p	oresent, un	less distur	bed or probl	ematic.	
Restrictive La								-		
Type:	ayer (ii ob	oc. veu j.								
Depth (inch	nas).								Hydric Soil Present?	Yes No
	163)									
Remarks:										