## WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: RSA 22		City	y/County:	Aitkin		Samplin	<b>Date:</b> 02-Sep-17
Applicant/Owner: Enbridge				State: MN	l	Sampling Point:	w-51n23w29-e1
Investigator(s): DPT		!	Section, To	wnship, Range:	<b>s.</b> 29	T. 51N	<b>R.</b> 23W
Landform (hillslope, terrace, etc.):	Lowland		•	ncave, convex, n	_		Slope: 0.0 % / 0.0 °
Subregion (LRR or MLRA): LRR K		<b>Lat.:</b> 46 5	52.3909	Long	<b>j.:</b> -9	73 16.6337	Datum: NAD 83
Soil Map Unit Name: 292					_	NWI classification:	N/A
Are climatic/hydrologic conditions of	n the site ty	pical for this time of year?	Yes	● No ○	— (If no	o, explain in Remarks	s.)
Are Vegetation, Soil	, or Hydrold			Are "Normal	-	mstances" present?	Yes ● No ○
Are Vegetation, Soil	, or Hydrold					n any answers in Rer	marke \
Summary of Findings - Att		· .		•	-	-	•
Hydrophytic Vegetation Present?	Yes	No O				<u> </u>	
Hydric Soil Present?	Yes	No O		Sampled Area a Wetland?	Ye	s • No O	
Wetland Hydrology Present?	Yes	No O	Within	d Wellanu:	• •	•	
Hydrology							_
Wetland Hydrology Indicators:		abaak all that analy)				ndary Indicators (minim	
Primary Indicators (minimum of on Surface Water (A1)	<u>e requirea;</u>		(DO)			Surface Soil Cracks (B6) Drainage Patterns (B10)	
✓ High Water Table (A2)		Water-Stained Leaves ( Aquatic Fauna (B13)	(BA)			Moss Trim Lines (B16)	
Saturation (A3)		Marl Deposits (B15)				Dry Season Water Table	(C2)
Water Marks (B1)		Hydrogen Sulfide Odor	(C1)			Crayfish Burrows (C8)	
Sediment Deposits (B2)		Oxidized Rhizospheres		Roots (C3)		Saturation Visible on Ae	rial Imagery (C9)
Drift deposits (B3)		Presence of Reduced Ir	ron (C4)			Stunted or Stressed Plar	, ,
Algal Mat or Crust (B4)		Recent Iron Reduction i	in Tilled Soils	(C6)	$\overline{}$	Geomorphic Position (D	2)
Iron Deposits (B5)	(D.T.)	Thin Muck Surface (C7)	•			Shallow Aquitard (D3)	-
Inundation Visible on Aerial Imagery  Sparsely Vegetated Concave Surface		Other (Explain in Remai	ırks)		_	Microtopographic Relief FAC-neutral Test (D5)	(D4)
Sparsely vegetated concave surrace	; (BO)					FAC-fleutral Test (D5)	
Field Observations: Surface Water Present?  Yes	No O	Depth (inches):	2				
		<u> </u>					
		Depth (inches):	0	Wetland Hydr	ology	Present? Yes	No O
Saturation Present? (includes capillary fringe)  Yes	No O	Depth (inches):	0				
Describe Recorded Data (stream ga	uge, monito	oring well, aerial photos, pi	revious insp	pections), if avail	lable:		
Remarks:							
Remarks.							

## **VEGETATION - Use scientific names of plants**

(No. 1 - 20	Absolute	Dominant Species?	Indicator	Dominance Test worksheet:			
Tree Stratum (Plot size: 30 )	% Cover	-	Status	Number of Dominant Species			
1. Fraxinus nigra	50	✓	FACW	That are OBL, FACW, or FAC:7 (A)			
2. Acer rubrum	20	✓	FAC	Total Number of Dominant			
3	0			Species Across All Strata: 7 (B)			
4	0						
5				Percent of dominant Species  That Are OBL_FACW_or_FAC: 100.0% (A/B)			
6				That Are OBL, FACW, or FAC:100.0% (A/B)			
7				Prevalence Index worksheet:			
		= Total Cove	r	Total % Cover of: Multiply by:			
Sapling/Shrub Stratum (Plot size: 15 )				OBL species 100 x 1 = 100			
1. Alnus incana		<b>✓</b>	FACW	FACW species 80 x 2 = 160			
2. Fraxinus nigra		✓	FACW	FAC speciles 20 x 3 = 60			
3	0			·			
4	0			·			
5	0			UPL speci es $0 \times 5 = 0$			
6	0			Column Totals: 200 (A) 320 (B)			
7	0			Prevalence Index = B/A =1.600_			
	30 =	= Total Cove	r	Hydrophytic Vegetation Indicators:			
Herb Stratum (Plot size: 5				Rapid Test for Hydrophytic Vegetation			
1. Glyceria canadensis	30	<b>✓</b>	OBL	✓ Dominance Test is > 50%			
2. Carex lacustris	40	✓	OBL				
3 Calamagrostis canadensis	30_	<b>✓</b>	OBL	✓ Prevalence Index is ≤3.0 ¹			
4	0			Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)			
5				Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)			
6							
7				<sup>1</sup> Indicators of hydric soil and wetland hydrology must			
8				be present, unless disturbed or problematic.			
9				Definitions of Vegetation Strata:			
10				Trace Manda plants 2 in (7.0 cm) or man in diameter			
11				Tree - Woody plants, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.			
				at broadt Holght (BBH), rogardiodd of Holght.			
12		 = Total Cove		Sapling/shrub - Woody plants less than 3 in. DBH and			
Woody Vine Stratum (Plot size: 30 )		- Total Cove		greater than 3.28 ft (1m) tall			
1	0			Herb - All herbaceous (non-woody) plants, regardless of			
2	0			size, and woody plants less than 3.28 ft tall.			
3	0			Woody vine - All woody vines greater than 3.28 ft in			
4.	0			height.			
Т.	0 =	= Total Cove		3			
		- Total Cove					
				Hydrophytic			
				Vegetation Present?  Yes  No			
				Present? Yes No C			
Remarks: (Include photo numbers here or on a separate she	et.)						

Sampling Point: w-51n23w29-e1

<sup>\*</sup>Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: w-51n23w29-e1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)												
Depth Matrix		Redox Features										
(inches)	Color (		%	Color (	moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Rem	arks	
0-7	10YR	2/1	100						Muck			
7-20	10YR	4/2	90	10YR	4/6	10	C	M	Silt Loam			
							_					
		-		-								
		-	-			-						
-			-	-	-							
1 Type: C=Cond	centration. D	=Depletio	n. RM=Rec	luced Matrix.	CS=Cover	ed or Coat	ed Sand Gr	ains <sup>2</sup> Loca	ition: PL=Pore Lining. M=			
Hydric Soil I											3	
Histosol (/				Polv	value Belo	w Surface	(S8) (LRR	R,	Indicators for Prob			
	pedon (A2)				A 149B)		(/	,	2 cm Muck (A10)			
☐ Black Hist							(LRR R, ML		Coast Prairie Redox (A16) (LRR K, L, R)			
Hydrogen	Sulfide (A4)				-		1) LRR K, L	)	☐ 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) ☐ Dark Surface (S7) (LRR K, L, M)			
Stratified	Layers (A5)					Matrix (F2	2)		Polyvalue Below Surface (S8) (LRR K, L)			
Depleted	Below Dark S	Surface (A	11)		eted Matri				☐ Thin Dark Surface (S9) (LRR K, L)			
Thick Darl	ick Dark Surface (A12) Redox Dark Surface (F6)						☐ Iron-Manganese Masses (F12) (LRR K, L, R)					
	Sandy Muck Mineral (S1)  Depleted Dark Surface (F7)							Piedmont Floodplain Soils (F19) (MLRA 149B)				
	Sandy Gleyed Matrix (S4) Redox Depressions (F8)							Mesic Spodic (TA6) (MLRA 144A, 145, 149B)				
Sandy Red									Red Parent Material (F21)			
	Stripped Matrix (S6)							Very Shallow Dark Surface (TF12)				
	ace (S7) (LRI								Other (Explain in Remarks)			
<sup>3</sup> Indicators of	hydrophytic	vegetatio	n and wetla	and hydrology	must be p	present, ur	nless distur	bed or proble	ematic.			
Restrictive La	ayer (if obs	erved):										
Type:												
Depth (incl	hes):								Hydric Soil Present?	Yes 💿	No O	
Remarks:												