WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

| Project/Site: RSA 22 | City/County: | Aitkin S | | | Sampling Date: 02-Sep-17 | |
|---|--|--|-------------------------------|-----------------|---|--------------------|
| Applicant/Owner: Enbridge | | State: | MN | Sampling Point: | w-51n23w29-f4 | |
| Investigator(s): DPT | | Section, T | ownship, Ran | ge: S. 28 | T. 51N | R. 23W |
| Landform (hillslope, terrace, etc.): | Lowland | Local relief (c | oncave, conve | ex, none): | concave | Slope: 0.0 % / 0.0 |
| Subregion (LRR or MLRA): LRR K | Lat.: | 46 52.3207 | I | Long.: .9 | 93 16.0803 | Datum: NAD 83 |
| Soil Map Unit Name: 533 | | - | | | NWI classification: | PFO4/2Bg |
| Are Vegetation , Soil Are Vegetation , Soil Summary of Findings - At | , or Hydrology 🗌 naturally | tly disturbed? problematic? sampling p | (If need | ed, explai | imstances" present? in any answers in Re r ansects, impo | emarks.) |
| Hydrophytic Vegetation Present? Hydric Soil Present? Wetland Hydrology Present? | Yes ● No ○ Yes ● No ○ Yes ● No ○ | | e Sampled Are n a Wetland? | | s 🖲 No 🔾 | |
| Wetland Hydrology Present? Remarks: (Explain alternative pro | | ort.) | | | | |

Hydrology

| Wetland Hydrology Indicators: | | Secondary Indicators (minimum of 2 required) | | | | | | |
|--|---|--|--|--|--|--|--|--|
| Primary Indicators (minimum of one required; | Surface Soil Cracks (B6) | | | | | | | |
| Surface Water (A1) | Water-Stained Leaves (B9) | Drainage Patterns (B10) | | | | | | |
| ✓ High Water Table (A2) | Aquatic Fauna (B13) | Moss Trim Lines (B16) | | | | | | |
| Saturation (A3) | Marl Deposits (B15) | Dry Season Water Table (C2) | | | | | | |
| Water Marks (B1) | Hydrogen Sulfide Odor (C1) | Crayfish Burrows (C8) | | | | | | |
| Sediment Deposits (B2) | Oxidized Rhizospheres along Living Roots (C3) | Saturation Visible on Aerial Imagery (C9) | | | | | | |
| Drift deposits (B3) | Presence of Reduced Iron (C4) | Stunted or Stressed Plants (D1) | | | | | | |
| Algal Mat or Crust (B4) | Recent Iron Reduction in Tilled Soils (C6) | Geomorphic Position (D2) | | | | | | |
| Iron Deposits (B5) | Thin Muck Surface (C7) | Shallow Aquitard (D3) | | | | | | |
| Inundation Visible on Aerial Imagery (B7) | Other (Explain in Remarks) | Microtopographic Relief (D4) | | | | | | |
| Sparsely Vegetated Concave Surface (B8) | | FAC-neutral Test (D5) | | | | | | |
| | | | | | | | | |
| Field Observations: | | | | | | | | |
| Surface Water Present? Yes No | Depth (inches): <u>6</u> | | | | | | | |
| Water Table Present? Yes No | Depth (inches): 0 | rdrology Present? Yes 💿 No 🔾 | | | | | | |
| Saturation Present? Yes No | Wetland Hy Depth (inches): 0 | drology Present? Yes • No 🔾 | | | | | | |
| Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Remarks: | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

VEGETATION - Use scientific names of plants

| vegeration - use scientific names of plan | Sampling Point: w-51n23w29-f4 | | | |
|---|-------------------------------|--------------|-----------|--|
| - (Plateiza: 20 | Absolute | Dominant | Indicator | Dominance Test worksheet: |
| Tree Stratum (Plot size: 30) | % Cover | | Status | Number of Dominant Species |
| 1 | | | | That are OBL, FACW, or FAC: (A) |
| 2 | | | | Total Number of Dominant |
| 3 | | | | Species Across All Strata: (B) |
| 4 | | | | Percent of dominant Species |
| 5 | | | | That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B) |
| 6 7 | 0 | | | Prevalence Index worksheet: |
| | | Total Cover | | Total % Cover of: Multiply by: |
| Sapling/Shrub Stratum (Plot size: 15) | | | | OBL species 100 x 1 = 100 |
| 1 | 0 | | | FACW species $0 \times 2 = 0$ |
| 2 | 0 | | | FAC species $0 \times 3 = 0$ |
| 3 | 0 | | | FACU species $0 \times 4 = 0$ |
| 4 | 0 | | | • |
| 5 | | | | |
| 6 | | | | Column Totals: <u>100</u> (A) <u>100</u> (B) |
| 7 | 0 | | | Prevalence Index = $B/A = 1.000$ |
| Herb Stratum (Plot size: 5) | 0 = | Total Cover | | Hydrophytic Vegetation Indicators: |
| | 20 | | OBL | Rapid Test for Hydrophytic Vegetation |
| 1. Typha x glauca 2. Carex lacustris | <u>20</u> 30 | \checkmark | OBL | ✓ Dominance Test is > 50% |
| Colorum aum antesia | 10 | | OBL | ✓ Prevalence Index is ≤3.0 1 |
| A Octomorphic consideration | 20 | | OBL | Morphological Adaptations ¹ (Provide supporting |
| E. Ohusuda asuadanala | 20 | | OBL | data in Remarks or on a separate sheet) |
| 6. | 0 | | | Problematic Hydrophytic Vegetation ¹ (Explain) |
| 7 | 0 | | | ¹ Indicators of hydric soil and wetland hydrology must |
| 8 | 0 | | | be present, unless disturbed or problematic. |
| 9 | | | | Definitions of Vegetation Strata: |
| 10 | | | | Tree - Woody plants, 3 in. (7.6 cm) or more in diameter |
| 11 | | | | at breast height (DBH), regardless of height. |
| 12 | 0 | | | Sanling/ahruh Waadu planta loss than 2 in DPH and |
| | 100 = | Total Cover | | Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1m) tall |
| Woody Vine Stratum (Plot size: <u>30</u>) | | | | |
| 1 | 0 | | | Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. |
| 2 | 0 | | | |
| 3 | 0 | | | Woody vine - All woody vines greater than 3.28 ft in |
| 4 | | Total Cover | | height. |
| | = | | | |
| | | | | |
| | | | | |
| | | | | Hydrophytic |
| | | | | Vegetation Present? Yes • No () |
| | | | | |
| Remarks: (Include photo numbers here or on a separate she | et) | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

* Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

US Army Corps of Engineers

| Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) | | | | | | | | | | | | | |
|---|---|------------|-------------|---|----------------------------|--|-------------------|--|---|-----------------------------------|--|--|--|
| Depth <u>Matrix</u> | | | | Redox Features | | | | | _ | | | | |
| (inches) | Color (| | % | Color (me | oist) | | Type ¹ | Loc ² | Texture | Remarks | | | |
| 0-9 | 10YR | 2/1 | 100 | | | | | | Muck | | | | |
| 9-20 | 10YR | 4/2 | 75 | 10YR | 5/6 | 25 | C | М | Sandy Clay Loam | | | | |
| | - | - | - | | | - | - | - | - | | | | |
| | | | - | · · | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | - | | | | - | | 67 | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | · | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | D=Depletio | n. RM=Red | luced Matrix, CS | =Covere | ed or Coate | ed Sand Gr | ains ² Loca | ation: PL=Pore Lining. M=N | latrix | | | |
| Hydric Soil 1 | | | | _ | | | | | Indicators for Probl | ematic Hydric Soils: ³ | | | |
| Histosol (| | | | Polyvali MLRA 1 | Je Belov ⊿98) | v Surface | (S8) (LRR F | ۲, | 2 cm Muck (A10) (LRR K, L, MLRA 149B) | | | | |
| | pedon (A2) | | | Thin Dark Surface (S9) (LRR R, MLRA 149B) | | | | RA 149B) | Coast Prairie Redox (A16) (LRR K, L, R) | | | | |
| | Black Histic (A3) | | | Loamy Mucky Mineral (F1) LRR K, L) | | | | 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) | | | | | |
| | Hydrogen Sulfide (A4) Stratified Layers (A5) | | | | | Matrix (F2) | | , | Dark Surface (S7) (LRR K, L, M) | | | | |
| | | Surface (A | 11) | | Depleted Matrix (F3) | | | | Polyvalue Below Surface (S8) (LRR K, L) | | | | |
| | Depleted Below Dark Surface (A11) | | | | | face (F6) | | | Thin Dark Surface (S9) (LRR K, L) | | | | |
| | Sandy Muck Mineral (S1) | | | _ | Depleted Dark Surface (F7) | | | | Iron-Manganese Masses (F12) (LRR K, L, R) | | | | |
| | | | | Redox | Depressi | ions (F8) | | | Piedmont Floodplain Soils (F19) (MLRA 149B) | | | | |
| | andy Gleyed Matrix (S4) Redox Depressions (F8) andy Redox (S5) | | | | | Mesic Spodic (TA6) (MLRA 144A, 145, 149B) | | | | | | | |
| | Stripped Matrix (S6) | | | | | Red Parent Material (F21) Very Shallow Dark Surface (TF12) | | | | | | | |
| | Dark Surface (S7) (LRR R, MLRA 149B) | | | | | Other (Explain in Remarks) | | | | | | | |
| 31 | | | | | | | | ! | | Remarks) | | | |
| | | | n and wella | and hydrology m | ust be p | resent, un | liess distur | | | | | | |
| Restrictive L | ayer (if obs | erved): | | | | | | | | | | | |
| Туре: | | | | | | | | | Hydric Soil Present? | Yes 🔍 No 🔾 | | | |
| Depth (inc | hes): | | | | | | | | Hyune Son Fresent! | res S no C | | | |
| Remarks: | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |