WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

| Project/Site: RSA 22 | | City/Co | unty: Aitkin | Samplin | g Date: 01-Sep-17 |
|--|------------------------|-----------------------------------|---------------------------------------|--|----------------------|
| Applicant/Owner: Enbridge | | | State: MN | Sampling Point: | w-51n23w30-b2 |
| Investigator(s): DPT | | Sect | ion, Township, Range: \$ | T. 51N | R. 23W |
| Landform (hillslope, terrace | , etc.): Lowland | | lief (concave, convex, no | | Slope: 0.0 % / 0.0 ° |
| Subregion (LRR or MLRA): | LRR K | Lat.: 46 52.3 | 447 Long | ·· -93 18.2887 | Datum: NAD 83 |
| Soil Map Unit Name: 346 | | | | NWI classification: | N/A |
| Are climatic/hydrologic cond | ditions on the site ty | pical for this time of year? | Yes No | — (If no, explain in Remarks | s.) |
| Are Vegetation, Soi | _ | | | Circumstances" present? | Yes ● No ○ |
| Are Vegetation, Soi | | | | xplain any answers in Ren | narke \ |
| <u> </u> | <i>_ , ,</i> | e map showing sampli | • • | • | • |
| Hydrophytic Vegetation Pre | | No O | | - | |
| Hydric Soil Present? | Yes | No O | Is the Sampled Area within a Wetland? | Yes ● No ○ | |
| Wetland Hydrology Present | Yes • | No O | Willing Welland: | 100 | |
| Remarks: (Explain alterna | tive procedures her | e or in a separate report.) | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Hydrology | | | | | |
| Wetland Hydrology Indicat | orei | | | The Problem Continue | |
| Primary Indicators (minim | | check all that annly) | | Secondary Indicators (minim | um of 2 required) |
| Surface Water (A1) | ulli di dile regulica, | Water-Stained Leaves (B9) | | Surface Soil Cracks (B6) Drainage Patterns (B10) | |
| High Water Table (A2) | | Aquatic Fauna (B13) | | Moss Trim Lines (B16) | |
| Saturation (A3) | | Marl Deposits (B15) | | Dry Season Water Table | (C2) |
| Water Marks (B1) | | Hydrogen Sulfide Odor (C1) | | Crayfish Burrows (C8) | |
| Sediment Deposits (B2) | | Oxidized Rhizospheres along | Living Roots (C3) | Saturation Visible on Aer | rial Imagery (C9) |
| Drift deposits (B3) | | Presence of Reduced Iron (| | Stunted or Stressed Plan | nts (D1) |
| Algal Mat or Crust (B4) | | Recent Iron Reduction in Til | led Soils (C6) | ✓ Geomorphic Position (D2 | 2) |
| Iron Deposits (B5) | | ☐ Thin Muck Surface (C7) | | Shallow Aquitard (D3) | |
| Inundation Visible on Aeri | al Imagery (B7) | Other (Explain in Remarks) | | Microtopographic Relief | (D4) |
| Sparsely Vegetated Conca | ve Surface (B8) | | | FAC-neutral Test (D5) | |
| Field Observations: | | | | | |
| Surface Water Present? | Yes ● No ○ | Depth (inches): 10 |) | | |
| Water Table Present? | Yes ● No ○ | Depth (inches):0 | | | |
| Saturation Present? (includes capillary fringe) | Yes ● No ○ | Depth (inches): 0 | Wetland Hydro | ology Present? Yes | No O |
| | tream gauge, monit | oring well, aerial photos, previo | ous inspections), if availa | able: | |
| , | 3 3 1 | | • | | |
| | | | | | |
| Remarks: | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

VEGETATION - Use scientific names of plants

| vederation - ose scientific fiames of pr | Sampling Point: w-51n23w30-b2 | | | |
|---|-------------------------------|--------------|-----------|--|
| (2) | Absolute | Dominant | Indicator | Dominance Test worksheet: |
| Tree Stratum (Plot size: 30) | % Cover | Species? | Status | Number of Dominant Species |
| 1 Abies balsamea | 5 | ✓ | FAC | That are OBL, FACW, or FAC:5 (A) |
| 2. Larix laricina | 5 | ✓ | FACW | |
| 3 | 0 | | | Total Number of Dominant Species Across All Strata: 5 (B) |
| 4 | | | | Specifics Fide 633 Fill Strated. |
| 5 | | | | Percent of dominant Species |
| | | | | That Are OBL, FACW, or FAC: 100.0% (A/B) |
| 6 | | | | |
| 7 | | | | Prevalence Index worksheet: |
| Sapling/Shrub Stratum (Plot size: 15 | 10= | = Total Cove | r | Total % Cover of: Multiply by: |
| 1 . Alnus incana | 80 | ✓ | FACW | OBL speci es x 1 =60 |
| 2 | | | | FACW species 95 x 2 = 190 |
| | | | | FAC speciles5 x 3 =15 |
| 3 | | | | FACU species |
| 4 | | | | UPL speci es $0 \times 5 = 0$ |
| 5 | | | | l ' |
| 6 | 0 | | | Col umn Total s: 160 (A) 265 (B) |
| 7 | 0 | | | Prevalence Index = B/A = <u>1.656</u> |
| Herb Stratum (Plot size: 5 | 80= | = Total Cove | r | Hydrophytic Vegetation Indicators: |
| A Colomo amondo com ademola | a - | | 051 | Rapid Test for Hydrophytic Vegetation |
| 1. Calamagrostis canadensis | | ~ | OBL | ✓ Dominance Test is > 50% |
| 2. Glyceria canadensis | | ~ | OBL | Prevalence Index is ≤3.0 ¹ |
| 3. Onoclea sensibilis | 10 | | FACW | |
| 4 | 0 | | | Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) |
| 5 | 0 | | | Problematic Hydrophytic Vegetation ¹ (Explain) |
| 6 | | | | |
| 7 | | | | ¹ Indicators of hydric soil and wetland hydrology must |
| | | | | be present, unless disturbed or problematic. |
| 8 | | | | Definitions of Vegetation Strata: |
| 9 | | | | |
| 10 | | | | Tree - Woody plants, 3 in. (7.6 cm) or more in diameter |
| 1 | 0 | | | at breast height (DBH), regardless of height. |
| 2 | 0 | | | Sapling/shrub - Woody plants less than 3 in. DBH and |
| Woody Vine Stratum (Plot size: 30) | = | = Total Cove | r | greater than 3.28 ft (1m) tall |
| | 0 | | | Liente Alliberte consul (resp. mando) plante respective of |
| 1 | | | | Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. |
| 2 | | | | oleo, and woody planto loop than oleo it tail. |
| 3 | | | | Woody vine - All woody vines greater than 3.28 ft in |
| 4 | 0 | | | height. |
| | = | = Total Cove | r | |
| | | | | |
| | | | | |
| | | | | Hydrophytic |
| | | | | Vegetation Present? Yes No No |
| | | | | Present! |
| | | | | <u> </u> |
| Remarks: (Include photo numbers here or on a separate s | neet.) | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

^{*}Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: w-51n23w30-b2

| Depth | , | Matrix | | | edox Features | | absence of indicators.) | |
|---------------------------|---------------|-------------|-------------|---------------------------|--------------------------|------------------------|-----------------------------|-----------------------------------|
| (inches) | Color | (moist) | % | Color (moist) | % Type ¹ | Loc2 | Texture | Remarks |
| 0-20 | 10YR | 2/1 | 100 | | | | Muck | |
| | | | | | | | | |
| | | | | | | | - | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | - | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | D=Depletio | n. RM=Red | uced Matrix, CS=Cover | red or Coated Sand Gr | ains ² Loca | ation: PL=Pore Lining. M=Ma | atrix |
| Hydric Soil | | | | | | | Indicators for Proble | ematic Hydric Soils: ³ |
| ✓ Histosol (| | | | Polyvalue Belo MLRA 149B) | ow Surface (S8) (LRR F | ₹, | 2 cm Muck (A10) (| LRR K, L, MLRA 149B) |
| | pedon (A2) | | | | face (S9) (LRR R, MLF |) | | x (A16) (LRR K, L, R) |
| Black Hist | | | | | Mineral (F1) LRR K, INLF | | | r Peat (S3) (LRR K, L, R) |
| | Sulfide (A4) |) | | Loamy Gleyed | | | Dark Surface (S7) | (LRR K, L, M) |
| | Layers (A5) | | | | | | Polyvalue Below Su | urface (S8) (LRR K, L) |
| | Below Dark | | 11) | Depleted Matri | | | Thin Dark Surface | |
| | k Surface (A | | | Redox Dark Su | | | | asses (F12) (LRR K, L, R) |
| _ | ıck Mineral (| | | Depleted Dark | | | | in Soils (F19) (MLRA 149B) |
| _ | eyed Matrix | (S4) | | Redox Depress | SIONS (F8) | | | (MLRA 144A, 145, 149B) |
| Sandy Re | dox (S5) | | | | | | Red Parent Materia | |
| Stripped | Matrix (S6) | | | | | | Very Shallow Dark | Surface (TF12) |
| ☐ Dark Surf | ace (S7) (LR | R R, MLRA | 149B) | | | | Other (Explain in R | emarks) |
| ³ Indicators o | f hydrophytic | c vegetatio | n and wetla | nd hydrology must be | present, unless disturb | ed or probl | | |
| Restrictive L | | | | , , , | | | | |
| | ayei (ii ob | serveu). | | | | | | |
| Type: | h V | | | | | | Hydric Soil Present? | Yes ● No ○ |
| Depth (inc | nes): | | | | | | , | 105 0 110 0 |
| Remarks: | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |