## WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: RSA 22	City/County:	Aitkin	Sampliı	Sampling Date: 26-Aug-17						
Applicant/Owner: Enbridge		State: MN	Sampling Point:	w-51n24w28-a1						
Investigator(s): DPT	Section, T	ownship, Range: S. 28	<b>T.</b> 51N	<b>R.</b> 24W						
Landform (hillslope, terrace, etc.): Lowland	Local relief (d	concave, convex, none):	concave	Slope: 0.0 % / 0.0 °						
Subregion (LRR or MLRA): LRR K	Lat.: 46 52.3936	<b>Long.:</b> -93	22.8384	Datum: NAD 83						
Soil Map Unit Name: 147	p Unit Name: 147 NWI classification: N/A									
Summary of Findings - Attach site map showi	rally problematic? ing sampling p	(If needed, explain point locations, tra								
Hydrophytic Vegetation Present?       Yes       No         Hydric Soil Present?       Yes       No         Wetland Hydrology Present?       Yes       No		e Sampled Area in a Wetland? Yes	● No ○							
<b>Remarks: (Explain alternative procedures here or in a separate</b> WETS analysis shows precipitation below normal.	e report.)									

## Hydrology

## **VEGETATION - Use scientific names of plants**

VEGETATION - Ose scientific names of pla	Sampling Point: w-51n24w28-a1			
	Absolute		Indicator	Dominance Test worksheet:
Tree Stratum (Plot size: <u>30</u> )	% Cover	Species?	Status	Number of Dominant Species
1				That are OBL, FACW, or FAC: (A)
2				Total Number of Dominant
3	0			Species Across All Strata:4(B)
4				
5	0			Percent of dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)
6	0			
7	0			Prevalence Index worksheet:
Sapling/Shrub Stratum (Plot size: 15 )	0 =	Total Cover		Total % Cover of: Multiply by:
	0			<b>OBL speciles</b> <u>70</u> <b>x 1</b> = <u>70</u>
1				FACW species X 2 =60
2				FAC species x 3 =
3	_			FACU species $0 \times 4 = 0$
4				UPL species x 5 =0
5				Column Totals:(A)(B)
67				·
7		Total Cover		Prevalence Index = $B/A = 1.300$
Herb Stratum (Plot size: 5 )		Total Cover		Hydrophytic Vegetation Indicators:
1. Scirpus cyperinus	30	$\checkmark$	OBL	✓ Rapid Test for Hydrophytic Vegetation
2. Calamagrostis canadensis			OBL	✓ Dominance Test is > 50%
3. Phalaris arundinacea			FACW	✓ Prevalence Index is $\leq$ 3.0 <sup>1</sup>
4. Scirpus atrovirens			OBL	Morphological Adaptations <sup>1</sup> (Provide supporting
5				data in Remarks or on a separate sheet)
6				Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
7				<sup>1</sup> Indicators of hydric soil and wetland hydrology must
8				be present, unless disturbed or problematic.
9				Definitions of Vegetation Strata:
10				
11				Tree - Woody plants, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
12				
12		Total Cover		Sapling/shrub - Woody plants less than 3 in. DBH and
Woody Vine Stratum (Plot size: <u>30</u> )				greater than 3.28 ft (1m) tall
1	0			Herb - All herbaceous (non-woody) plants, regardless of
2	0			size, and woody plants less than 3.28 ft tall.
3	0			Woody vine - All woody vines greater than 3.28 ft in
4	0			height.
	0 =	Total Cover		
				Hydrophytic Vegetation
				Present? Yes No
Remarks: (Include photo numbers here or on a separate she	et.)			
······································	····,			

\*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

US Army Corps of Engineers

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)											
Depth <u>Matrix</u> (inches) Color (moist) %			Redox Features			1 2	-				
0-4	Color (		<u>%</u>	Color (	moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Silty Clay Learn	Remarks	
	10YR	2/1	100						Silty Clay Loam		
4-15	10YR	4/1	80	10YR	5/6	20	C		Silt Loam		
15-20	10YR	4/2	80	10YR	4/6	20	C	M	Silty Clay Loam		
			-								
					-			·			
									. <u> </u>		
<sup>1</sup> Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains <sup>2</sup> Location: PL=Pore Lining. M=Matrix											
Hydric Soil	Indicators:								Indicators for Probler	matic Hydric Soils : <sup>3</sup>	
Histosol (	(A1)			Poly	value Belo	w Surface	(S8) (LRR	R,	2 cm Muck (A10) (LRR K, L, MLRA 149B)		
_	Histic Epipedon (A2)				DA 140D)	Coast Prairie Redox (A16) (LRR K, L, R)					
	Black Histic (A3)				5 cm Mucky Peat or Peat (S3) (LRR K, L, R)						
	Sulfide (A4) Loamy Mucky Mineral (F1) LRR K, L)				Dark Surface (S7) (LRR K, L, M)						
_	Layers (A5)		44)		eted Matr		.)		<ul> <li>Polyvalue Below Surface (S8) (LRR K, L)</li> <li>Thin Dark Surface (S9) (LRR K, L)</li> <li>Iron-Manganese Masses (F12) (LRR K, L, R)</li> <li>Piedmont Floodplain Soils (F19) (MLRA 149B)</li> </ul>		
	Below Dark String (A		(11)			urface (F6)					
	uck Mineral (S			_		Surface (F					
	eyed Matrix (					sions (F8)					
Sandy Cit		54)		_ , , , ,				Mesic Spodic (TA6) (MLRA 144A, 145, 149B)			
	Matrix (S6)					Red Parent Material (F21)					
	Dark Surface (S7) (LRR R, MLRA 149B)				<ul> <li>Very Shallow Dark Surface (TF12)</li> <li>Other (Explain in Remarks)</li> </ul>						
<sup>3</sup> Indicators o	f hydronhytic	voqetatio	on and wet!	and hydrology	must bo	present ur	aloss distur	hed or probl			
			in and wette	ana nyarology	must be	present, u					
Restrictive L	ayer (if obs	erved):									
Type:	h								Hydric Soil Present?	Yes 💿 No 🔿	
Depth (inc	ines):								-		
Remarks:											