## WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: RSA 22		City/County:	Aitkin	Sampling Date: 22-Aug-17	
Applicant/Owner: Enbridge			State: MN	Sampling Point:	w-51n25w33-e1
Investigator(s): DPT/SMR		Section, T	ownship, Range: S. 33	<b>T.</b> 51N	<b>R.</b> 25W
Landform (hillslope, terrace, etc.)	Lowland	Local relief (c	oncave, convex, none):	concave	Slope: 0.0 % / 0.0 °
Subregion (LRR or MLRA): LRR	K Lat.:	46 51.6717	<b>Long.:</b> -93	3 31.7198	Datum: NAD 83
Soil Map Unit Name: 292		<u>-</u>		WI classification:	N/A
Are Vegetation , Soil Are Vegetation , Soil Summary of Findings - A		itly disturbed? problematic? <b>sampling p</b>	• • •	any answers in Re	•
Hydrophytic Vegetation Present? Hydric Soil Present? Wetland Hydrology Present?	Yes <ul> <li>No</li> <li>Yes <ul> <li>No</li> <li>Yes <ul> <li>No</li> <li>Yes <ul> <li>No</li> </ul> </li> </ul></li></ul></li></ul>		e Sampled Area n a Wetland? Yes	● <sub>No</sub> ○	
Remarks: (Explain alternative p WETS analysis shows precipitati	rocedures here or in a separate repo on below normal.	ort.)			

## Hydrology

Wetland Hydrology Indicators:		Secondary Indicators (minimum of 2 required)				
Primary Indicators (minimum of one required;	Surface Soil Cracks (B6)					
Surface Water (A1)	Water-Stained Leaves (B9)	Drainage Patterns (B10)				
High Water Table (A2)	Aquatic Fauna (B13)	Moss Trim Lines (B16)				
Saturation (A3)	Marl Deposits (B15)	Dry Season Water Table (C2)				
Water Marks (B1)	Hydrogen Sulfide Odor (C1)	Crayfish Burrows (C8)				
Sediment Deposits (B2)	Oxidized Rhizospheres along Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)				
Drift deposits (B3)	Presence of Reduced Iron (C4)	Stunted or Stressed Plants (D1)				
Algal Mat or Crust (B4)	Recent Iron Reduction in Tilled Soils (C6)	Geomorphic Position (D2)				
Iron Deposits (B5)	Thin Muck Surface (C7)	Shallow Aquitard (D3)				
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Remarks)	Microtopographic Relief (D4)				
Sparsely Vegetated Concave Surface (B8)		✓ FAC-neutral Test (D5)				
Field Observations:						
Surface Water Present? Yes   No	Depth (inches):4					
Water Table Present? Yes  No	Depth (inches): 0					
Saturation Present? Yes  No	Depth (inches):0	drology Present? Yes $ullet$ No $igodoldsymbol{ imes}$				
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:						
Remarks:						

## **VEGETATION - Use scientific names of plants**

VEGETATION - Use scientific names of plai	Sampling Point: w-51n25w33-e1			
(Distring 20	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot size: <u>30</u> )	% Cover	Species?	Status	Number of Dominant Species
1				That are OBL, FACW, or FAC: (A)
2				Total Number of Dominant
3				Species Across All Strata: (B)
4				Percent of dominant Species
5				That Are OBL, FACW, or FAC: $100.0\%$ (A/B)
6	0			Descelares Tedanovalabast
7				Prevalence Index worksheet: Total % Cover of: Multiply by:
Sapling/Shrub Stratum (Plot size: 15 )	=	Total Cover		Total % Cover of:         Multiply by:           OBL species         70         x 1 =         70
1	0			<b>FACW species</b> $20 \times 2 = 40$
2	0			FAC species $10 \times 3 = 30$
3				
4				•
5	0			UPL species $\underbrace{0}_{x5} = \underbrace{0}_{x5}$
6	0			Column Totals: <u>100</u> (A) <u>140</u> (B)
7	0			Prevalence Index = $B/A = 1.400$
Herb Stratum (Plot size: <u>5</u> )	0 =	Total Cover		Hydrophytic Vegetation Indicators:
				Rapid Test for Hydrophytic Vegetation
1. <u>Scirpus cyperinus</u>	60		OBL	✓ Dominance Test is > 50%
2. Phalaris arundinacea	20		FACW	<b>V</b> Prevalence Index is $\leq$ 3.0 <sup>1</sup>
3. Persicaria hydropiperoides	<u>10</u> 10		OBL FAC	Morphological Adaptations <sup>1</sup> (Provide supporting
4. Rumex crispus				data in Remarks or on a separate sheet)
5				Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
6				<sup>1</sup> Indicators of hydric soil and wetland hydrology must
7				be present, unless disturbed or problematic.
8 9				Definitions of Vegetation Strata:
10				Tree Maadu plante 2 in (7.0 cm) er mens in diemeter
11				Tree - Woody plants, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
12	0			
	100 =	Total Cover		Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1m) tall
Woody Vine Stratum (Plot size: 30 )				
1	0			Herb - All herbaceous (non-woody) plants, regardless of
2	0			size, and woody plants less than 3.28 ft tall.
3	0			Woody vine - All woody vines greater than 3.28 ft in
4				height.
		Total Cover		
				Hydrophytic
				Vegetation
				Present? Yes 🔍 No 🔾
Remarks: (Include photo numbers here or on a separate she	et.)			

\* Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

US Army Corps of Engineers

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)											
Depth         Matrix         Redox Features           (inches)         Color (moist)         %         Color (moist)         %         Type 1							_				
(inches)			<u>%</u>	Color (	moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remarks	
	10YR	2/1	100						Silty Clay Loam		
4-14	10YR	5/1	95	10YR	5/8	5	C	M	Silt Loam		
14-20	10YR	5/2	90	10YR	5/6	10	C	Μ	Clay Loam		
	-	a-						-			
					L-			L			
		-									
					8						
<sup>1</sup> Type: C=Cor	centration. D	=Depletic	on. RM=Rec	luced Matrix,	CS=Cover	ed or Coat	ed Sand Gr	ains <sup>2</sup> Loca	ation: PL=Pore Lining. M=Ma	trix	
Hydric Soil	Indicators:								Indicators for Proble	matic Hydric Soils : <sup>3</sup>	
Histosol (	(A1)					w Surface	(S8) (LRR I	<b>R</b> ,			
🗌 Histic Epi	Histic Epipedon (A2)				MLRA 149B) Thin Dark Surface (S9) (LRR R, MLRA 149B)				2 cm Muck (A10) (LRR K, L, MLRA 149B) Coast Prairie Redox (A16) (LRR K, L, R)		
Black His									$\Box$ 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)		
	n Sulfide (A4)				Loamy Mucky Mineral (F1) LRR K, L) Loamy Gleyed Matrix (F2)				Dark Surface (S7) (		
	Layers (A5)				eted Matri		.)		Polyvalue Below Surface (S8) (LRR K, L)		
	Below Dark S		.11)			Irface (F6)			Thin Dark Surface (	S9) (LRR K, L)	
	rk Surface (A	•				Surface (F	7)		Iron-Manganese Masses (F12) (LRR K, L, R)		
	uck Mineral (S eyed Matrix (					sions (F8)	,		Piedmont Floodplain Soils (F19) (MLRA 149B)		
Sandy G		54)							Mesic Spodic (TA6) (MLRA 144A, 145, 149B)		
	Matrix (S6)								Red Parent Material (F21)		
	face (S7) (LRI	R R, MLRA	A 149B)						Very Shallow Dark Surface (TF12) Other (Explain in Remarks)		
										emarks)	
			n and wetta	and hydrology	must be	present, ur					
Restrictive L	ayer (if obs.	erved):									
Туре:									Hydric Soil Present?	Yes 🔍 No 🔾	
Depth (inc	:hes):										
Remarks:											