## WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: RSA 22	City	//County: Aitkin	Sampling Date: 29-Aug-17
Applicant/Owner: Enbridge		State: MN	Sampling Point: w-51n25w35-b1
Investigator(s): DPT		Section, Township, Range: \$	<b>T.</b> 51N <b>R.</b> 25W
Landform (hillslope, terrace, etc.): Lowla	and <b>Loc</b> a	al relief (concave, convex, n	one): concave Slope: 0.0 % / 0.0
Subregion (LRR or MLRA): LRR K	<b>Lat.:</b> 46 5	51.6032 <b>Long</b>	-93 28.4522 <b>Datum:</b> NAD 83
Soil Map Unit Name: 346			NWI classification: PFO2Bg
Are climatic/hydrologic conditions on the	site typical for this time of year?	Yes ○ No ●	(If no, explain in Remarks.)
	Hydrology $\square$ significantly dis		Circumstances" present? Yes • No •
	-lydrology		xplain any answers in Remarks.)
<b>.</b>		,	s, transects, important features, etc
	. No O		· · · · · ·
7 7	, ● No ○	Is the Sampled Area	Yes   No
,	, ● No ○	within a Wetland?	163 0 110 0
Remarks: (Explain alternative procedure			
Hydrology			
Wetland Hydrology Indicators:			Control of Control of Control of Control
Primary Indicators (minimum of one req	uired: check all that apply)		Secondary Indicators (minimum of 2 required)  Surface Soil Cracks (B6)
✓ Surface Water (A1)	Water-Stained Leaves (	[R9]	Drainage Patterns (B10)
High Water Table (A2)	Aquatic Fauna (B13)	57)	Moss Trim Lines (B16)
✓ Saturation (A3)	Marl Deposits (B15)		Dry Season Water Table (C2)
Water Marks (B1)	Hydrogen Sulfide Odor	(C1)	Crayfish Burrows (C8)
Sediment Deposits (B2)	Oxidized Rhizospheres	along Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)
Drift deposits (B3)	Presence of Reduced Ir	• •	Stunted or Stressed Plants (D1)
Algal Mat or Crust (B4)	Recent Iron Reduction i	• •	Geomorphic Position (D2)
☐ Iron Deposits (B5) ☐ Inundation Visible on Aerial Imagery (B7)	☐ Thin Muck Surface (C7)		Shallow Aquitard (D3)  Migratan agraphic Police (D4)
Sparsely Vegetated Concave Surface (B8)	Other (Explain in Remai	rks)	☐ Microtopographic Relief (D4)  FAC-neutral Test (D5)
sparsely regulated contains carriage (56)			TAC-neutral rest (D3)
Field Observations:  Surface Water Present?  Yes  N	O Depth (inches):	4	
		Wetland Hydro	ology Present? Yes   No
(includes capillary fringe) Yes V	Depth (inches):	0	
Describe Recorded Data (stream gauge,	monitoring well, aerial photos, pi	revious inspections), if availa	able:
Remarks:			

## **VEGETATION - Use scientific names of plants**

vegeration - ose scientific fiames of p	Sampling Point: w-51n25w35-b1						
(8) -1 - 20	Absolute	Dominant	Indicator	Dominance Test worksheet:			
Tree Stratum (Plot size: 30	% Cover	Species?	Status	Number of Dominant Species			
1 <sub>.</sub> Fraxinus nigra	40	✓	FACW	That are OBL, FACW, or FAC:4 (A)			
2. Ulmus americana	30	✓	FACW	T. I.N. J. CD. J. J.			
3	0			Total Number of Dominant Species Across All Strata: 4 (B)			
4							
5		Ē		Percent of dominant Species			
6		$\overline{\Box}$		That Are OBL, FACW, or FAC: 100.0% (A/B)			
7		Ħ		Prevalence Index worksheet:			
·-		= Total Cove					
Sapling/Shrub Stratum (Plot size: 15	=	= Total Cove	r				
1 Alnus incana	30	<b>✓</b>	FACW				
2		Ä		FACW species 100 x 2 = 200			
3	=	П		FAC speci es x 3 =			
				FACU species x 4 =0			
4				UPL species $0 \times 5 = 0$			
5				Column Totals: 200 (A) 300 (B)			
6							
7				Prevalence Index = B/A = 1.500			
Herb Stratum (Plot size: 5	30 =	= Total Cove	r	Hydrophytic Vegetation Indicators:			
				✓ Rapid Test for Hydrophytic Vegetation			
1. Calamagrostis canadensis		<b>~</b>	OBL	✓ Dominance Test is > 50%			
2				Prevalence Index is ≤3.0 ¹			
3	0			Morphological Adaptations <sup>1</sup> (Provide supporting			
4	0			data in Remarks or on a separate sheet)			
5	0			Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)			
6							
7				<sup>1</sup> Indicators of hydric soil and wetland hydrology must			
8				be present, unless disturbed or problematic.			
9				Definitions of Vegetation Strata:			
0		П					
				Tree - Woody plants, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.			
1				at breast neight (DDH), regardless of height.			
2	-			Sapling/shrub - Woody plants less than 3 in. DBH and			
Woody Vine Stratum (Plot size: 30 )	100 =	= Total Cove	r	greater than 3.28 ft (1m) tall			
1	0			Herb - All herbaceous (non-woody) plants, regardless of			
				size, and woody plants less than 3.28 ft tall.			
2							
3				Woody vine - All woody vines greater than 3.28 ft in			
4			-	height.			
	0 =	= Total Cove	r				
				Hydrophytic Vegetation			
				Present? Yes • No			
Remarks: (Include photo numbers here or on a separate :	shoot \						
remarks, (include photo humbers here or on a separate s	siicet.)						

<sup>\*</sup>Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: w-51n25w35-b1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)												
Depth			Redox Features									
(inches)	Color (		%	Color (	moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Rer	marks	
0-4	10YR	2/1	100						Muck	_		
4-20	10YR	4/2	80	10YR	4/6	_ 20	C		Silt Loam			
				-					-			
-				-						-		
		-		-	-							
		-										
				-		_						
1 - 0 0												
<sup>1</sup> Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains <sup>2</sup> Location: PL=Pore Lining. M=Matrix												
Hydric Soil I				□ 5 :	rolus D. I	ce	(00) (100	D	Indicators for Prob	lematic Hydr	ic Soils: <sup>3</sup>	
Histosol (	A1) pedon (A2)				value Belo A 149B)	w Surtace	(S8) (LRR	κ,	2 cm Muck (A10)			
Black Hist					•	ace (S9) (	(LRR R, ML	RA 149B)	Coast Prairie Rec		• • •	
	Sulfide (A4)			Loar	ny Mucky	Mineral (F	1) LRR K, L	)	5 cm Mucky Peat or Peat (S3) (LRR K, L, R)			
	Layers (A5)			Loar	ny Gleyed	Matrix (F2	2)		Dark Surface (S7) (LRR K, L, M)			
	Below Dark S	Surface (A	.11)	<b>✓</b> Dep	eted Matri	ix (F3)			Polyvalue Below Surface (S8) (LRR K, L)			
	k Surface (A		,	Red	ox Dark Su	urface (F6)			Thin Dark Surface (S9) (LRR K, L)			
	ck Mineral (S			Depl	eted Dark	Surface (F	7)		☐ Iron-Manganese Masses (F12) (LRR K, L, R) ☐ Piedmont Floodplain Soils (F19) (MLRA 149B)			
	yed Matrix (			Red	ox Depress	sions (F8)			Mesic Spodic (TA			
Sandy Red	dox (S5)								Red Parent Mate		1, 143, 1470)	
Stripped N	Matrix (S6)								Very Shallow Dai		2)	
☐ Dark Surfa	ace (S7) (LRI	R R, MLRA	\ 149B)						Other (Explain in		-,	
<sup>3</sup> Indicators of	hvdrophytic	vegetatio	n and wetla	and hydrology	must be i	present, ui	nless distur	bed or proble		,		
Restrictive La				<u> </u>								
Type:	ayer (ii obs	ci vea j.										
Depth (incl	nes).								Hydric Soil Present?	Yes	No O	
Remarks:	1037											
Remarks:												