## WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: RSA 22	City/Co	ounty: St. Louis	Sampling	<b>Date:</b> 13-Sep-17
Applicant/Owner: Enbridge		State: MN	Sampling Point:	u-50n19w7-c3
Investigator(s): DPT	Sec	tion, Township, Range: S	. 7 <b>T.</b> 50N	<b>R.</b> 19W
Landform (hillslope, terrace, etc.): Hillside		elief (concave, convex, no		Slope: <u>14.0</u> % / <u>8.0</u> °
Subregion (LRR or MLRA): LRR K	<b>Lat.:</b> 46 49.7	329 <b>Long.</b> :	-92 47.6176	Datum: NAD 83
Soil Map Unit Name: B127B		<del></del> -	NWI classification:	
Are climatic/hydrologic conditions on the si	te typical for this time of year?	Yes ● No ○ (	– If no, explain in Remarks	.)
	drology significantly distur	`	ircumstances" present?	Yes   No
	vdrology  aturally problema		plain any answers in Ren	narke )
Summary of Findings - Attach		,	•	•
Hydrophytic Vegetation Present? Yes	○ No •		<u> </u>	
Hydric Soil Present? Yes	○ No •	Is the Sampled Area within a Wetland?	Yes ○ No ●	
Wetland Hydrology Present? Yes	○ No •	Willim a welland:	100 - 1.0 -	
Remarks: (Explain alternative procedures				
Hydrology Wetland Hydrology Indicators:			Secondary Indicators (minimi	um of 2 required)
Primary Indicators (minimum of one requi	ired; check all that apply)		Surface Soil Cracks (B6)	MIT 0. 2.104422,
Surface Water (A1)	Water-Stained Leaves (B9)		Drainage Patterns (B10)	
High Water Table (A2)	Aquatic Fauna (B13)		Moss Trim Lines (B16)	
Saturation (A3)	Marl Deposits (B15)		Dry Season Water Table	(C2)
Water Marks (B1)	Hydrogen Sulfide Odor (C1)		Crayfish Burrows (C8)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Sediment Deposits (B2)  Drift deposits (B3)	Oxidized Rhizospheres along	-	Saturation Visible on Aer	0 3 . ,
Algal Mat or Crust (B4)	Presence of Reduced Iron ( Recent Iron Reduction in Ti		<ul><li>Stunted or Stressed Plan</li><li>Geomorphic Position (D2</li></ul>	• •
Iron Deposits (B5)	Thin Muck Surface (C7)	lied solis (Co)	Shallow Aguitard (D3)	)
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Remarks)	ĺ	Microtopographic Relief	D4)
Sparsely Vegetated Concave Surface (B8)	cure (Explain in Normano)		FAC-neutral Test (D5)	
Field Observations:				
Surface Water Present? Yes O No	Depth (inches):0	<u> </u>		
Water Table Present? Yes O No	Depth (inches):0			
Saturation Present? (includes capillary fringe) Yes No	· · · · · · · · · · · · · · · · · · ·	Wetland Hydro	logy Present? Yes	No •
Describe Recorded Data (stream gauge, m	onitoring well, aerial photos, previ	ous inspections), if availa	ble:	
Remarks:				
remarks.				

## **VEGETATION - Use scientific names of plants**

VEGETATION - OSE SCIENTIFIC Harries of pr	Sampling Point: u-50n19w7-c3						
(0) 20	Absolute	Dominant	Indicator	Dominance Test worksheet:			
Tree Stratum (Plot size: 30)	% Cover	Species?	Status	Number of Dominant Species			
1	0			That are OBL, FACW, or FAC: (A)			
2	0			Total Number of Dominant			
3	0			Species Across All Strata:3(B)			
4	0						
5	0			Percent of dominant Species That Are OBL FACW or FAC: 0.0% (A/B)			
6				That Are OBL, FACW, or FAC: 0.0% (A/B)			
7				Prevalence Index worksheet:			
C II (CI I C) (Diot circ): 15	0 = <b>Total Cover</b>			Total % Cover of: Multiply by:			
Sapling/Shrub Stratum (Plot size: 15		_		0BL speci es x 1 =0			
1				FACW species			
2				FAC species x 3 =0			
3				FACU species 90 x 4 = 360			
4				UPL species $\frac{0}{\sqrt{x}} \times 5 = \frac{0}{\sqrt{x}}$			
5				N			
6				Col umn Total s: 100 (A) 380 (B)			
7	0			Prevalence Index = B/A = 3.800			
Herb Stratum (Plot size: 5)	0 =	Total Cove	r	Hydrophytic Vegetation Indicators:			
Herb Stratum_ (1 lot 3/2c		_		Rapid Test for Hydrophytic Vegetation			
1Tanacetum vulgare	40	<b>~</b>	FACU	Dominance Test is > 50%			
2. Solidago canadensis			FACU	Prevalence Index is ≤3.0 ¹			
3. Phleum pratense	20	<b>✓</b>	FACU	Morphological Adaptations <sup>1</sup> (Provide supporting			
4. Poa pratensis	20	<b>~</b>	FACU	data in Remarks or on a separate sheet)			
5. Phalaris arundinacea	10		FACW	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)			
6	0						
7	0			Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.			
8							
9				Definitions of Vegetation Strata:			
0				Tree - Woody plants, 3 in. (7.6 cm) or more in diameter			
1				at breast height (DBH), regardless of height.			
2				Carling/about Wasdandards less than 2 in DDI land			
	100 =	Total Cove	•	Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1m) tall			
Woody Vine Stratum (Plot size: 30 )		_		g. catch and one of the catch			
1	0			Herb - All herbaceous (non-woody) plants, regardless of			
2	0			size, and woody plants less than 3.28 ft tall.			
3	0			Woody vine - All woody vines greater than 3.28 ft in			
4	0			height.			
	0 =	Total Cove	r				
				Hydrophytic			
				Vegetation   Yes ○ No ●			
Computer (Tuelvide place acceptant leave acceptant	hoot \			1			
Remarks: (Include photo numbers here or on a separate s	neet.)						

<sup>\*</sup>Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: u-50n19w7-c3

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix					. Parada		
(inches)	Color (moist)		Color (moist)	<u> </u>	/pe	Loc <sup>2</sup>	Texture	Remarks
			-					
							-	
-							-	
			-					
-								
1 7 0. 0			- Matrix CC Carra			21	tion. Di Done Linion M. Me	**************************************
		1. RIVI=Reduce	d Matrix, CS=Cover	ed or Coated Sa	ind Grains	²Loca	tion: PL=Pore Lining. M=Ma	
Hydric Soil 1							Indicators for Proble	matic Hydric Soils: $^3$
Histosol (	·		☐ Polyvalue Below MLRA 149B)	w Surface (S8)	(LRR R,		2 cm Muck (A10) (	LRR K, L, MLRA 149B)
	pedon (A2)			ace (S9) (LRR I	R MIRΔ 1/	49R)	Coast Prairie Redox	(A16) (LRR K, L, R)
Black Hist				Mineral (F1) LRI		170)	5 cm Mucky Peat o	r Peat (S3) (LRR K, L, R)
	Sulfide (A4)		Loamy Gleyed		( N, L)		Dark Surface (S7)	(LRR K, L, M)
	Layers (A5)		Depleted Matri				Polyvalue Below Su	ırface (S8) (LRR K, L)
	Below Dark Surface (A1	1)	Redox Dark Su				Thin Dark Surface	(S9) (LRR K, L)
	k Surface (A12)		Depleted Dark				☐ Iron-Manganese M	asses (F12) (LRR K, L, R)
	ıck Mineral (S1)		Redox Depress				Piedmont Floodplai	n Soils (F19) (MLRA 149B)
	eyed Matrix (S4)		Redox Depress	SIUTIS (FO)			Mesic Spodic (TA6)	(MLRA 144A, 145, 149B)
Sandy Re							Red Parent Materia	ıl (F21)
Stripped I	Matrix (S6)						Very Shallow Dark	Surface (TF12)
☐ Dark Surf	ace (S7) (LRR R, MLRA	149B)					Other (Explain in R	
<sup>3</sup> Indicators o	f hydrophytic vegetation	and wetland	hydrology must be i	resent, unless	disturbed o	or proble		
	ayer (if observed):			*				
Type:	ayer (ii observed).							
	hoo).						Hydric Soil Present?	Yes ○ No •
Depth (inc	nes):						-	
Remarks:								
No digging,	buried utilities. Soils	assumed no	on-hydric based o	n vegetation a	and hydro	ology.		
Ī								