WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

| Project/Site: RSA 22 | | City/ | /County: St. I | Louis | | Sampling | Date: 08-Sep-17 |
|-----------------------------------------------------|--------------------|---------------------------------------------------|-----------------------|------------------------|---------------------------------------------------|----------------|------------------------|
| Applicant/Owner: Enbridge | | | | State: MN | Samplir | g Point: | u-51n21w23-a1 |
| Investigator(s): SMR | | S | Section, Towns | ship, Range: S | . 23 T | . 51N | R. 21W |
| Landform (hillslope, terrace, etc.): | Mound | Loca | l relief (conca | ve, convex, no | ne): convex | - | Slope: 7.0 % / 4.0 ° |
| Subregion (LRR or MLRA): LRR K | | Lat.: 46 53 | 3.3732 | Long. | -93 2.2232 | | Datum: NAD 83 |
| Soil Map Unit Name: B107A | | | | | NWI class | sification: | N/A |
| Are climatic/hydrologic conditions on | the site typ | pical for this time of year? | Yes | No (| _ If no, explain | in Remarks | .) |
| Are Vegetation, Soil | , or Hydrolo | ogy significantly dis | turbed? | Are "Normal C | Circumstances | present? | Yes ● No ○ |
| Are Vegetation, Soil | , or Hydrolo | ogy naturally proble | | (If needed, ex | | - | narks.) |
| Summary of Findings - Att | | ·· — ·· | | • | | | • |
| Hydrophytic Vegetation Present? | Yes O | No • | | | | | |
| Hydric Soil Present? | | No • | Is the San within a W | npled Area Vetland? | Yes O No | lacksquare | |
| Wetland Hydrology Present? | $_{Yes} \bigcirc$ | No • | | | | | |
| Remarks: (Explain alternative proc | edures here | or in a separate report.) | | | | | |
| Hydrology | | | | | | | |
| Wetland Hydrology Indicators: | | | | | Secondary Indic | ators (minimu | um of 2 required) |
| Primary Indicators (minimum of one | e required; (| check all that apply) | | | Surface Soil | Cracks (B6) | |
| Surface Water (A1) | | Water-Stained Leaves (B | 39) | | | itterns (B10) | |
| High Water Table (A2) | | Aquatic Fauna (B13) | | | Moss Trim L | | (==) |
| Saturation (A3) Water Marks (B1) | | Marl Deposits (B15) | 2011 | | Dry SeasonCrayfish Bui | Water Table | (C2) |
| Sediment Deposits (B2) | | Hydrogen Sulfide Odor (Oxidized Rhizospheres al | | tr (C3) | _ ´ | | al Imagery (C9) |
| Drift deposits (B3) | | Presence of Reduced Iro | | is (cs) | | Stressed Plan | 0 3 . , |
| Algal Mat or Crust (B4) | | Recent Iron Reduction in | |) | | : Position (D2 | ` , |
| ☐ Iron Deposits (B5) | | Thin Muck Surface (C7) | | , | Shallow Aqu | | |
| Inundation Visible on Aerial Imagery | (B7) | Other (Explain in Remark | ks) | | Microtopogr | aphic Relief (| D4) |
| Sparsely Vegetated Concave Surface | (B8) | | | | FAC-neutral | Test (D5) | |
| Field Observations: | | | | | | | |
| Surface Water Present? Yes | | Depth (inches): | 0 | | | | |
| Water Table Present? Yes | No 💿 | Depth (inches): | 0 | Matland Usden | lamii Duacanta | Yes C | No • |
| Saturation Present? (includes capillary fringe) Yes | No 💿 | Depth (inches): | 0 | Wetland Hydro | logy Present? | res C | / NO © |
| Describe Recorded Data (stream gat | uge, monitoi | ring well, aerial photos, pre | evious inspect | ions), if availa | ble: | | |
| Remarks: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

VEGETATION - Use scientific names of plants

| vederation - ose scientific fiames of pr | Sampling Point: u-51n21w23-a1 | | | | | |
|---------------------------------------------------------|-------------------------------|-------------------|-----------|-------------------------------------------------------------------------------------------------------|--|--|
| (0) -1 - 20 | Absolute Domina | | Indicator | Dominance Test worksheet: | | |
| Tree Stratum (Plot size: 30) | % Cover | Species? | Status | Number of Dominant Species | | |
| 1 | | | | That are OBL, FACW, or FAC: (A) | | |
| 2 | | | | Total Number of Dominant | | |
| 3 | | | | Species Across All Strata:3(B) | | |
| 4 | | | | | | |
| 5 | 0 | | | Percent of dominant Species That Are OBL FACW or FAC: 0.0% (A/B) | | |
| 6 | | | | That Are OBL, FACW, or FAC: 0.0% (A/B) | | |
| 7 | | | | Prevalence Index worksheet: | | |
| (Diet size, 15 | 0 = | Total Cove | r | Total % Cover of: Multiply by: | | |
| Sapling/Shrub Stratum (Plot size: 15) | | | | OBL speci es x 1 = | | |
| 1 | | | | FACW species 0 x 2 = 0 | | |
| 2 | | | | FAC speciles 0 x 3 = 0 | | |
| 3 | 0 | | | FACU species $70 \times 4 = 280$ | | |
| 4 | 0 | | | | | |
| 5 | 0 | | | l ' | | |
| 6 | 0 | | | Column Totals: 100 (A) 430 (B) | | |
| 7 | 0 | | | Prevalence Index = B/A = 4.300 | | |
| (District of E | 0 = | Total Cove | r | Hydrophytic Vegetation Indicators: | | |
| Herb Stratum (Plot size: 5 | | | | Rapid Test for Hydrophytic Vegetation | | |
| 1. Solidago canadensis | 20 | ✓ | FACU | Dominance Test is > 50% | | |
| 2. Ascleplas syriaca | 10 | | UPL | | | |
| 3. Bromus Inermis | 20 | ✓ | UPL | Prevalence Index is ≤3.0 ¹ | | |
| 4. Taraxacum officinale | 10 | | FACU | Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) | | |
| 5. Phleum pratense | 20 | ✓ | FACU | Problematic Hydrophytic Vegetation ¹ (Explain) | | |
| 6. Poa pratensis | 40 | | FACU | | | |
| 7 | | | | ¹ Indicators of hydric soil and wetland hydrology must | | |
| 8 | | | | be present, unless disturbed or problematic. | | |
| 9 | | | | Definitions of Vegetation Strata: | | |
| 0 | | ī | | Tree Mean plants 2 in (7.0 cm) or many in diameter | | |
| 1 | | | | Tree - Woody plants, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. | | |
| 2. | | | | at breast noight (2217), regardless of height | | |
| ۷ | | □ = Total Cove | | Sapling/shrub - Woody plants less than 3 in. DBH and | | |
| Woody Vine Stratum (Plot size: 30) | | - Total Cove | | greater than 3.28 ft (1m) tall | | |
| 1 | 0 | | | Herb - All herbaceous (non-woody) plants, regardless of | | |
| 2 | 0 | | | size, and woody plants less than 3.28 ft tall. | | |
| 3 | | | | Manda di cina All consede coinse proston the sea 2 00 ft in | | |
| 4 | | | | Woody vine - All woody vines greater than 3.28 ft in height. | | |
| T., | 0 = | = Total Cove | | l noight | | |
| | | - Total Cove | | | | |
| | | | | | | |
| | | | | | | |
| | | | | Hydrophytic | | |
| | | | | Vogetation | | |
| | | | | Present? Yes No • | | |
| | | | | | | |
| Remarks: (Include photo numbers here or on a separate s | sheet.) | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

^{*}Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: u-51n21w23-a1

| (inches) | Matrix | | Redox Features | | | |
|----------------------------------------------------|------------------------------|------------------------|-------------------------------|------------------|-------------------------|---------------------------|
| | Color (moist) | % Color (moi | st) % Type ¹ | Loc ² | Texture | Remarks |
| | | | | | | |
| | | | | - | | |
| | | | | - | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Type: C=Con | centration D=Depletion RN | M=Reduced Matrix, CS= | Covered or Coated Sand Gra | ains 2l ocatio | n· PI =Pore Lining M=Ma | trix |
| Hydric Soil I | | rioudoca manin, co | oovered or obaced cand on | 2004110 | | |
| Histosol (| | Polyvalu | e Below Surface (S8) (LRR F |) | | matic Hydric Soils: 3 |
| | pedon (A2) | MLRA 14 | | ·1 | | .RR K, L, MLRA 149B) |
| Black Hist | | ☐ Thin Dar | k Surface (S9) (LRR R, MLR | A 149B) | | (A16) (LRR K, L, R) |
| | Sulfide (A4) | Loamy M | lucky Mineral (F1) LRR K, L) | | | Peat (S3) (LRR K, L, R) |
| | Layers (A5) | Loamy G | leyed Matrix (F2) | | Dark Surface (S7) | |
| | Below Dark Surface (A11) | ☐ Depleted | Matrix (F3) | | | rface (S8) (LRR K, L) |
| | k Surface (A12) | Redox D | ark Surface (F6) | | Thin Dark Surface (| |
| | ıck Mineral (S1) | ☐ Depleted | Dark Surface (F7) | | | asses (F12) (LRR K, L, R) |
| _ | eyed Matrix (S4) | Redox D | epressions (F8) | | | n Soils (F19) (MLRA 149B) |
| Sandy Re | | | | | | (MLRA 144A, 145, 149B) |
| | Matrix (S6) | | | | Red Parent Materia | |
| | ace (S7) (LRR R, MLRA 149 | B) | | | | , , |
| | | | | | Other (Explain in R | emarks) |
| ³ Indicators of | f hydrophytic vegetation and | d wetland hydrology mu | st be present, unless disturb | ed or problem | atic. | |
| | , , , , | | | | | |
| | ayer (if observed): | | | | | |
| | | | | | | |
| Restrictive L | ayer (if observed): | | | | Hydric Soil Present? | Yes O No 💿 |
| Restrictive Leading Type: | ayer (if observed): | | | | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | inils assumed non-hy | dric hasad on vagatation | | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | oils assumed non-hy | dric based on vegetatior | 1. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | oils assumed non-hy | dric based on vegetation | ı. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | oils assumed non-hy | dric based on vegetatior | 1. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | oils assumed non-hy | dric based on vegetatior | 1. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | oils assumed non-hy | dric based on vegetatior | i. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | oils assumed non-hy | dric based on vegetatior | i. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | oils assumed non-hy | dric based on vegetatior | 1. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | oils assumed non-hy | dric based on vegetation | 1. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | oils assumed non-hy | dric based on vegetatior | 1. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | soils assumed non-hy | dric based on vegetatior | 1. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | soils assumed non-hy | dric based on vegetatior | i. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | soils assumed non-hy | dric based on vegetatior | i. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | oils assumed non-hy | dric based on vegetatior | 1. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | oils assumed non-hy | dric based on vegetatior | 1. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | oils assumed non-hy | dric based on vegetation | 1. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | oils assumed non-hy | dric based on vegetation | 1. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | soils assumed non-hy | dric based on vegetation | 1. | Hydric Soil Present? | Yes ○ No ● |
| Restrictive La Type: Depth (incl Remarks: | hes): | soils assumed non-hy | dric based on vegetation | 1. | Hydric Soil Present? | Yes ○ No ● |