WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

| Project/Site: RSA 22 | | City/County: | St. Louis | Sampli | Sampling Date: 08-Sep-17 | |
|--|-------------|----------------------------|------------------------------------|--------------------------------------|----------------------------|--|
| Applicant/Owner: Enbridge | | | State: MN | Sampling Point: | u-51n21w23-a2 | |
| nvestigator(s): SMR | | Section, T | ownship, Range: S. 23 | T. 51N | R. 21W | |
| andform (hillslope, terrace, etc.): Hillside | | Local relief (c | oncave, convex, none): | convex | Slope: <u>14.0</u> % / 8.0 | |
| Subregion (LRR or MLRA): LRR K | Lat.: | 46 53.2989 | Long.: -9; | 2 57.6743 | Datum: NAD 83 | |
| Soil Map Unit Name: F120B | | p | | NWI classification: | N/A | |
| Are Vegetation 🗌 , Soil 🗌 , or Hydrology 🗌 Summary of Findings - Attach site map sh | - | problematic? sampling p | | n any answers in Re ansects, impo | - | |
| Hydrophytic Vegetation Present?YesNoHydric Soil Present?YesNoWetland Hydrology Present?YesNo | | | e Sampled Area n a Wetland? Yes | ○ _{No} ● | | |
| Remarks: (Explain alternative procedures here or in a sep | parate repo | ort.) | | | | |

Hydrology

| Wetland Hydrology Indicators: | | Secondary Indicators (minimum of 2 required) | | | | | |
|--|---|--|--|--|--|--|--|
| Primary Indicators (minimum of one required | Surface Soil Cracks (B6) | | | | | | |
| Surface Water (A1) | Drainage Patterns (B10) | | | | | | |
| High Water Table (A2) | Water-Stained Leaves (B9) Aquatic Fauna (B13) | Moss Trim Lines (B16) | | | | | |
| Saturation (A3) | Marl Deposits (B15) | Dry Season Water Table (C2) | | | | | |
| Water Marks (B1) | | Crayfish Burrows (C8) | | | | | |
| Sediment Deposits (B2) | Hydrogen Sulfide Odor (C1) | | | | | | |
| Drift deposits (B3) | Oxidized Rhizospheres along Living Roots (C3) | Saturation Visible on Aerial Imagery (C9) | | | | | |
| | Presence of Reduced Iron (C4) | Stunted or Stressed Plants (D1) | | | | | |
| Algal Mat or Crust (B4) | Recent Iron Reduction in Tilled Soils (C6) | Geomorphic Position (D2) | | | | | |
| Iron Deposits (B5) | Thin Muck Surface (C7) | Shallow Aquitard (D3) | | | | | |
| Inundation Visible on Aerial Imagery (B7) | Other (Explain in Remarks) | Microtopographic Relief (D4) | | | | | |
| Sparsely Vegetated Concave Surface (B8) | | FAC-neutral Test (D5) | | | | | |
| | | | | | | | |
| Field Observations: | | | | | | | |
| Surface Water Present? Yes O No • | Depth (inches): 0 | | | | | | |
| Water Table Present? Yes O No 🖲 | | drology Present? Yes 🔿 No 🖲 | | | | | |
| Saturation Present? (includes capillary fringe) Yes O No O | Depth (inches):0 | rdrology Present? Yes 🔾 No 🖲 | | | | | |
| Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Remarks: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

VEGETATION - Use scientific names of plants

| VEGETATION - Use sciencific names of plan | Sampling Point: u-51n21w23-a2 | | | |
|---|-------------------------------|--------------|-----------|---|
| (5) · · · · 20 | Absolute | | Indicator | Dominance Test worksheet: |
| Tree Stratum (Plot size: 30) | % Cover | Species? | Status | Number of Dominant Species |
| 1. Betula papyrifera | 40 | \checkmark | FACU | That are OBL, FACW, or FAC:O(A) |
| 2. Populus tremuloides | 30 | \checkmark | FACU | |
| 3. Picea mariana | 10 | | FACW | Total Number of Dominant Species Across All Strata: 5 (B) |
| 4 | 0 | | | |
| 5 | | | | Percent of dominant Species |
| 6 | | | | That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B) |
| | | | | Prevalence Index worksheet: |
| 7 | | | | |
| Sapling/Shrub Stratum (Plot size: 15) | 80 = | Total Cover | | Total % Cover of: Multiply by: |
| 1 | 0 | | | OBL species x 1 = |
| 2 | | | | FACW species $10 \times 2 = 20$ |
| | | | | FAC species $0 \times 3 = 0$ |
| 3 | _ | | | FACU species 130 x 4 = 520 |
| 4 | | | | UPL species30 x 5 =150 |
| 5 | | | | Column Totals: 170 (A) 690 (B) |
| 6 | - | | | |
| 7 | 0 | | | Prevalence Index = $B/A = 4.059$ |
| Herb Stratum (Plot size: <u>5</u>) | | Total Cover | | Hydrophytic Vegetation Indicators: |
| | | _ | | Rapid Test for Hydrophytic Vegetation |
| 1. Pteridium aquilinum | 20 | | FACU | Dominance Test is > 50% |
| 2. Aralla nudicaulis | 40 | | FACU | Prevalence Index is ≤3.0 ¹ |
| 3. Eurybla macrophylla | 30 | \checkmark | UPL | Morphological Adaptations 1 (Provide supporting |
| 4 | 0 | | | data in Remarks or on a separate sheet) |
| 5 | 0 | | | Problematic Hydrophytic Vegetation ¹ (Explain) |
| 6 | | | | |
| 7 | | | | ¹ Indicators of hydric soil and wetland hydrology must |
| 8 | | | | be present, unless disturbed or problematic. |
| 9 | | | | Definitions of Vegetation Strata: |
| | | | | |
| 10 | | | | Tree - Woody plants, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. |
| 11 | | | | at breast height (DDF), regardless of height. |
| 12 | - | | | Sapling/shrub - Woody plants less than 3 in. DBH and |
| Woody Vine Stratum (Plot size: 30) | 90 = | Total Cover | | greater than 3.28 ft (1m) tall |
| | 0 | | | Herb - All herbaceous (non-woody) plants, regardless of |
| 1 | | | | size, and woody plants less than 3.28 ft tall. |
| 2 | 0 | | | |
| 3 | | | | Woody vine - All woody vines greater than 3.28 ft in |
| 4 | | | | height. |
| | = | Total Cover | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | Hydrophytic |
| | | | | Vegetation Present? Yes O No • |
| | | | | |
| Remarka (Tuskuda ukata mumbana kana an an a annanata aka | | | | |
| Remarks: (Include photo numbers here or on a separate she | et.) | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

US Army Corps of Engineers

| Profile Descr | ription: (De | scribe to | the depth | needed to d | ocumen | t the indi | cator or co | onfirm the | absence of indicators.) | | |
|--------------------------|----------------|------------|------------|-----------------|-------------------------|--------------|-------------------|------------------------|--|--|--|
| Depth | | Matrix | | | | edox Featu | | | _ | | |
| (inches) | Color (| | % | Color (r | noist) | % | Type ¹ | Loc ² | Texture Remarks | | |
| 0-4 | 10YR | 4/3 | 100 | | | | | | Very Fine Sandy Loam | | |
| 4-14 | 10YR | 5/3 | 100 | | | | | | Very Fine Sandy Loam | | |
| 14-20 | 10YR | 4/2 | 80 | 10YR | 4/4 | 20 | С | М | Very Fine Sandy Loam | | |
| | | - | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | · | | | | | | | |
| | | | | · | | | | | | | |
| | | | | • • | | | | | | | |
| | | | | · | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| ¹ Type: C=Con | centration. D |)=Depletio | on. RM=Red | duced Matrix, C | S=Cover | ed or Coat | ed Sand Gr | ains ² Loca | cation: PL=Pore Lining. M=Matrix | | |
| Hydric Soil 1 | Indicators: | | | | | | | | Indicators for Problematic Hydric Soils : ³ | | |
| Histosol (| | | | Polyv | alue Belo | w Surface | (S8) (LRR I | R, | | | |
| Histic Epi | pedon (A2) | | | | A 149B) | | | | 2 cm Muck (A10) (LRR K, L, MLRA 149B) | | |
| Black Hist | tic (A3) | | | _ | | | (LRR R, MLF | | \Box 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) | | |
| | n Sulfide (A4) | | | | • • | | 1) LRR K, L) |) | Dark Surface (S7) (LRR K, L, M) | | |
| | Layers (A5) | | | | iy Gleyed eted Matri | l Matrix (F2 | 2) | | Polyvalue Below Surface (S8) (LRR K, L) | | |
| | Below Dark S | | 11) | | | urface (F6) | | | Thin Dark Surface (S9) (LRR K, L) | | |
| | k Surface (A | | | | | Surface (F | | | Iron-Manganese Masses (F12) (LRR K, L, R) | | |
| | uck Mineral (S | | | | | sions (F8) | ., | | Piedmont Floodplain Soils (F19) (MLRA 149B) | | |
| Sandy Gle | eyed Matrix (| 54) | | | | | | | Mesic Spodic (TA6) (MLRA 144A, 145, 149B) | | |
| | Matrix (S6) | | | | | | | | Red Parent Material (F21) | | |
| | ace (S7) (LR | R R. MLR | A 149B) | | | | | | Very Shallow Dark Surface (TF12) | | |
| | | | | and hydrology | must be | procent in | alaaa diatuur | had ar prabl | Uther (Explain in Remarks) | | |
| | | | | and nyurology | nust be | present, u | | | | | |
| Restrictive L | ayer (if obs | erved): | | | | | | | | | |
| Type: | hoo). | | | | | | | | Hydric Soil Present? Yes \bigcirc No $oldsymbol{igstar}$ | | |
| Depth (inc | nes): | | | | | | | | | | |
| Remarks: | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |