WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

| Project/Site: RSA 22 | | City/Co | ounty: St. Louis | Sampli | ng Date: 13-Sep-17 |
|----------------------------------------------------|------------------------|----------------------------------|---------------------------------------|-----------------------------------------|----------------------|
| Applicant/Owner: Enbridge | | | State: MN | Sampling Point: | w-50n20w1-c2 |
| Investigator(s): DPT | | Sec | tion, Township, Range: | s. 1 t. 50N | R. 20W |
| Landform (hillslope, terrace, | etc.): Lowland | | elief (concave, convex, r | | Slope: 0.0 % / 0.0 ° |
| Subregion (LRR or MLRA): | LRR K | Lat.: 46 50.5 | 5006 Long | -92 48.9410 | Datum: NAD 83 |
| Soil Map Unit Name: B107A | | | | NWI classification: | PSSB |
| Are climatic/hydrologic cond | ditions on the site ty | pical for this time of year? | Yes No | — (If no, explain in Remark | s.) |
| Are Vegetation, Soil | _ | | rbed? Are "Normal | Circumstances" present? | Yes ● No ○ |
| Are Vegetation , Soil | | | | explain any answers in Re | marks.) |
| - , | — <i>,</i> , | e map showing sampl | , | • • | • |
| Hydrophytic Vegetation Pre | sent? Yes • | No O | | | |
| Hydric Soil Present? | Yes | No O | Is the Sampled Area within a Wetland? | Yes ● No ○ | |
| Wetland Hydrology Present | Yes ● | No O | Within a Wedana: | • • • • • • • • • • • • • • • • • • • • | |
| Remarks: (Explain alterna | tive procedures her | e or in a separate report.) | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Hydrology | | | | | |
| Wetland Hydrology Indicate | ors: | | | Secondary Indicators (minin | num of 2 required) |
| Primary Indicators (minimu | um of one required; | check all that apply) | | Surface Soil Cracks (B6) | |
| Surface Water (A1) | | Water-Stained Leaves (B9) | | Drainage Patterns (B10 |) |
| ✓ High Water Table (A2) | | Aquatic Fauna (B13) | | Moss Trim Lines (B16) | |
| Saturation (A3) | | Marl Deposits (B15) | | Dry Season Water Table | e (C2) |
| Water Marks (B1) | | Hydrogen Sulfide Odor (C1 |) | Crayfish Burrows (C8) | |
| Sediment Deposits (B2) | | Oxidized Rhizospheres alon | g Living Roots (C3) | Saturation Visible on A | |
| Drift deposits (B3) | | Presence of Reduced Iron (| (C4) | Stunted or Stressed Pla | • • |
| Algal Mat or Crust (B4) | | Recent Iron Reduction in T | illed Soils (C6) | ✓ Geomorphic Position (D | 2) |
| Iron Deposits (B5) | | ☐ Thin Muck Surface (C7) | | Shallow Aquitard (D3) | |
| Inundation Visible on Aeria | | Other (Explain in Remarks) | | Microtopographic Relief | (D4) |
| Sparsely Vegetated Conca | ve Surface (B8) | | | ✓ FAC-neutral Test (D5) | |
| Field Observations: | | | | | |
| Surface Water Present? | Yes ● No ○ | Depth (inches): | 3 | | |
| Water Table Present? | Yes ● No ○ | Depth (inches): | | | 3 0 |
| Saturation Present? (includes capillary fringe) | Yes ● No ○ | Depth (inches): | | rology Present? Yes | No |
| | ream gauge, monit | oring well, aerial photos, previ | ous inspections), if avai | able: | |
| | | | | | |
| | | | | | |
| Remarks: | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

VEGETATION - Use scientific names of plants

| (0) | Absolute | Dominant | Indicator | Dominance Test worksheet: | |
|-----------------------------------------------------------|----------|--------------|-----------|----------------------------------------------------------------------------------------------------|--|
| <u>Tree Stratum</u> (Plot size: <u>30</u>) | % Cover | Species? | Status | Number of Dominant Species | |
| 1 _. Fraxinus nigra | 70 | ✓ | FACW | That are OBL, FACW, or FAC:6 (A) | |
| 2 | 0 | | | | |
| 3 | | | | Total Number of Dominant Species Across All Strata: 6 (B) | |
| 4 | | | | Species vieross viii strata. | |
| 5 | | | | Percent of dominant Species | |
| 6 | | | | That Are OBL, FACW, or FAC:100.0% (A/B) | |
| | | | | Prevalence Index worksheet: | |
| 7 | | | | | |
| Sapling/Shrub Stratum (Plot size: 15) | = | = Total Cove | r | Total % Cover of: Multiply by: | |
| 1 Fraxinus nigra | 20 | ✓ | FACW | 0BL speci es <u>40</u> x 1 = <u>40</u> | |
| a there have a | | ✓ | FACW | FACW species x 2 = | |
| | | | -171011 | FAC speci es | |
| 3 | | | | FACU species $0 \times 4 = 0$ | |
| 4 | | | | UPL species x 5 =0 | |
| 5 | | | | | |
| 6 | | | | Column Totals:190 (A)340 (B) | |
| 7 | 0 | | | Prevalence Index = B/A = 1.789 | |
| (Plot size: 5 | 40 | = Total Cove | r | Hydrophytic Vegetation Indicators: | |
| Herb Stratum (Plot size: 5) | | | | ✓ Rapid Test for Hydrophytic Vegetation | |
| 1. Calamagrostis canadensis | 40 | ✓ | OBL | ✓ Dominance Test is > 50% | |
| 2. Impatiens capensis | 20 | ✓ | FACW | | |
| 3. Carex Intumescens | 20 | ✓ | FACW | ✓ Prevalence Index is ≤3.0 ¹ | |
| 4 | | | | Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) | |
| 5 | | | | l — ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' | |
| | | | | ☐ Problematic Hydrophytic Vegetation ¹ (Explain) | |
| 6 | | | | ¹ Indicators of hydric soil and wetland hydrology must | |
| 7 | | | | be present, unless disturbed or problematic. | |
| 8 | | | | Definitions of Vegetation Strata: | |
| 9 | | | | Definitions of Vegetation Strata. | |
| 10 | | | | Tree - Woody plants, 3 in. (7.6 cm) or more in diameter | |
| 11 | 0 | | | at breast height (DBH), regardless of height. | |
| 12 | 0 | | | Sapling/shrub - Woody plants less than 3 in. DBH and | |
| (7) | 80 = | = Total Cove | r | greater than 3.28 ft (1m) tall | |
| Woody Vine Stratum (Plot size: 30) | | _ | | , , | |
| 1 | 0 | | | Herb - All herbaceous (non-woody) plants, regardless of | |
| 2 | 0 | | | size, and woody plants less than 3.28 ft tall. | |
| 3 | 0 | | | Woody vine - All woody vines greater than 3.28 ft in | |
| 4 | 0 | | | neight. | |
| | 0 = | = Total Cove | r | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | Hydrophytic | |
| | | | | Vegetation | |
| | | | | Present? Yes ♥ No ∪ | |
| | | | | | |
| Remarks: (Include photo numbers here or on a separate she | et.) | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Sampling Point: w-50n20w1-c2

^{*}Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: w-50n20w1-c2

| Depth | | Matrix | | | | dox Featu | | | absence of indicators.) | | |
|-------------------------------------------|----------------|-----------|-------------|---------------------------------------------------------------------------------------|------------|-------------|-------------------|------------------------|-----------------------------------------------|-----------------------|--|
| (inches) | Color (| moist) | % | Color (| moist) | % | Type ¹ | Loc2 | Texture | Remarks | |
| 0-3 | 10YR | 3/1 | 100 | | | | | | Silt Loam | | |
| 3-14 | 10YR | 4/2 | 90 | 10YR | 4/6 | 10 | С | M | Silt Loam | | |
| 14-20 | 10YR | 4/2 | 80 | 10YR | 4/6 | 20 | С | M | Silty Clay Loam | | |
| | | - | | | - | | | - | | | |
| | | - | | | - | | | - | - | | |
| | | | | | | | | - | | | |
| | | | | | | | | - | | | |
| | - | - | | | - | | | - | | | |
| | | | | | | | | - | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| n | | | | | | | | | | | |
| | | | | | | _ | | | | | |
| ¹ Type: C=Cor | ncentration. D | =Depletic | n. RM=Red | uced Matrix, | CS=Cover | ed or Coate | ed Sand Gr | ains ² Loca | ation: PL=Pore Lining. M=Ma | ntrix | |
| Hydric Soil | Indicators: | | | | | | | | Indicators for Proble | matic Hydric Soils: 3 | |
| Histosol (| (A1) | | | | | w Surface (| (S8) (LRR F | ₹, | 2 cm Muck (A10) (LRR K, L, MLRA 149B) | | |
| Histic Epi | ipedon (A2) | | | | A 149B) | · (CO) (I | DD D MI | DA 140D) | | (A16) (LRR K, L, R) | |
| Black His | | | | Thin Dark Surface (S9) (LRR R, MLRA 149B) | | | | | 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) | | |
| | n Sulfide (A4) | | | Loamy Mucky Mineral (F1) LRR K, L)Loamy Gleyed Matrix (F2) | | | |) | Dark Surface (S7) (LRR K, L, M) | | |
| | Layers (A5) | | | | - | | , | | Polyvalue Below Surface (S8) (LRR K, L) | | |
| | Below Dark S | | .11) | ✓ Depleted Matrix (F3) ☐ Redox Dark Surface (F6) | | | | | Thin Dark Surface (S9) (LRR K, L) | | |
| | rk Surface (A | | | Depleted Dark Surface (F7) | | | | | Iron-Manganese Masses (F12) (LRR K, L, R) | | |
| Sandy Muck Mineral (S1) | | | | Redox Depressions (F8) | | | | | ☐ Piedmont Floodplain Soils (F19) (MLRA 149B) | | |
| Sandy Gleyed Matrix (S4) Sandy Redox (S5) | | | | | | | | | Mesic Spodic (TA6) (MLRA 144A, 145, 149B) | | |
| Stripped Matrix (S6) | | | | | | | | | Red Parent Materia | • • | |
| Dark Surface (S7) (LRR R, MLRA 149B) | | | | | | | Very Shallow Dark | | | | |
| | of hydrophytic | | | nd budsologu | mount be a | nrocont un | اممم طامعانیتا | and or probl | Other (Explain in R | emarks) | |
| | | | n and wella | na nyarology | must be p | present, un | iless disturi | bea or probl | lematic. | | |
| Restrictive L | ayer (if obs | erved): | | | | | | | | | |
| Type: | 1 | | | | | | | | Hydric Soil Present? | Yes ● No ○ | |
| Depth (inc | ches): | | | | | | | | , | 103 0 110 0 | |
| Remarks: | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |