WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: RSA 22	City/County:	St. Louis		Sampling Date:	13-Sep-17	
Applicant/Owner: Enbridge		State: MN	Sampling	Point: w-	w-50n20w1-e2	
Investigator(s): DPT	Section, T	ownship, Range: S	1 т.	50N	R. 20W	
Landform (hillslope, terrace, etc.): Lowland	Local relief (c	oncave, convex, no	ne): concave	Slope	e:0.0 % / 0.0 °	
Subregion (LRR or MLRA): LRR K	Lat.: 46 50.2656	Long.:	-92 48.5346	C	Datum: NAD 83	
Soil Map Unit Name: 1020A			NWI classi	ication: PSSB		
	ificantly disturbed? urally problematic?	Are "Normal C (If needed, ex		present? Yes ers in Remarks.)		
Hydrophytic Vegetation Present?YesNoHydric Soil Present?YesNoWetland Hydrology Present?YesNo		e Sampled Area n a Wetland?	Yes 🖲 No 🕻)		
Remarks: (Explain alternative procedures here or in a separat	te report.)					

Hydrology

	Secondary Indicators (minimum of 2 required)					
check all that apply)	Surface Soil Cracks (B6)					
Water-Stained Leaves (B9)	Drainage Patterns (B10)					
Aquatic Fauna (B13)	Moss Trim Lines (B16)					
Marl Deposits (B15)	Dry Season Water Table (C2)					
Hydrogen Sulfide Odor (C1)	Crayfish Burrows (C8)					
Oxidized Rhizospheres along Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)					
	FAC-neutral Test (D5)					
Depth (inches):4						
Depth (inches): 0						
Wetland Hy Depth (inches): 0	drology Present? Yes 🖲 No 🔾					
(includes capillary fringe) Tes V NO V Depth (inclus)O Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:						
	Water-Stained Leaves (B9) Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Roots (C3) Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils (C6) Thin Muck Surface (C7) Other (Explain in Remarks) Depth (inches): 0 Depth (inches): 0 Wetland Hy					

VEGETATION - Use scientific names of plants

VEGETATION - Use scientific names of plan	Sampling Point: w-50n20w1-e2			
	Absolute		Indicator	Dominance Test worksheet:
Tree Stratum (Plot size: 30)	% Cover	Species?	Status	Number of Dominant Species
1				That are OBL, FACW, or FAC: (A)
2				Total Number of Dominant
3	0			Species Across All Strata:4(B)
4	0			
5	0			Percent of dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)
6	0			
7	0			Prevalence Index worksheet:
Sapling/Shrub Stratum (Plot size: 15)	0 =	Total Cover		Total % Cover of: Multiply by:
A Alexandra and a second	40		FACW	OBL species <u>10</u> x 1 = <u>10</u>
1. Alnus incana	20		FACW	FACW species80 x 2 =160
2. Salix petiolaris			FACW	FAC species
3				FACU species $0 \times 4 = 0$
4				UPL species $0 \times 5 = 0$
5				Column Totals: <u>160</u> (A) <u>380</u> (B)
6				
7				Prevalence Index = $B/A = 2.375$
Herb Stratum (Plot size: 5)	60 =	Total Cover		Hydrophytic Vegetation Indicators:
	70	\checkmark	FAC	Rapid Test for Hydrophytic Vegetation
		\checkmark	FACW	\checkmark Dominance Test is > 50%
			OBL	V Prevalence Index is \leq 3.0 ¹
0:				Morphological Adaptations ¹ (Provide supporting
4				data in Remarks or on a separate sheet)
5				Problematic Hydrophytic Vegetation ¹ (Explain)
6				¹ Indicators of hydric soil and wetland hydrology must
7				be present, unless disturbed or problematic.
8				Definitions of Vegetation Strata:
9				_
10				Tree - Woody plants, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
11				a breast height (DDH), regardless of height.
12		Total Cover		Sapling/shrub - Woody plants less than 3 in. DBH and
_Woody Vine Stratum (Plot size: <u>30</u>)				greater than 3.28 ft (1m) tall
1	0			Herb - All herbaceous (non-woody) plants, regardless of
2	0			size, and woody plants less than 3.28 ft tall.
3	0			Woody vine - All woody vines greater than 3.28 ft in
4	0			height.
	0 =	Total Cover		
				Hydrophytic
				Vegetation Present? Yes • No ·
Remarks: (Include photo numbers here or on a separate she	et)			

* Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

US Army Corps of Engineers

Profile Descr	ription: (Des	cribe to	the depth	needed to docume	nt the indic	cator or co	onfirm the a	absence of indicators.)	
Depth (inchos)		Matrix			edox Featu			- <u> </u>	- .
(inches)	Color (r		<u>%</u>	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-12	10YR	2/1	100					Muck	
12-20	10YR	3/1	90	10YR 4/4	10	C	М	Sandy Loam	
			-						
			-						
			-						
			-						
						_			
		Doplatia	DM Dod	lucod Matrix CS Cove	rod or Coat	od Sand Cr		tion: DL Doro Liping M Mat	r hy
		=Depietio	n. Rivi=Red	luced Matrix, CS=COVE	ered of Coat	eu sanu Gra	ains ~Loca	ation: PL=Pore Lining. M=Mat	
Hydric Soil 1								Indicators for Problem	natic Hydric Soils : 3
Histosol (Polyvalue Bel MLRA 149B)	ow Surface	(S8) (LRR F		2 cm Muck (A10) (L	RR K, L, MLRA 149B)
	pedon (A2)			Thin Dark Su	rface (S9) (A 149B)	Coast Prairie Redox	(A16) (LRR K, L, R)
Black Hist				Loamy Mucky				5 cm Mucky Peat or	Peat (S3) (LRR K, L, R)
	n Sulfide (A4)			Loamy Gleye				Dark Surface (S7) (I	LRR K, L, M)
	Layers (A5)			Depleted Mat)		Polyvalue Below Sur	face (S8) (LRR K, L)
	Below Dark S		.11)	Redox Dark S				Thin Dark Surface (S	59) (LRR K, L)
	k Surface (A1	•		Depleted Dark		7)		Iron-Manganese Ma	sses (F12) (LRR K, L, R)
	uck Mineral (S			Redox Depre		/)		Piedmont Floodplain	Soils (F19) (MLRA 149B)
	eyed Matrix (S	54)			3310113 (1 0)			Mesic Spodic (TA6)	(MLRA 144A, 145, 149B)
Sandy Re								Red Parent Material	(F21)
	Matrix (S6)							Very Shallow Dark S	urface (TF12)
Dark Surf	face (S7) (LRR	R, MLRA	A 149B)					Other (Explain in Re	marks)
³ Indicators of	f hydrophytic	vegetatio	on and wetla	and hydrology must be	e present, ur	nless disturb	ed or proble	ematic.	
Restrictive L							•		
	ayei (ii obse	erveu).							
Type:	h)							Hydric Soil Present?	Yes 🔍 No 🔾
Depth (inc	ines):							•	
Remarks:									