WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

| Project/Site: RSA 22 | City/County: St. Lou | is | Sampling Date: 13-Sep-17 |
|---|---|------------------------|--|
| Applicant/Owner: Enbridge | | State: MN Sam | pling Point: w-50n20w2-a3 |
| Investigator(s): SMR | Section, Township | o, Range: S. 2 | T. 50N R. 20W |
| Landform (hillslope, terrace, etc.): Lowland | | convex, none): cond | cave Slope: 0.0 % / 0.0 ° |
| Subregion (LRR or MLRA): LRR K | Lat.: 46 51.1016 | Long.: -92 49.9 | 915 Datum: NAD 83 |
| Soil Map Unit Name: B124A | | NWI c | lassification: N/A |
| Are climatic/hydrologic conditions on the site t | cypical for this time of year? Yes | o (If no, expl | ain in Remarks.) |
| Are Vegetation , Soil , or Hydro | . – | e "Normal Circumstan | · |
| Are Vegetation , Soil , or Hydro | | needed, explain any a | • |
| Summary of Findings - Attach sit | • | | · |
| Hydrophytic Vegetation Present? Yes • | No O | | |
| Hydric Soil Present? Yes Yes | No Street Is the Sampl within a Wet | | No O |
| Wetland Hydrology Present? | No O | idhur | |
| Remarks: (Explain alternative procedures he | re or in a senarate report.) | | |
| Hydrology | | | |
| Wetland Hydrology Indicators: | | | ndicators (minimum of 2 required) |
| Primary Indicators (minimum of one required | | | Soil Cracks (B6) |
| Surface Water (A1) High Water Table (A2) | Water-Stained Leaves (B9)☐ Aquatic Fauna (B13) | | e Patterns (B10) im Lines (B16) |
| Saturation (A3) | Marl Deposits (B15) | | im Lines (B16) son Water Table (C2) |
| Water Marks (B1) | Hydrogen Sulfide Odor (C1) | | Burrows (C8) |
| Sediment Deposits (B2) | Oxidized Rhizospheres along Living Roots (| | on Visible on Aerial Imagery (C9) |
| ☐ Drift deposits (B3) | Presence of Reduced Iron (C4) | | or Stressed Plants (D1) |
| Algal Mat or Crust (B4) | Recent Iron Reduction in Tilled Soils (C6) | ✓ Geomor | phic Position (D2) |
| Iron Deposits (B5) | Thin Muck Surface (C7) | | Aquitard (D3) |
| Inundation Visible on Aerial Imagery (B7) | Other (Explain in Remarks) | | pographic Relief (D4) |
| Sparsely Vegetated Concave Surface (B8) | | ▼ FAC-net | utral Test (D5) |
| Field Observations: Surface Water Present? Yes No No | | | |
| | Depth (inches):0 | | |
| Water Table Present? Yes No • | Depth (inches): 0 | land Hydrology Prese | nt? Yes • No O |
| Saturation Present? (includes capillary fringe) Yes No | Depth (inches):0 | | iit: 100 - 110 |
| Describe Recorded Data (stream gauge, moni | toring well, aerial photos, previous inspectior | s), if available: | |
| Remarks: | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

VEGETATION - Use scientific names of plants

| VEGETATION - USE SCIENTIFIC Harries of | piants | | | Sampling Point: w-50n20w2-a3 | | | |
|--|---------------|--------------|-----------|--|--|--|--|
| (Dist. 2 20) | Absolute | Dominant | Indicator | Dominance Test worksheet: | | | |
| Tree Stratum (Plot size: 30) | % Cover | Species? | Status | Number of Dominant Species | | | |
| 1 Fraxinus nigra | | ✓ | FACW | That are OBL, FACW, or FAC:6(A) | | | |
| 2. Ulmus americana | | ✓ | FACW | Total Number of Dominant | | | |
| 3. Populus tremuloides | | | FACU | Species Across All Strata:6(B) | | | |
| 4 | | | | Demonstrate description of Consider | | | |
| 5 | | | | Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B) | | | |
| 6 | | | | | | | |
| 7 | | | | Prevalence Index worksheet: | | | |
| Sapling/Shrub Stratum (Plot size: 15) | = Total Cover | | | Total % Cover of: Multiply by: OBL species 70 x 1 = 70 | | | |
| 1. Fraxinus nigra | 20 | ✓ | FACW | | | | |
| 2. Spiraea alba | | ~ | FACW | FACW species x 2 = | | | |
| 3 | | | | FAC speciles x 3 =0 | | | |
| 4 | | | | FACU species $\frac{10}{10}$ x 4 = $\frac{40}{10}$ | | | |
| 5 | | | | UPL speci es $0 \times 5 = 0$ | | | |
| 6 | | | | Column Totals: 230 (A) 410 (B) | | | |
| 7 | | | | Prevalence Index = B/A = 1.783 | | | |
| Herb Stratum (Plot size: 5) | | | | Hydrophytic Vegetation Indicators: | | | |
| | | | | ✓ Rapid Test for Hydrophytic Vegetation | | | |
| 1. Calamagrostis canadensis | | ✓ | OBL | ✓ Dominance Test is > 50% | | | |
| 2. Onoclea sensibilis | | ~ | FACW | ✓ Prevalence Index is ≤3.0 ¹ | | | |
| 3 | | | | Morphological Adaptations ¹ (Provide supporting | | | |
| 4 | | | | data in Remarks or on a separate sheet) | | | |
| 5 | | | | Problematic Hydrophytic Vegetation ¹ (Explain) | | | |
| 6 | | | | 1 | | | |
| 7 | | | | Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. | | | |
| 8 | | | | | | | |
| 9 | | | | Definitions of Vegetation Strata: | | | |
| 0 | | | | Tree - Woody plants, 3 in. (7.6 cm) or more in diameter | | | |
| 1 | | | | at breast height (DBH), regardless of height. | | | |
| 2 | | | | Sapling/shrub - Woody plants less than 3 in. DBH and | | | |
| Woody Vine Stratum (Plot size: 30) | 100 = | = Total Cove | r | greater than 3.28 ft (1m) tall | | | |
| 1 | 0 | | | Herb - All herbaceous (non-woody) plants, regardless of | | | |
| 2 | 0 | | | size, and woody plants less than 3.28 ft tall. | | | |
| 3 | 0 | | | Woody vine - All woody vines greater than 3.28 ft in | | | |
| 4 | 0 | | | height. | | | |
| | 0 = | = Total Cove | r | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | Hydrophytic Vegetation Present? Yes No | | | |
| | | | | Present? Yes No O | | | |
| Remarks: (Include photo numbers here or on a separate | sheet \ | | | | | | |
| Remarks. (Include prioto numbers here of on a separate | . Silectif | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

^{*}Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: w-50n20w2-a3

| Depth | .paon. (De | Matrix | aic aeptii | ccaea to | | dox Featu | | iii tile | absence of indicators.) | | | |
|---------------------------|--------------------------------------|-------------|-------------|--------------|-------------|----------------------------|--------------|------------------------|-------------------------------------|--------------------------------------|--|--|
| (inches) | Color | (moist) | % | Color | (moist) | % | Type 1 | Loc2 | Texture | Remarks | | |
| 0-6 | 10YR | 3/2 | 100 | | | | | | Silt Loam | | | |
| 6-20 | 10YR | 4/1 | 80 | 10YR | 4/4 | 20 | С | М | Silt Loam | | | |
| | - | | | E- | _ | | | - | | | | |
| | - | - | | - | - | | | | - | | | |
| | | | | | | | | | · | | | |
| | | | | | | | | | | | | |
| | | _ | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | - | | | | | | | | |
| | | | | - | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| ¹ Type: C=Con | centration. [| D=Depletio | n. RM=Red | uced Matrix, | CS=Cover | ed or Coate | ed Sand Gra | ains ² Loca | ation: PL=Pore Lining. M=Ma | atrix | | |
| Hydric Soil | Indicators: | | | | | | | | Indicators for Proble | ematic Hydric Soils: 3 | | |
| Histosol (| (A1) | | | | | w Surface (| (S8) (LRR F | Ρ, | | LRR K, L, MLRA 149B) | | |
| Histic Epi | pedon (A2) | | | | RA 149B) | | | | | x (A16) (LRR K, L, R) | | |
| ☐ Black His | tic (A3) | | | _ | | ace (S9) (l | | | | or Peat (S3) (LRR K, L, R) | | |
| Hydroger | Sulfide (A4) |) | | | | Mineral (F1 | | | Dark Surface (S7) | | | |
| Stratified | Layers (A5) | | | | | Matrix (F2) | | | | urface (S8) (LRR K, L) | | |
| | Below Dark | | 11) | | leted Matri | | | | ☐ Thin Dark Surface (S9) (LRR K, L) | | | |
| | k Surface (A | | | _ | lox Dark Su | | 7) | | | asses (F12) (LRR K, L, R) | | |
| Sandy Mu | uck Mineral (| (S1) | | | | Surface (F | /) | | | in Soils (F19) (MLRA 149B) | | |
| _ | eyed Matrix | (S4) | | □ Red | lox Depress | sions (F8) | | | |) (MLRA 144A, 145, 149B) | | |
| Sandy Re | | | | | | | | | Red Parent Materia | al (F21) | | |
| | Matrix (S6) | | | | | | | | Very Shallow Dark Surface (TF12) | | | |
| ☐ Dark Surf | Dark Surface (S7) (LRR R, MLRA 149B) | | | | | Other (Explain in Remarks) | | | | | | |
| ³ Indicators o | f hydrophyti | c vegetatio | n and wetla | nd hydrolog | y must be j | present, un | less disturb | ed or probl | lematic. | | | |
| Restrictive L | ayer (if ob | served): | | | | | | | | | | |
| Type: | | | | | | | | | | | | |
| Depth (inc | :hes): | | | | | | | | Hydric Soil Present? | Yes $lacktriangle$ No $lacktriangle$ | | |
| Remarks: | | | | | | | | | | | | |
| Nomans. | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |