WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: RSA 22	City/County: St. Louis	Sampling Date: 11-Sep-17
Applicant/Owner: Enbridge	State: MN	Sampling Point: w-51n20w20-a3
Investigator(s): PJK	Section, Township, Range:	S. 20 T. 51N R. 20W
Landform (hillslope, terrace, etc.): Lowland	Local relief (concave, convex, n	
Subregion (LRR or MLRA): LRR K	Lat.: 46 52.9023 Long	Datum: NAD 83
Soil Map Unit Name: B102A		NWI classification: PFO4B
Are climatic/hydrologic conditions on the site typic	cal for this time of year?	(If no, explain in Remarks.)
Are Vegetation, Soil, or Hydrolog		Circumstances" present? Yes No
Are Vegetation , Soil , or Hydrolog		explain any answers in Remarks.)
- , - , .	map showing sampling point location	
Hydrophytic Vegetation Present? Yes N	No O	· · · · · · · · · · · · · · · · · · ·
	Is the Sampled Area within a Wetland?	Yes No
,	No O	103 - 110 -
Remarks: (Explain alternative procedures here o		
Hydrology Wetland Hydrology Indicators:		Co
Primary Indicators (minimum of one required; ch	hock all that anniv	Secondary Indicators (minimum of 2 required)
Surface Water (A1)	Water-Stained Leaves (B9)	Surface Soil Cracks (B6) Drainage Patterns (B10)
✓ High Water Table (A2)	Aquatic Fauna (B13)	Moss Trim Lines (B16)
Saturation (A3)	Marl Deposits (B15)	Dry Season Water Table (C2)
Water Marks (B1)	Hydrogen Sulfide Odor (C1)	Crayfish Burrows (C8)
Sediment Deposits (B2)	Oxidized Rhizospheres along Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)
Drift deposits (B3)	Presence of Reduced Iron (C4)	Stunted or Stressed Plants (D1)
Algal Mat or Crust (B4) Iron Deposits (B5)	Recent Iron Reduction in Tilled Soils (C6)	✓ Geomorphic Position (D2) Shallow Aquitard (D3)
Inundation Visible on Aerial Imagery (B7)	☐ Thin Muck Surface (C7) ☐ Other (Explain in Remarks)	☐ Shallow Aquitard (D3) ☐ Microtopographic Relief (D4)
Sparsely Vegetated Concave Surface (B8)	Utilet (Explain in Remarks)	FAC-neutral Test (D5)
Field Observations:		
Surface Water Present? Yes No •	Depth (inches):0	
Water Table Present? Yes • No •	Depth (inches): 2	
Saturation Present? (includes capillary fringe) Yes • No	Depth (inches): 0	rology Present? Yes No
	ing well, aerial photos, previous inspections), if avail	lable:
Remarks:		

VEGETATION - Use scientific names of plants

vederation - ose scientific fiames of pr	ants			Sampling Point: w-51n20w20-a3
(8) -1 - 20	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot size: 30)	% Cover	Species?	Status	Number of Dominant Species
1. Picea mariana	60	✓	FACW	That are OBL, FACW, or FAC:5 (A)
2. Larix laricina	40	✓	FACW	T. I.N. J. CD. J. J.
3	0			Total Number of Dominant Species Across All Strata: 5 (B)
4	0			
5		Ē		Percent of dominant Species
6		\Box		That Are OBL, FACW, or FAC: 100.0% (A/B)
7		\Box		Prevalence Index worksheet:
7:		= Total Cove		Total % Cover of: Multiply by:
Sapling/Shrub Stratum (Plot size: 15)		= Total Cove	r	
1 Alnus incana	10	✓	FACW	
2		Ä		FACW species110 x 2 =220
3		H		FAC species $0 \times 3 = 0$
				FACU species x 4 =0
4			-	UPL species $0 \times 5 = 0$
5			-	Column Totals: 180 (A) 290 (B)
6				
7				Prevalence Index = B/A = 1.611
Herb Stratum (Plot size: 5	10=	= Total Cove	r	Hydrophytic Vegetation Indicators:
				✓ Rapid Test for Hydrophytic Vegetation
1. Chamaedaphne calyculata		~	OBL	✓ Dominance Test is > 50%
2. Carex stricta		~	OBL	✓ Prevalence Index is ≤3.0 ¹
3				Morphological Adaptations ¹ (Provide supporting
4	0			data in Remarks or on a separate sheet)
5	0			Problematic Hydrophytic Vegetation ¹ (Explain)
6				
7				Indicators of hydric soil and wetland hydrology must
8				be present, unless disturbed or problematic.
9				Definitions of Vegetation Strata:
0		$\overline{\Box}$		Tree Meady plants 2 in (7.6 cm) or more in diameter
11				Tree - Woody plants, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
12				
12	-	 = Total Cove		Sapling/shrub - Woody plants less than 3 in. DBH and
Woody Vine Stratum (Plot size: 30		- Total Cove	1	greater than 3.28 ft (1m) tall
1	0			Herb - All herbaceous (non-woody) plants, regardless of
2	0	$\overline{\Box}$		size, and woody plants less than 3.28 ft tall.
3		\Box	-	
		\Box	-	Woody vine - All woody vines greater than 3.28 ft in height.
4				neight.
		= Total Cove	r	
				Hadanahada
				Hydrophytic Vegetation
				Present? Yes No
Remarks: (Include photo numbers here or on a separate s	heet.)			
, , , , , , , , , , , , , , , , , , , ,	•			

^{*}Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: w-51n20w20-a3

Depth (inches) Matrix (inches) Redox Features Loc² Texture Remarks 0-24 10YR 2/2 100 Peat
0-24 10YR 2/2 100 Peat
¹ Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ² Location: PL=Pore Lining. M=Matrix
Hydric Soil Indicators: Indicators for Problematic Hydric Soils: 3
✓ Histosol (A1) Polyvalue Below Surface (S8) (LRR R, 2 cm Muck (A10) (LRR K, L, MLRA 149B)
Histic Epipedon (A2) This Police Coast Prairie Redox (A16) (LRR K. L. R)
Black Histic (A3) Black Histic (A3) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
Dark Surface (S7) (LRR K, L, M)
Polyvalue Below Surface (S8) (LRR K. L)
Thin Dark Surface (SP) (LRR K, L)
Thick Dark Surface (A12) Sandy Muck Mineral (S1) Redox Dark Surface (F6) Iron-Manganese Masses (F12) (LRR K, L, R) Pledmont Floodplain Soils (F10) (MLRA 140R)
Redox Depressions (F8) Redox Depressions (F8)
Mesic Spodic (TA6) (MLRA 144A, 145, 149B)
Red Falent Material (121)
P. L. C. C. (CT) (LDD MIDA (LDD)
Utilei (Explain in Remains)
³ Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.
Restrictive Layer (if observed):
Type:
Depth (inches): Hydric Soil Present? Yes • No
Remarks: