WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: RSA 22				City/County:	St. Louis		Sampl	ing Date: 11-Sep-17
Applicant/Owner: Enbridge					State: MN	l	Sampling Point:	w-51n20w21-e1
Investigator(s): PJK				Section, To	ownship, Range:	s. 2		R. 20W
Landform (hillslope, terrace	, etc.): L	owland		Local relief (c	oncave, convex, n	one)): concave	Slope: 0.0 % / 0.0 °
Subregion (LRR or MLRA):	I RR K		Lat.:	46 52.9121	Lond	1.: -	92 52.4528	Datum: NAD 83
Soil Map Unit Name: B143				10 02.7121		_	NWI classification:	
				- V-	s • No O	_		
Are climatic/hydrologic con		-				•	no, explain in Remar	·
Are Vegetation, So	il □ ,	or Hydrol	ogy 🗌 significant	tly disturbed?	Are "Normal	Circ	umstances" present?	yes ● No ○
Are Vegetation $\ \ \ \ \ \ \ $, So	il 🗌 ,	or Hydrol	ogy 🗌 naturally p	problematic?	(If needed,	expla	ain any answers in Ro	emarks.)
Summary of Finding				sampling p	oint location	ıs, t	ransects, impo	ortant features, etc
Hydrophytic Vegetation Pro		Yes 💿	No O					
Hydric Soil Present?		Yes	No O		e Sampled Area n a Wetland?	Ye	es 💿 No 🔾	
Wetland Hydrology Presen	t?	Yes	No O					
Hydrology Wetland Hydrology Indica						_		
Primary Indicators (minim		required:	chack all that apply)			Sec	ondary Indicators (mini	
Surface Water (A1)	uni oi one	requireu,	Water-Stained Lea	nyos (PO)		H	Surface Soil Cracks (Bo Drainage Patterns (B10	
✓ High Water Table (A2)			Aquatic Fauna (B1				Moss Trim Lines (B16)	
Saturation (A3)			Marl Deposits (B15				Dry Season Water Tab	
☐ Water Marks (B1)			Hydrogen Sulfide	Odor (C1)			Crayfish Burrows (C8)	
Sediment Deposits (B2)			Oxidized Rhizosph	eres along Living	Roots (C3)		Saturation Visible on A	erial Imagery (C9)
Drift deposits (B3)			Presence of Reduc	ced Iron (C4)			Stunted or Stressed Pl	ants (D1)
Algal Mat or Crust (B4)			Recent Iron Reduc	ction in Tilled Soi	ls (C6)	✓	Geomorphic Position (D2)
Iron Deposits (B5)		(DZ)	Thin Muck Surface	• •			Shallow Aquitard (D3)	. (= 1)
Inundation Visible on AerSparsely Vegetated Conce	0 3		Other (Explain in F	Remarks)			Microtopographic Relie FAC-neutral Test (D5)	:f (D4)
sparsely vegetated conta	ive surface	(66)				•	FAC-neutral Test (D5)	
Field Observations:								
Surface Water Present?	Yes	No O	Depth (inches):	5				
Water Table Present?	Yes	No O	Depth (inches):	0	W-4		Non-	● No ○
Saturation Present? (includes capillary fringe)	Yes •	No O	Depth (inches):	0	Wetland Hydi	rolog	y Present? 1es	
Describe Recorded Data (s	tream gau	ge, monito	oring well, aerial photo	os, previous ins	spections), if avai	lable	:	
Remarks:								

VEGETATION - Use scientific names of plants

VEGETATION - OSE SCIENTIFIC Harries of pr	Sampling Point: w-51n20w21-e1			
(0) 20	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot size: 30)	% Cover	Species?	Status	Number of Dominant Species
1	0			That are OBL, FACW, or FAC:4 (A)
2	0			THIN I GO THE
3	0			Total Number of Dominant Species Across All Strata: 4 (B)
4				
5				Percent of dominant Species
6				That Are OBL, FACW, or FAC: 100.0% (A/B)
				Prevalence Index worksheet:
7				
Sapling/Shrub Stratum (Plot size: 15)		= Total Cove	r	Total % Cover of: Multiply by:
1. Salix petiolaris	30	✓	FACW	OBL speci es x 1 =60
2. Salix bebbiana	10	✓	FACW	FACW species $\underline{60}$ x 2 = $\underline{120}$
O. Almus Income		✓	FACW	FAC species25 x 3 =75
			-171011	FACU species x 4 =0
4				UPL species $0 \times 5 = 0$
5				Column Totals: 145 (A) 255 (B)
6				
7				Prevalence Index = B/A = 1.759
Herb Stratum (Plot size: 5)	50 =	= Total Cove	r	Hydrophytic Vegetation Indicators:
neib Stratum (Fiotolica)		_		Rapid Test for Hydrophytic Vegetation
1. Equisetum hyemale	15		FAC	✓ Dominance Test is > 50%
2. Solidago gigantea	10		FACW	✓ Prevalence Index is ≤3.0 ¹
3. Panicum capillare	10		FAC	
4. Calamagrostis canadensis	10		OBL	Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)
5. Typha x glauca	50	✓	OBL	Problematic Hydrophytic Vegetation ¹ (Explain)
6				
7				¹ Indicators of hydric soil and wetland hydrology must
8				be present, unless disturbed or problematic.
				Definitions of Vegetation Strata:
9				_
0				Tree - Woody plants, 3 in. (7.6 cm) or more in diameter
1				at breast height (DBH), regardless of height.
2				Sapling/shrub - Woody plants less than 3 in. DBH and
Woody Vine Stratum (Plot size: 30)	95 =	= Total Cove	r	greater than 3.28 ft (1m) tall
1			-	Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
2				size, and woody plants less than 5.20 it tail.
3	0			Woody vine - All woody vines greater than 3.28 ft in
4				height.
	0 =	= Total Cove	r	
				Hydrophytic
				Vegetation Present? Yes No
				Present? Yes No V
Remarks: (Include photo numbers here or on a separate s	heet.)			

^{*}Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: w-51n20w21-e1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)										
Depth Matrix				dox Featu			_			
(inches)	Color (moist)		Color (moist)	%_	Type ¹	Loc ²	Texture	Remarks		
0-6	10YR 3/2	90	10YR 3/6	10	С	M	Loamy Sand			
							-			
1 Type: C=Con	centration. D=Deple	— ——— tion. RM=Redu	ced Matrix, CS=Cover	ed or Coate	ed Sand Gr	ains ² Loca	ation: PL=Pore Lining, M=Ma	atrix		
¹ Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ² Location: PL=Pore Lining. M=Matrix Hydric Soil Indicators: Indicators for Problematic Hydric Soile: ³										
Histosol (Polyvalue Belo	w Surface	(SQ) (LDD I	0		matic Hydric Soils: 3		
· — ·	pedon (A2)		MLRA 149B)	w Surface	(30) (LKK	Χ,		LRR K, L, MLRA 149B)		
Black Hist			Thin Dark Surf	ace (S9) (I	LRR R, MLI	RA 149B)		(A16) (LRR K, L, R)		
	n Sulfide (A4)		Loamy Mucky Mineral (F1) LRR K, L)				5 cm Mucky Peat or Peat (S3) (LRR K, L, R)			
	Layers (A5)		Loamy Gleyed	Matrix (F2))		Dark Surface (S7)			
	Below Dark Surface	(A11)	Depleted Matrix (F3)				☐ Polyvalue Below Surface (S8) (LRR K, L)			
	k Surface (A12)	(111)	Redox Dark Su	rface (F6)			☐ Thin Dark Surface (S9) (LRR K, L)			
	uck Mineral (S1)		Depleted Dark	Surface (F	7)		☐ Iron-Manganese Masses (F12) (LRR K, L, R)			
	eyed Matrix (S4)		Redox Depress	ions (F8)				n Soils (F19) (MLRA 149B)		
Sandy Re							☐ Mesic Spodic (TA6) (MLRA 144A, 145, 149B)			
	Matrix (S6)						Red Parent Material (F21) Very Shallow Dark Surface (TF12)			
	face (S7) (LRR R, ML	RA 149B)								
							Other (Explain in R	emarks)		
Indicators of	f hydrophytic vegeta	tion and wetlar	nd hydrology must be p	oresent, un	ıless distur	bed or probl	ematic.			
Restrictive L	ayer (if observed)	•								
Type: <u>rc</u>	ock									
Depth (inc	hes): _6						Hydric Soil Present?	Yes ● No ○		
Remarks:							+			