WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: RSA 22	City/County: St. Louis	Sampling Date: 12-Sep-17
Applicant/Owner: Enbridge	State: MN	Sampling Point: w-51n20w27-e1
Investigator(s): PJK	Section, Township, Range: S	T. 51N R. 20W
Landform (hillslope, terrace, etc.): Lowland	Local relief (concave, convex, no	
Subregion (LRR or MLRA): LRR K	Lat.: 46 52.2689 Long.	∴ -92 51.6883 Datum: NAD 83
Soil Map Unit Name: B107A	_	NWI classification: N/A
Are climatic/hydrologic conditions on the site typical for this	time of year? Yes No	(If no, explain in Remarks.)
	•	Circumstances" present? Yes No
Are Vegetation , Soil , or Hydrology n		xplain any answers in Remarks.)
Summary of Findings - Attach site map sho	,	
Hydrophytic Vegetation Present? Yes No		
Hydric Soil Present? Yes ● No ○	Is the Sampled Area within a Wetland?	Yes No
Wetland Hydrology Present? Yes ● No ○	Within a Within a	
Hydrology Wetland Hydrology Indicators:		Secondary Indicators (minimum of 2 required)
Primary Indicators (minimum of one required; check all tha	ut apply)	Surface Soil Cracks (B6)
	Stained Leaves (B9)	Drainage Patterns (B10)
	Fauna (B13) posits (B15)	Moss Trim Lines (B16) Dry Season Water Table (C2)
	en Sulfide Odor (C1)	Crayfish Burrows (C8)
I no injurity	d Rhizospheres along Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)
	te of Reduced Iron (C4)	Stunted or Stressed Plants (D1)
	Iron Reduction in Tilled Soils (C6)	Geomorphic Position (D2)
Iron Deposits (B5)	uck Surface (C7)	Shallow Aquitard (D3)
	Explain in Remarks)	Microtopographic Relief (D4)
Sparsely Vegetated Concave Surface (B8)		FAC-neutral Test (D5)
Field Observations:		
	(inches):10	
·	(inches):0 Wetland Hydro	ology Present? Yes No
(includes capillary fringe)	(inches): 0	
Describe Recorded Data (stream gauge, monitoring well, ae	rial photos, previous inspections), if availa	able:
Remarks:		

VEGETATION - Use scientific names of plants

(5)	Absolute		Indicator	Dominance Test worksheet:
Tree Stratum (Plot size: 30)	% Cover	Species?	Status	Number of Dominant Species
1	0			That are OBL, FACW, or FAC:5(A)
2	0			
3				Total Number of Dominant Species Across All Strata: 5 (B)
4				Species Across Air Strata.
5				Percent of dominant Species
				That Are OBL, FACW, or FAC:100.0% (A/B)
6				Burnel and Tarker and the second seco
7				Prevalence Index worksheet:
Sapling/Shrub Stratum (Plot size: 15	=	= Total Cove	•	Total % Cover of: Multiply by:
A Allows to a second	20	✓	FACW	0BL speci es x 1 =
- 0 " " " "		✓	FACW	FACW species <u>80</u> x 2 = <u>160</u>
•				FAC species x 3 =0
3				FACU species $0 \times 4 = 0$
4				UPL species x 5 =0
5				Column Totals: 130 (A) 210 (B)
6				
7	0			Prevalence Index = B/A = 1.615
Herb Stratum (Plot size: 5)	40=	= Total Cove	•	Hydrophytic Vegetation Indicators:
		_		Rapid Test for Hydrophytic Vegetation
1. Typha x glauca	30	✓	OBL	✓ Dominance Test is > 50%
2. Phalaris arundinacea	20	✓	FACW	✓ Prevalence Index is ≤3.0 ¹
3. Solidago gigantea	15		FACW	
4. Symphyotrichum novae-angliae	5		FACW	Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)
5. Carex lacustris	20	✓	OBL	Problematic Hydrophytic Vegetation ¹ (Explain)
6	0_			
7				Indicators of hydric soil and wetland hydrology must
8				be present, unless disturbed or problematic.
9				Definitions of Vegetation Strata:
10				Tree Meady plants 2 in (7.6 cm) or more in diameter
11				Tree - Woody plants, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
				at 2 out in signt (2 2) 1/1, regulations of meight
12		 _ Tatal Causa		Sapling/shrub - Woody plants less than 3 in. DBH and
Woody Vine Stratum (Plot size: _30)	90 =	= Total Cove		greater than 3.28 ft (1m) tall
1	0			Herb - All herbaceous (non-woody) plants, regardless of
2	0			size, and woody plants less than 3.28 ft tall.
	0			
3	0			Woody vine - All woody vines greater than 3.28 ft in
4				height.
		= Total Cove		
				Undersalis
				Hydrophytic Vegetation
				Present? Yes No O
Remarks: (Include photo numbers here or on a separate she	et.)			
(,			

Sampling Point: w-51n20w27-e1

^{*}Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: w-51n20w27-e1

Depth (inches) Matrix Redoctree York Type of the control of the
0-10 10YR 3/2 90 10YR 3/6 10 C M Sandy Loam
10-20
1 Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains 2Location: PL=Pore Lining. M=Matrix
Historial (A1) Debuglius Polow Surface (S0) (LDD D
MLRA 149B) DESCRIPTION (A2) MLRA 149B)
Thin Dark Surface (S9) (LRR R, MLRA 149B)
Loamy Mucky Mineral (F1) LRR K, L)
☐ Trydrogen Surface (AF) ☐ Loamy Gleyed Matrix (F2) ☐ Dark Surface (S7) (LRR K, L, M)
Depleted Relaw Dark Surface (A11) Depleted Matrix (F3)
Thick Dark Surface (A12) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L)
Depleted Dark Surface (F7)
Sandy Muck Williel (S1) Redox Depressions (F8) Redox Depressions (F8)
Condu Deday (CE)
Ctripped Metrix (C/)
Dork Curfoce (CT) (LDD D. MLDA 140D)
Utilet (Explain in Kentaks)
³ Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.
Restrictive Layer (if observed):
Type:
Depth (inches): Hydric Soil Present? Yes • No •
Remarks: