WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

| Project/Site: RSA 22 | City/County: | St. Louis | | Sampli | ing Date: 11-Sep-17 |
|--|---|--------------------------------|---------------------------|---|------------------------------------|
| Applicant/Owner: Enbridge | | State: | MN | Sampling Point: | w-51n20w28-a2 |
| Investigator(s): PJK | Section, T | ownship, Rang | je: S. 28 | T. 51N | R. 20W |
| Landform (hillslope, terrace, etc.): Lowland | Local relief (c | oncave, conve | x, none): | concave | Slope: <u>0.0</u> % / <u>0.0</u> ° |
| Subregion (LRR or MLRA): LRR K | at.: 46 52.8398 | L | .ong.: -92 | 52.3168 | Datum: NAD 83 |
| Soil Map Unit Name: B101A | - | | P | IWI classification: | N/A |
| | icantly disturbed? ally problematic? | (If neede | mal Circun ed, explain | explain in Remard nstances" present? any answers in Re ansects, impo | Yes • No · |
| Hydrophytic Vegetation Present?YesNoHydric Soil Present?YesNoWetland Hydrology Present?YesNo | | e Sampled Area n a Wetland? | a Yes | ● _{No} ○ | |
| Remarks: (Explain alternative procedures here or in a separate | report.) | | | | |

Hydrology

| Wetland Hydrology Indicators: | | Secondary Indicators (minimum of 2 required) | | | | | |
|--|---|--|--|--|--|--|--|
| Primary Indicators (minimum of one required; | check all that apply) | Surface Soil Cracks (B6) | | | | | |
| Surface Water (A1) | Water-Stained Leaves (B9) | Drainage Patterns (B10) | | | | | |
| ✓ High Water Table (A2) | Aquatic Fauna (B13) | Moss Trim Lines (B16) | | | | | |
| Saturation (A3) | Marl Deposits (B15) | Dry Season Water Table (C2) | | | | | |
| Water Marks (B1) | Hydrogen Sulfide Odor (C1) | Crayfish Burrows (C8) | | | | | |
| Sediment Deposits (B2) | Oxidized Rhizospheres along Living Roots (C3) | Saturation Visible on Aerial Imagery (C9) | | | | | |
| Drift deposits (B3) | Presence of Reduced Iron (C4) | Stunted or Stressed Plants (D1) | | | | | |
| Algal Mat or Crust (B4) | Recent Iron Reduction in Tilled Soils (C6) | Geomorphic Position (D2) | | | | | |
| Iron Deposits (B5) | Thin Muck Surface (C7) | Shallow Aquitard (D3) | | | | | |
| Inundation Visible on Aerial Imagery (B7) | Other (Explain in Remarks) | Microtopographic Relief (D4) | | | | | |
| Sparsely Vegetated Concave Surface (B8) | | ✓ FAC-neutral Test (D5) | | | | | |
| | | | | | | | |
| Field Observations: | | | | | | | |
| Surface Water Present? Yes O No 🖲 | Depth (inches): 0 | | | | | | |
| Water Table Present? Yes No | Depth (inches):4 | | | | | | |
| Saturation Present? (includes capillary fringe) Yes • No | Wetland H | ydrology Present? Yes 🔍 No 🔾 | | | | | |
| Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Remarks: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

VEGETATION - Use scientific names of plants

| VEGETATION - Use scientific names of plat | Sampling Point: w-51n20w28-a2 | | | |
|---|-------------------------------|----------------------|---------------------|--|
| Tree Stratum (Plot size: <u>30</u>) | Absolute % Cover | Dominant Species? | Indicator Status | Dominance Test worksheet: |
| 1. Fraxinus nigra | 80 | ✓ | FACW | Number of Dominant Species That are OBL, FACW, or FAC: 4 (A) |
| 2. Populus tremuloides | | | FACU | |
| | | | | Total Number of Dominant |
| 3 | | | | Species Across All Strata: (B) |
| 4 | - | | | Percent of dominant Species |
| 5 | | | | That Are OBL, FACW, or FAC: 100.0% (A/B) |
| 6 | | | | |
| 7 | | | | Prevalence Index worksheet: |
| Sapling/Shrub Stratum (Plot size: 15) | 85 = | Total Cover | | Total % Cover of: Multiply by: |
| 1. Salix petiolaris | 5 | | FACW | OBL species $65 \times 1 = 65$ |
| 2 | | | | FACW species <u>85</u> x 2 = <u>170</u> |
| 3 | - | | | FAC speciles <u>10</u> x 3 = <u>30</u> |
| 4 | | | | FACU species $5 \times 4 = 20$ |
| 5 | | | | UPL species x 5 = |
| 6 | | \square | | Column Totals: |
| _ | | \square | | · |
| 7 | | Total Cover | | Prevalence Index = $B/A = 1.727$ |
| Herb Stratum (Plot size: 5) | = | | | Hydrophytic Vegetation Indicators: |
| 1. Calamagrostis canadensis | 50 | \checkmark | OBL | ✓ Rapid Test for Hydrophytic Vegetation |
| 2. Equisetum arvense | | | FAC | ✓ Dominance Test is > 50% |
| | | | OBL | V Prevalence Index is \leq 3.0 ¹ |
| 5 | | | | Morphological Adaptations ¹ (Provide supporting |
| 4 | | \square | | data in Remarks or on a separate sheet) |
| 5 | | | | Problematic Hydrophytic Vegetation ¹ (Explain) |
| 6 | | | | ¹ Indicators of hydric soil and wetland hydrology must |
| 7 | | | | be present, unless disturbed or problematic. |
| 8 | | | | Definitions of Vegetation Strata: |
| 9 | | | | - |
| 10 | | | | Tree - Woody plants, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. |
| 11 | | | | at breast height (DBH), regardless of height. |
| 12 | | | | Sapling/shrub - Woody plants less than 3 in. DBH and |
| Woody Vine Stratum (Plot size: 30) | | Total Cover | | greater than 3.28 ft (1m) tall |
| | 0 | | | Herb - All herbaceous (non-woody) plants, regardless of |
| 2 | 0 | | | size, and woody plants less than 3.28 ft tall. |
| 3 | 0 | | | Woody vine - All woody vines greater than 3.28 ft in |
| Δ | 0 | | | height. |
| т | 0 = | Total Cover | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | Hydrophytic |
| | | | | Vegetation Present? Yes • No · |
| | | | | Fresent: |
| | | | | |
| Remarks: (Include photo numbers here or on a separate she | et.) | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

* Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

US Army Corps of Engineers

| | ption: (De | scribe to | the depth | needed to d | ocumen | t the indi | cator or co | onfirm the | absence of indicators.) | | | |
|---|---------------|------------|---|-----------------|-----------|-------------|---|------------------------|--|-----------------------------------|--|--|
| Depth <u>Matrix</u> (inches) Color (moist) % | | | | | | | | | - . | | | |
| | | | <u>%</u> | Color (r | noist) | % | Type ¹ | Loc ² | Texture | Remarks | | |
| 0-4 | 10YR | 2/1 | 100 | | | | | | Muck | | | |
| 4-9 | 10YR | 3/2 | 80 | 10YR | 3/4 | 20 | C | M | Sandy Loam | | | |
| 9-20 | 10YR | 4/2 | 80 | 10YR | 3/4 | 20 | С | М | Sandy Loam | | | |
| | | | | | | | | | | | | |
| | | - | | | | | - | | · . | | | |
| | | | - | | | | | | | | | |
| | | | | | | | | | | | | |
| B | | <u>.</u> | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 1 Type: C=Con | entration D | =Depletic | n RM=Rec | luced Matrix. C | S=Cover | ed or Coat | ed Sand Gr | ains ² l oc | ation: PL=Pore Lining. M=Ma | atrix | | |
| Hydric Soil I | | Dopiotie | | | | | | 200 | 0 | | | |
| Histosol (/ | | | | Polyv | alue Belo | w Surface | (S8) (LRR I | 2 | | matic Hydric Soils : ³ | | |
| Histic Epip | • | | | MLRA | 149B) | | (00) (21111) | ., | _ | LRR K, L, MLRA 149B) | | |
| Black Hist | | | Thin Dark Surface (S9) (LRR R, MLRA 149B) | | | RA 149B) | Coast Prairie Redox (A16) (LRR K, L, R) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) | | | | | |
| Hydrogen | Sulfide (A4) | | | | | | 1) LRR K, L) |) | | | | |
| Stratified | ayers (A5) | | | | | Matrix (F2 |) | | Dark Surface (S7) (LRR K, L, M) Polyvalue Below Surface (S8) (LRR K, L) | | | |
| Depleted | Below Dark S | Surface (A | (11) | Deple | | | | | Thin Dark Surface (S9) (LRR K, L) Thin Dark Surface (S9) (LRR K, L) Iron-Manganese Masses (F12) (LRR K, L, R) Piedmont Floodplain Soils (F19) (MLRA 149B) | | | |
| Thick Darl | Surface (A | 12) | | | | urface (F6) | | | | | | |
| | ck Mineral (S | | | | | Surface (F | . /) | | | | | |
| _ | yed Matrix (| S4) | | | x Depres | sions (F8) | | | Mesic Spodic (TA6) (MLRA 144A, 145, 149B) | | | |
| Sandy Red | | | | | | | | | Red Parent Material (F21) | | | |
| Stripped N | | | | | | | | | Very Shallow Dark Surface (TF12) | | | |
| | nce (S7) (LR | | | | | | | | Other (Explain in R | emarks) | | |
| ³ Indicators of | hydrophytic | vegetatio | on and wetla | and hydrology | must be | present, ur | nless disturl | oed or prob | lematic. | | | |
| Restrictive La | ayer (if obs | erved): | | | | | | | | | | |
| Туре: | | | | | | | | | | \sim | | |
| Depth (incl | nes): | | | | | | | | Hydric Soil Present? | Yes $ullet$ No $igcap$ | | |
| Remarks: | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |