WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

| Project/Site: RSA 22 | City/County: | St. Louis | Samplir | Sampling Date: 12-Sep-17 | |
|---|-------------------------|--------------------------------|--|--|------------------------------------|
| Applicant/Owner: Enbridge | | State: MN | Sampling Point: | w-51n20w35-b1 | |
| Investigator(s): PJK | | Section, T | ownship, Range: S. 35 | T. 51N | R. 20W |
| Landform (hillslope, terrace, etc.): Lowland | | Local relief (c | oncave, convex, none): | concave | Slope: <u>0.0</u> % / <u>0.0</u> ° |
| Subregion (LRR or MLRA): LRR K | Lat.: | 46 51.3746 | Long.: -9 | 2 50.6240 | Datum: NAD 83 |
| Soil Map Unit Name: B107A | | - | | NWI classification: | PSSE |
| Are climatic/hydrologic conditions on the site typical for Are Vegetation , Soil , or Hydrology Are Vegetation , Soil , or Hydrology Summary of Findings - Attach site map | significan naturally | tly disturbed? problematic? | Are "Normal Circu (If needed, explain | , explain in Remark nstances" present? n any answers in Re ansects, impo | Yes No marks.) |
| Hydrophytic Vegetation Present?YesNoHydric Soil Present?YesNoWetland Hydrology Present?YesNo | | | e Sampled Area n a Wetland? Yes | • No O | |
| Remarks: (Explain alternative procedures here or in a s | separate repo | ort.) | | | |

Hydrology

| Wetland Hydrology Indicators: | | Secondary Indicators (minimum of 2 required) |
|---|---|--|
| Primary Indicators (minimum of one required; of | heck all that apply) | Surface Soil Cracks (B6) |
| Surface Water (A1) | Water-Stained Leaves (B9) | Drainage Patterns (B10) |
| ✓ High Water Table (A2) | Aquatic Fauna (B13) | Moss Trim Lines (B16) |
| Saturation (A3) | Marl Deposits (B15) | Dry Season Water Table (C2) |
| Water Marks (B1) | Hydrogen Sulfide Odor (C1) | Crayfish Burrows (C8) |
| Sediment Deposits (B2) | Oxidized Rhizospheres along Living Roots (C3) | Saturation Visible on Aerial Imagery (C9) |
| Drift deposits (B3) | Presence of Reduced Iron (C4) | Stunted or Stressed Plants (D1) |
| Algal Mat or Crust (B4) | Recent Iron Reduction in Tilled Soils (C6) | Geomorphic Position (D2) |
| Iron Deposits (B5) | Thin Muck Surface (C7) | Shallow Aquitard (D3) |
| Inundation Visible on Aerial Imagery (B7) | Other (Explain in Remarks) | Microtopographic Relief (D4) |
| Sparsely Vegetated Concave Surface (B8) | | FAC-neutral Test (D5) |
| | | |
| Field Observations: | | |
| Surface Water Present? Yes $lacksquare$ No $igodoldsymbol{	imes}$ | Depth (inches): <u>12</u> | |
| Water Table Present? Yes No | Depth (inches): 0 | drology Present? Yes 🖲 No 🔿 |
| Saturation Present? Yes No | Depth (inches):0 | drology Present? Yes $ullet$ No $igcup$ |
| Describe Recorded Data (stream gauge, monitor | ring well, aerial photos, previous inspections), if ava | ailable: |
| | | |
| | | |
| Remarks: | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

VEGETATION - Use scientific names of plants

| VEGETATION - Use scientific names of plan | its | | | Sampling Point: w-51n20w35-b1 |
|---|----------|--------------|-----------|--|
| (Distring 20) | Absolute | Dominant | Indicator | Dominance Test worksheet: |
| Tree Stratum (Plot size: <u>30</u>) | % Cover | species | Status | Number of Dominant Species |
| 1 | | | | That are OBL, FACW, or FAC: (A) |
| 2 | | | | Total Number of Dominant |
| 3 | | | | Species Across All Strata: <u>2</u> (B) |
| 4 | | | | Percent of dominant Species |
| 5 | | | | That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B) |
| 6 7 | | | | Prevalence Index worksheet: |
| | | Total Cover | | Total % Cover of: Multiply by: |
| Sapling/Shrub Stratum (Plot size: 15) | | | | OBL species 100 x 1 = 100 |
| 1 | 0 | | | FACW species $0 \times 2 = 0$ |
| 2 | | | | FAC species $0 \times 3 = 0$ |
| 3 | | | | FACU species $0 \times 4 = 0$ |
| 4 | | | | UPL species $0 \times 5 = 0$ |
| 5 | - | | | Column Totals: 100 (A) 100 (B) |
| 6 | | | | |
| 7 | | | | Prevalence Index = B/A = <u>1.000</u> |
| Herb Stratum (Plot size: 5) | 0 = | Total Cover | | Hydrophytic Vegetation Indicators: |
| 1. Lemna minor | 75 | \checkmark | OBL | ✓ Rapid Test for Hydrophytic Vegetation |
| 2. Typha x glauca | | | OBL | ✓ Dominance Test is > 50% |
| 3 | | | | ✓ Prevalence Index is \leq 3.0 ¹ |
| 4 | | | | Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) |
| 5 | | | | Problematic Hydrophytic Vegetation ¹ (Explain) |
| 6 | | | | |
| 7 | | | | ¹ Indicators of hydric soil and wetland hydrology must |
| 8 | | | | be present, unless disturbed or problematic. |
| 9 | | | | Definitions of Vegetation Strata: |
| 10 | 0 | | | Tree - Woody plants, 3 in. (7.6 cm) or more in diameter |
| 11 | 0 | | | at breast height (DBH), regardless of height. |
| 12 | 0 | | | Sapling/shrub - Woody plants less than 3 in. DBH and |
| Woody Vine Stratum (Plot size: <u>30</u>) | 100 = | Total Cover | | greater than 3.28 ft (1m) tall |
| | 0 | | | Herb - All herbaceous (non-woody) plants, regardless of |
| 1 2 | 0 | | | size, and woody plants less than 3.28 ft tall. |
| 3 | 0 | | | Woody vine - All woody vines greater than 3.28 ft in |
| 4 | 0 | | | height. |
| | 0 = | Total Cover | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | Hydrophytic Vegetation |
| | | | | Present? Yes No |
| | | | | |
| Remarks: (Include photo numbers here or on a separate she | et.) | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

* Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

US Army Corps of Engineers

| Depth (inches) | Matri | iv | | edox Featu | | | absence of indicators.) | |
|--|--|-----------------|-----------------------|-----------------|-------------------|------------------------|-----------------------------|-----------------------------------|
| (11101103) | Color (moist | | Color (moist) | edox reatu % | Type ¹ | Loc ² | Texture | Remarks |
| 0-8 | 10YR 3/2 | | 10YR 4/4 | 10 | C | M | Sandy Clay Loam | Kentarko |
| | | | | | | | | |
| 8-20 | 10YR 4/2 | 2 90 | 10YR 4/6 | 10 | C | M | Clay Loam | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | <u>.</u> | , | |
| | · | | · · | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| ype: C=Conc | centration. D=Depl | etion. RM=Red | uced Matrix, CS=Cov | ered or Coate | ed Sand Gr | ains ² Loca | ation: PL=Pore Lining. M=Ma | atrix |
| vdric Soil II | ndicators: | | | | | | Tadianta da Dada | matic Hydric Soils : ³ |
|] Histosol (A | | | Polyvalue Be | low Surface (| (S8) (I RR I | 2 | _ | |
| Histic Epip | | | MLRA 149B) | | () (| -1 | | LRR K, L, MLRA 149B) |
| Black Histi | | | Thin Dark Su | rface (S9) (I | lrr r, mlf | RA 149B) | | x (A16) (LRR K, L, R) |
| | Sulfide (A4) | | Loamy Muck | y Mineral (F1 |) LRR K, L |) | | r Peat (S3) (LRR K, L, R) |
| | Layers (A5) | | Loamy Gleye | d Matrix (F2) |) | | Dark Surface (S7) | |
| | Below Dark Surface | e (A11) | Depleted Ma | trix (F3) | | | | urface (S8) (LRR K, L) |
| | k Surface (A12) | | Redox Dark | Surface (F6) | | | Thin Dark Surface | |
| | ck Mineral (S1) | | Depleted Date | k Surface (F | 7) | | | asses (F12) (LRR K, L, R) |
| | yed Matrix (S4) | | Redox Depre | ssions (F8) | | | | n Soils (F19) (MLRA 149B) |
| Sandy Red | | | | | | | |) (MLRA 144A, 145, 149B) |
| | | | | | | | Red Parent Materia | |
| Stripped M | | | | | | | Very Shallow Dark | |
| Stripped M | | IRA 149B) | | | | | Other (Explain in R | emarks) |
| Dark Surfa | ace (S7) (LRR R, M | | | | | oed or proble | ematic | |
| Dark Surfa | ace (S7) (LRR R, M | | and hydrology must be | e present, un | less disturi | | | |
| Dark Surfa | ace (S7) (LRR R, M | ation and wetla | and hydrology must be | e present, un | less disturi | | | |
| Dark Surfa | ace (S7) (LRR R, M hydrophytic veget | ation and wetla | and hydrology must be | e present, un | less disturi | | | 0 |
|] Dark Surfa ndicators of strictive La | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | nd hydrology must be | e present, un | less disturi | | Hydric Soil Present? | Yes No |
| Dark Surfa ndicators of strictive La Type: Depth (inch | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | and hydrology must be | e present, un | less disturi | | | Yes No |
| Dark Surfa ndicators of strictive La Type: Depth (inch | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | and hydrology must be | e present, un | less disturi | | | Yes 🔍 No 🔾 |
| Dark Surfa ndicators of strictive La Type: Depth (inch | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | and hydrology must be | e present, un | less disturi | | | Yes 🖲 No |
| Dark Surfa ndicators of strictive La Type: Depth (inch | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | and hydrology must be | s present, un | less disturi | | | Yes No |
| Dark Surfa ndicators of strictive La Type: Depth (inch | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | Ind hydrology must be | ≥ present, un | less disturi | | | Yes 🖲 No |
| Dark Surfa ndicators of strictive La Type: Depth (inch | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | and hydrology must be | 9 present, un | less disturi | | | Yes No |
| Dark Surfa ndicators of strictive La Type: Depth (inch | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | and hydrology must be | 9 present, un | less disturi | | | Yes No |
| Dark Surfa ndicators of strictive La Type: Depth (inch | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | and hydrology must be | ≥ present, un | less disturi | | | Yes • No O |
| Dark Surfa ndicators of strictive La Type: Depth (inch | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | and hydrology must be | ≥ present, un | less disturi | | | Yes • No O |
| Dark Surfa ndicators of strictive La Type: Depth (inch | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | and hydrology must be | ≥ present, un | less disturi | | | Yes • No O |
| Dark Surfa ndicators of strictive La Type: Depth (inch | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | and hydrology must be | ≥ present, un | less disturi | | | Yes • No O |
| Dark Surfa ndicators of strictive La Type: Depth (inch | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | and hydrology must be | ≥ present, un | less disturi | | | Yes • No O |
| Dark Surfa | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | Ind hydrology must be | ≥ present, un | less disturi | | | Yes • No O |
| Dark Surfa | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | and hydrology must be | ≥ present, un | less disturi | | | Yes • No O |
| Dark Surfa | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | Ind hydrology must be | ≥ present, un | less disturi | | | Yes • No O |
| Dark Surfa | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | and hydrology must be | ≥ present, un | less disturi | | | Yes • No O |
| Dark Surfa | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | Ind hydrology must be | ≥ present, un | less disturi | | | Yes • No O |
| Dark Surfa | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | Ind hydrology must be | ≥ present, un | less disturi | | | Yes • No O |
| Dark Surfa ndicators of strictive La Type: Depth (inch | ace (S7) (LRR R, M hydrophytic veget ayer (if observed | ation and wetla | Ind hydrology must be | present, un | less disturi | | | Yes • No O |