WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

| Project/Site: RSA 22 | City/County: St. Louis | Sampling Date: 12-Sep-17 | | | | | |
|--|--|--|--|--|--|--|--|
| Applicant/Owner: Enbridge | State: MN | Sampling Point: w-51n20w35-b2 | | | | | |
| Investigator(s): PJK | Section, Township, Range: S. 3 | 5 T. 51N R. 20W | | | | | |
| Landform (hillslope, terrace, etc.): Lowland | Local relief (concave, convex, none) | | | | | | |
| Subregion (LRR or MLRA): LRR K | Lat.: 46 51.3553 Long.: -0 | 92 50.5685 Datum: NAD 83 | | | | | |
| Soil Map Unit Name: B107A | | NWI classification: PSSE | | | | | |
| Are climatic/hydrologic conditions on the site typical (| for this time of year? Yes No (If n | no, explain in Remarks.) | | | | | |
| Are Vegetation , Soil , or Hydrology | — — — — — — — — — — — — — — — — — — — | umstances" present? Yes No | | | | | |
| Are Vegetation, Soil, or Hydrology | | in any answers in Remarks.) | | | | | |
| Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc | | | | | | | |
| Hydrophytic Vegetation Present? Yes No | | | | | | | |
| Hydric Soil Present? Yes No | Is the Sampled Area | es • No O | | | | | |
| Wetland Hydrology Present? | within a wetiant? | .s - 110 - | | | | | |
| Remarks: (Explain alternative procedures here or in | | | | | | | |
| Hydrology Wetland Hydrology Indicators: | Soci | ladiator (minimum of 2 required) | | | | | |
| Primary Indicators (minimum of one required; check | | ondary Indicators (minimum of 2 required) | | | | | |
| | | Surface Soil Cracks (B6) Drainage Patterns (B10) | | | | | |
| | ` ′ | Moss Trim Lines (B16) | | | | | |
| | | Dry Season Water Table (C2) | | | | | |
| | Hydrogen Sulfide Odor (C1) | Crayfish Burrows (C8) | | | | | |
| | | Saturation Visible on Aerial Imagery (C9) | | | | | |
| | | Stunted or Stressed Plants (D1) | | | | | |
| | | Geomorphic Position (D2) Shallow Aguitard (D2) | | | | | |
| | Timi mask sanass (67) | Shallow Aquitard (D3) Microtopographic Relief (D4) | | | | | |
| Sparsely Vegetated Concave Surface (B8) | - Carlot (Explain in Normano) | FAC-neutral Test (D5) | | | | | |
| Field Observations: | | | | | | | |
| Surface Water Present? Yes No • | Depth (inches): 0 | | | | | | |
| Water Table Present? Yes No • | Depth (inches): 0 | | | | | | |
| Saturation Present? | Depth (inches): 0 Wetland Hydrolog | y Present? Yes No | | | | | |
| (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring v | well, aerial photos, previous inspections), if available | : | | | | | |
| | ,, | | | | | | |
| | | | | | | | |
| Remarks: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

VEGETATION - Use scientific names of plants

| VEGETATION - Ose scientific fiames of plants | | Sampling Point: w-51n20w35-b2 | | |
|---|----------|-------------------------------|-----------|--|
| (0) - 20 | Absolute | Dominant Species? | Indicator | Dominance Test worksheet: |
| Tree Stratum (Plot size: 30) | % Cover | Species? | Status | Number of Dominant Species |
| 1 | 0 | | | That are OBL, FACW, or FAC: (A) |
| 2 | | | | Total Number of Dominant |
| 3 | 0 | | | Species Across All Strata:2(B) |
| 4 | 0 | | | |
| 5 | | | | Percent of dominant Species |
| 6 | | | | That Are OBL, FACW, or FAC: 100.0% (A/B) |
| 7 | | | | Prevalence Index worksheet: |
| | | = Total Cove | r | Total % Cover of: Multiply by: |
| Sapling/Shrub Stratum (Plot size: 15) | | | • | 0BL speci es 30 x 1 = 30 |
| 1 | 0 | | | FACW species 70 x 2 = 140 |
| 2 | 0 | | | |
| 3 | | | | <u> </u> |
| 4 | | | | FACU species $0 \times 4 = 0$ |
| 5 | | | | UPL species $0 \times 5 = 0$ |
| 6. | | | | Column Totals: 100 (A) 170 (B) |
| 7 | | | | Prevalence Index = B/A = 1.700 |
| | | = Total Cove | | |
| Herb Stratum (Plot size: 5 | | - rotar cove | • | Hydrophytic Vegetation Indicators: |
| 1. Bidens tripartita | 10 | | FACW | Rapid Test for Hydrophytic Vegetation |
| | | ✓ | FACW | ✓ Dominance Test is > 50% |
| | | | OBL | ✓ Prevalence Index is ≤3.0 ¹ |
| | | ✓ | | ☐ Morphological Adaptations ¹ (Provide supporting |
| 4. Glyceria striata | | | OBL | data in Remarks or on a separate sheet) |
| 5 | | | | ☐ Problematic Hydrophytic Vegetation ¹ (Explain) |
| 6 | | | | 1 |
| 7 | | | | Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. |
| 8 | 0 | | | |
| 9 | 0 | | | Definitions of Vegetation Strata: |
| 0 | 0 | | | Tree - Woody plants, 3 in. (7.6 cm) or more in diameter |
| 1 | | | | at breast height (DBH), regardless of height. |
| 2 | | | | Conflored hands West and a dealers there is a BBU and |
| | _ | = Total Cove | r | Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1m) tall |
| Woody Vine Stratum (Plot size: 30 | | | | groater than 6.20 it (iii) tail |
| 1 | 0 | | | Herb - All herbaceous (non-woody) plants, regardless of |
| 2 | 0 | | | size, and woody plants less than 3.28 ft tall. |
| 3 | 0 | | | Woody vine - All woody vines greater than 3.28 ft in |
| 4 | 0 | | | height. |
| | 0 = | = Total Cove | r | |
| | | | | |
| | | | | |
| | | | | |
| | | | | Hydrophytic |
| | | | | Vegetation Present? Yes No |
| | | | | Present? Yes No O |
| | | | | |
| Remarks: (Include photo numbers here or on a separate s | heet.) | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

^{*}Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: w-51n20w35-b2

| Depth (inches) Matrix (inches) Redox Features Loc² Texture Remarks 0-8 10YR 3/1 95 10YR 3/6 5 C M Sandy Loam | |
|--|---|
| | |
| 0-8 10YR 3/1 95 10YR 3/6 5 C M Sandy Loam | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| ¹ Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ² Location: PL=Pore Lining. M=Matrix | |
| Hydric Soil Indicators: Indicators for Problematic Hydric Soils | 3 · · · · · · · · · · · · · · · · · · · |
| Histosol (A1) Polyvalue Below Surface (S8) (LRR R, | |
| Histic Epipedon (A2) | |
| Black Histic (A3) | |
| Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K. L. M) | -, -, |
| Stratified Layers (A5) Deliveral to Stratified Layers (A5) Polyvalue Below Surface (S8) (LRR K. L |) |
| Depleted Below Dark Surface (A11) Thin Dark Surface (S9) (LRR K, L) | , |
| Thick Dark Surface (A12) Populated Dark Surface (F12) Iron-Manganese Masses (F12) (LRR K, | L, R) |
| Sandy Muck Mineral (S1) Piedmont Floodplain Soils (F19) (MLRA | |
| Sandy Gleyed Matrix (S4) Redox Depressions (F8) Redox Depressions (F8) Mesic Spodic (TA6) (MLRA 144A, 145, 145, 144, 145, 144, 145, 144, 145, 144, 145, 144, 144 | 149B) |
| Sandy Redox (S5) Red Parent Material (F21) | |
| Stripped Matrix (S6) Very Shallow Dark Surface (TF12) | |
| Dark Surface (S7) (LRR R, MLRA 149B) | |
| ³ Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic. | |
| Restrictive Layer (if observed): | |
| Type: rock | |
| Depth (inches): 8 Hydric Soil Present? Yes No | \supset |
| Remarks: | |
| Refilates. | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |