WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: SPP City/County: Carlton Sampling Date: 6/27/2013 3:30:00 PM

Applicant/Owner: Enbridge State: MN Sampling Point: CRC5046a1U

Investigator(s): LEM/MCV Section, Township, Range: _____

Landform (hillslope, terrace, etc.): Crest Local relief (concave, convex, none): VV

Slope (%): 0 - 2% Lat: 46.5879759285714 Long: -92.8769877380953 Datum: _____

Soil Map Unit Name: 43 NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No ✔	**Is the Sampled Area within a Wetland?** **Yes** _____ **No** ✔
Hydric Soil Present?	Yes _____	No ✔	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present?	Yes _____	No ✔	

Remarks: (Explain alternative procedures here or in a separate report.)
Upland is located adjacent to PEM and dominated by Balsam Fir.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ___	No ✔	Depth (inches): _____
Water Table Present?	Yes ___	No ✔	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes ___	No ✔	Depth (inches): _____

Wetland Hydrology Present? **Yes** ___ **No** ✔

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
No hydrology observed.

VEGETATION – Use scientific names of plants.

Sampling Point: CRC5046a

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. Abies balsamea	40	Yes	FAC
2. Acer saccharum	25	Yes	FACU
3. Betula papyrifera	10	No	FACU
4. Quercus macrocarpa	5	No	FACU
5.			
6.			
Total Cover: 80			
50% of total cover: ____ 20% of total cover: ____			

Sapling/Shrub Stratum (Plot size: 15)			
1. Corylus cornuta	40	Yes	FACU
2. Acer saccharum	10	No	FACU
3. Abies balsamea	5	No	FAC
4. Quercus macrocarpa	5	No	FACU
5.			
6.			
Total Cover: 60			
50% of total cover: ____ 20% of total cover: ____			

Herb Stratum (Plot size: 5)			
1. Carex pensylvanica	25	Yes	NI
2. Eurybia macrophylla	20	Yes	UPL
3. Aralia nudicaulis	10	No	FACU
4. Clintonia borealis	10	No	FAC
5. Maianthemum canadense	10	No	FACU
6. Pteridium aquilinum	10	No	FACU
7. Calamagrostis perplexa	5	No	FACW
8. Cornus canadensis	5	No	FAC
9. Trientalis borealis	5	No	FAC
10.			
11.			
Total Cover: 75			
50% of total cover: ____ 20% of total cover: ____			

Woody Vine Stratum (Plot size: 30)			
1.			
2.			
3.			
4.			
Total Cover: 0			
50% of total cover: ____ 20% of total cover: ____			

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 25 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	5	x 2 =	10
FAC species	65	x 3 =	195
FACU species	125	x 4 =	500
UPL species	20	x 5 =	100
Column Totals:	215 (A)		805 (B)

Prevalence Index = B/A = 3.74

Hydrophytic Vegetation Indicators:

___ Rapid Test for Hydrophytic Vegetation

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** ____ **No** ✔

Remarks: (Include photo numbers here or on a separate sheet.)

Upland is dominated by Hazelnut and Balsam Fir.

SOIL

Sampling Point: CRC5046a

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox %	Type[1]	Loc[2]	Texture	Remarks
0 - 4	5YR 3/2	100					L	
4 - 20	5YR 4/4	100					SIL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) (**LRR R, MLRA 149B**)
- ___ Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- ___ Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
- ___ Loamy Mucky Mineral (F1) (**LRR K, L**)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
- ___ Coast Prairie Redox (A16) (**LRR K, L, R**)
- ___ 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- ___ Dark Surface (S7) (**LRR K, L**)
- ___ Polyvalue Below Surface (S8) (**LRR K, L**)
- ___ Thin Dark Surface (S9) (**LRR K, L**)
- ___ Iron-Manganese Masses (F12) (**LRR K, L, R**)
- ___ Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- ___ Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- ___ Red Parent Material (F21)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): 0.00

Hydric Soil Present? **Yes** ___ **No** ✔

Remarks: No hydric indicators observed.