WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

| Project/Site: SPP | City/County: Carlton | Sampling Date: 5/31/2014 |
|--|---|--|
| Applicant/Owner: Enbridge | State: MI | |
| Investigator(s): KRG/NTT | | ownship, Range: |
| Landform (hillslope, terrace, etc.) Talf | | oncave, convex, noneVL |
| Slope (%): 0 - 2% Lat.: 46.580927 Soil Map Unit Name: 504C | _Long.: <u>-92.604736</u> Datum | n: NWI Classification: |
| Are climatic/hydrologic conditions of the site typical f | for this time of the year? | (If no, explain in remarks) |
| Are vegetation , soil , or hydrolo | | |
| Are vegetation , soil , or hydrolo | | _ |
| (If needed, explain any answers in remarks) | | |
| | | |
| SUMMARY OF FINDINGS | | |
| Hydrophytic vegetation present? N | Is the sampled area with | nin a wetland? N |
| Hydric soil present? | | |
| Indicators of wetland hydrology present? N | If yes, optional wetland sit | te ID: |
| Remarks: (Explain alternative procedures here or in a separate report.) | | |
| The upland sample point is located within a mowed trail corridor. | | |
| | | |
| | | |
| | | |
| HYDROLOGY | | |
| High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Oxi Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) | ck all that apply) ter-Stained Leaves (B9) uatic Fauna (B13) rl Deposits (B15) drogen Sulfide Odor (C1) idized Rhizospheres on ing Roots (C3) esence of Reduced Iron (C4) cent Iron Reduction in Tilled ils (C6) n Muck Surface (C7) ner (Explain in Remarks) | Secondary Indicators (minimum of two required) Surface Soil Cracks (B6) Drainage Patterns (B10) Moss Trim Lines (B16) Dry-Season Water Table (C2) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted or Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4) FAC-Neutral Test (D5) |
| Field Observations: Surface water present? Water table present? Saturation present? (includes capillary fringe) Yes Yes Yes (includes capillary fringe) | Depth (inches): Depth (inches): Depth (inches): | Indicators of wetland hydrology present? N |
| Describe recorded data (stream gauge, monitoring well, aerial photos, previous inspections), if available: | | |
| | | |
| | | |
| Remarks: | | |
| No indicators of wetland hydrology were observed. | | |
| | | |
| | | |

SOIL Sampling Point: CRR51009b1U Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix Redox Features Depth Remarks Color (moist) % Color (moist) Loc** Texture (ln.) Type* 100 0-6 Hue 10YR 4/2 SICL Hue 10YR 4/2 100 SL 6-10 Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains *Location: PL=Pore Lining, M=Matrix **Hydric Soil Indicators:** Indicators for Problematic Hydric Soils: Polyvalue Below Surface ☐ Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B Histic Epipedon (A2) (S8) (LRR R. MLRA 149B) Coast Prairie Redox (A16) (LRR K, L, R) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Black Histic (A3) Thin Dark Surface (S9) (LRR R, MLRA 149B Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, L ☐ Loamy Mucky Mineral (F1) Stratified Layers (A5) Polyvalue Below Surface (S8) (LRR K, L) (LRR K, L) Depleted Below Dark Suface (A11) Thin Dark Surface (S9) (LRR K, L) Loamy Gleyed Iviaux
Depleted Matrix (F3) Thick Dark Surface (A12) Loamy Gleyed Matrix (F2) Iron-Manganese Masses (F12) (LRR K, L, R) Piedmont Floodplain Soils (F19) (MLRA 149B) Sandy Mucky Mineral (S1) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleved Matrix (S4) Redox Dark Surface (F6) Sandy Redox (S5) Depleted Dark Surface (F7) Red Parent Material (F21) Stripped Matrix (S6) Redox Depressions (F8) Very Shallow Dark Surface (TF12) ☐ Dark Surface (S7) (LRR R, MLRA Other (Explain in Remarks) *Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic. Restrictive Layer (if observed): Hydric soil present? N Type: rock Depth (inches): Remarks: There was a restrictive layer of rock observed at 10". The soils are assumed non-hydric based on upland vegetation and lack of redoximorphic features.