WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: SPP City/County: Carlton Sampling Date: 5/31/2014
Applicant/Owner: Enbridge State: MN Sampling Point: CRR51009e1W
Investigator(s): KRG/NTT Section, Township, Range:
Landform (hillslope, terrace, etc.) Depression Local relief (concave, convex, none CC
Slope (%): 0 - 2% Lat.: 46.580954 Long.: -92.60332 Datum: WGS84
Soil Map Unit Name: 504C NWI Classification: PFO/SSB
Are climatic/hydrologic conditions of the site typical for this time of the year? ☑ (If no, explain in remarks)
Are vegetation ☐, soil ☐, or hydrology ☐ significantly disturbed? Are "normal circumstances" present? ☑
Are vegetation ☐, soil ☐, or hydrology ☐ naturally problematic?
(If needed, explain any answers in remarks)

SUMMARY OF FINDINGS

Hydrophytic vegetation present?	Y	**Is the sampled area within a wetland?**	Y
Hydric soil present?	Y		
Indicators of wetland hydrology present?	Y	If yes, optional wetland site ID:	

Remarks: (Explain alternative procedures here or in a separate report.)
The wetland is a dense alder thicket, with hummocks and standing water common throughout.

HYDROLOGY

Primary Indicators (minimum of one is required; check all that apply)
- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ Marl Deposits (B15)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres on Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)
- ☐ Surface Soil Cracks (B6)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry-Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-Neutral Test (D5)

Field Observations:

Surface water present?	Yes ☑	Depth (inches):	4
Water table present?	Yes ☑	Depth (inches):	0
Saturation present? (includes capillary fringe)	Yes ☑	Depth (inches):	0

Indicators of wetland hydrology present? Y

Describe recorded data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Surface water 2-6" deep covers approximately 50% of the area and soils are saturated to the surface.

VEGETATION - Use scientific names of plants

Sampling Point: CRR51009e1W

Tree Stratum (Plot Size (30 ft))	Absolute % Cover	Dominant Species	Indicator Status
1 *Ulmus americana*	5	Y	FACW
2 *Betula papyrifera*	5	Y	FACU
3			
4			
5			
6			
7			
8			
9			
10			
	10 = Total Cover		

Sapling/Shrub Stratum (Plot Size (15 ft))	Absolute % Cover	Dominant Species	Indicator Status
1 *Alnus incana*	80	Y	FACW
2			
3			
4			
5			
6			
7			
8			
9			
10			
	80 = Total Cover		

Herb Stratum (Plot Size (5 ft))	Absolute % Cover	Dominant Species	Indicator Status
1 *Caltha palustris*	30	Y	OBL
2 *Fraxinus nigra*	5	N	FACW
3 *Acer rubrum*	5	N	FAC
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
	40 = Total Cover		

Woody Vine Stratum (Plot Size (30 ft))	Absolute % Cover	Dominant Species	Indicator Status
1			
2			
3			
4			
5			
	0 = Total Cover		

50/20 Thresholds

	20%	50%
Tree Stratum	2	5
Sapling/Shrub Stratum	16	40
Herb Stratum	8	20
Woody Vine Stratum	0	0

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across all Strata: 4 (B)

Percent of Dominant Species that are OBL, FACW, or FAC: 75.00% (A/B)

Prevalence Index Worksheet

Total % Cover of:

OBL species	30	x 1 =	30
FACW species	90	x 2 =	180
FAC species	5	x 3 =	15
FACU species	5	x 4 =	20
UPL species	0	x 5 =	0
Column totals	130 (A)		245 (B)

Prevalence Index = B/A = 1.88

Hydrophytic Vegetation Indicators:

- ___ Rapid test for hydrophytic vegetation
- X Dominance test is >50%
- X Prevalence index is ≤3.0*
- ___ Morphological adaptations* (provide supporting data in Remarks or on a separate sheet)
- ___ Problematic hydrophytic vegetation* (explain)

*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines - All woody vines greater than 3.28 ft in height.

Hydrophytic vegetation present? Y

Remarks: (Include photo numbers here or on a separate sheet)

The wetland point is dominated by alder. Ground cover is relatively sparse due to the high amount of standing water. Sphagnum moss covers about 30 percent of the area, on hummocks.

SOIL **Sampling Point:** CRR51009e1W

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (In.)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type*	Loc**	Texture	Remarks
0-18	Hue_10YR	2/1	100						M	

*Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains
**Location: PL=Pore Lining, M=Matrix

Hydric Soil Indicators:

- ☑ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ Depleted Below Dark Suface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7) (**LRR R, MLRA**
- ☐ Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- ☐ Thin Dark Surface (S9) (**LRR R, MLRA 149B**
- ☐ Loamy Mucky Mineral (F1) (**LRR K, L**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils:

- ☐ 2 cm Muck (A10) (**LRR K, L, MLRA 149B**
- ☐ Coast Prairie Redox (A16) (**LRR K, L, R**)
- ☐ 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- ☐ Dark Surface (S7) (**LRR K, L**
- ☐ Polyvalue Below Surface (S8) (**LRR K, L**)
- ☐ Thin Dark Surface (S9) (**LRR K, L**)
- ☐ Iron-Manganese Masses (F12) (**LRR K, L, R**)
- ☐ Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- ☐ Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- ☐ Red Parent Material (F21)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

*Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):
Type: _____
Depth (inches): _____

Hydric soil present? Y

Remarks:
Soil is a saturated muck, which meets indicator A1, Histosol.