WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: SPP City/County: Carlton Sampling Date: 8/13/2013 11:08:07 AM

Applicant/Owner: Enbridge State: MN Sampling Point: CRR53038a1W

Investigator(s): RJC/KRG Section, Township, Range: _____

Landform (hillslope, terrace, etc.): Depression Local relief (concave, convex, none): CC

Slope (%): 0 - 2% Lat: 46.5874623333333 Long: -92.3838088508772 Datum: _____

Soil Map Unit Name: 367C NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔	No _____	**Is the Sampled Area within a Wetland?** **Yes** ✔ **No** _____
Hydric Soil Present?	Yes ✔	No _____	
Wetland Hydrology Present?	Yes ✔	No _____	If yes, optional Wetland Site ID: _____

Remarks: (Explain alternative procedures here or in a separate report.)
Wet meadow community with a small, ephemeral stream running through it. The area is downslope from an old field community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ✔ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ✔ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ___	No ✔	Depth (inches): _____
Water Table Present?	Yes ___	No ✔	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes ___	No ✔	Depth (inches): _____

Wetland Hydrology Present? **Yes** ✔ **No** ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Wetland depression dominated by hydrophytic vegetation.
A small, ephemeral stream runs through the wetland.

VEGETATION – Use scientific names of plants.

Sampling Point: CRR53038

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
Total Cover: 0			
50% of total cover: ____ 20% of total cover: ____			
Sapling/Shrub Stratum (Plot size: 15)			
1. Salix discolor	10	Yes	FACW
2.			
3.			
4.			
5.			
6.			
Total Cover: 10			
50% of total cover: ____ 20% of total cover: ____			
Herb Stratum (Plot size: 5)			
1. Scirpus microcarpus	45	Yes	OBL
2. Rubus idaeus	10	No	FAC
3. Calamagrostis canadensis	10	No	OBL
4. Poa palustris	10	No	FACW
5. Typha angustifolia	10	No	OBL
6. Glyceria grandis	5	No	OBL
7. Rubus pubescens	5	No	FACW
8. Rumex crispus	5	No	FAC
9. Tanacetum vulgare	5	No	FACU
10.			
11.			
Total Cover: 105			
50% of total cover: ____ 20% of total cover: ____			
Woody Vine Stratum (Plot size: 30)			
1.			
2.			
3.			
4.			
Total Cover: 0			
50% of total cover: ____ 20% of total cover: ____			

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	70	x 1 =	70
FACW species	25	x 2 =	50
FAC species	15	x 3 =	45
FACU species	5	x 4 =	20
UPL species	0	x 5 =	0
Column Totals:	115 (A)		185 (B)

Prevalence Index = B/A = 1.61

Hydrophytic Vegetation Indicators:

- ___ Rapid Test for Hydrophytic Vegetation
- ✔ Dominance Test is >50%
- ✔ Prevalence Index is ≤3.0[1]
- ___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
- ___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** ✔ **No** ____

Remarks: (Include photo numbers here or on a separate sheet.)

The herb layer is dominated by Scirpus and bluejoint grass.

SOIL

Sampling Point: CRR53038

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0 - 12	7.5YR 2.5/3	85	7.5YR 5/8	15.00	C	M	C	
12 - 18	7.5YR 4/1	80	7.5YR 5/8	20.00	C	M	C	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) (**LRR R, MLRA 149B**)
- ___ Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- ___ Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
- ___ Loamy Mucky Mineral (F1) (**LRR K, L**)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ✔ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
- ___ Coast Prairie Redox (A16) (**LRR K, L, R**)
- ___ 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- ___ Dark Surface (S7) (**LRR K, L**)
- ___ Polyvalue Below Surface (S8) (**LRR K, L**)
- ___ Thin Dark Surface (S9) (**LRR K, L**)
- ___ Iron-Manganese Masses (F12) (**LRR K, L, R**)
- ___ Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- ___ Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- ___ Red Parent Material (F21)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): 0.00

Hydric Soil Present? **Yes** ✔ **No** ___

Remarks: Redox present throughout the profile.