## WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Carlton		Sampling Date: 2016-07-18		
Applicant/Owner: Enbridge		State: Minnesota	Sampling	Point: u-47n18w2-aa1	
Investigator(s): ZCW	Section, Townshi	ip, Range:			
Landform (hillslope, terrace, etc.): Side Slope		Local Relief (concave, cor	nvex, none): VL	Slope (%): 8-15%	
Subregion (LRR or MLRA):	 Latitude: 40	5.5862928191 Long	itude: -92.58269595	Datum: NAD83	
Soil Map Unit Name: 268B	_			fication: N/A	
Are climatic/hydrologic conditions on the site t	pical for this time of year	? (if no. explain in Remark		Yes	
Are Vegetation No, Soil No, or Hydrolog	No significantly distur	bed? Are "Normal Circum	stances" present? Yes		
Are Vegetation No , Soil No , or Hydrology	No naturally problemati	c? (If needed, explain any	answers in Remarks)		
SUMMARY OF FINDINGS - Attach site map	howing sampling point lo	ocations, transects, impor	ant features, etc.		
Hydrophytic Vegetation Present?	No	Is the Sampled Area			
Hydric Soil Present?	<u>No</u>	within a Wetland?	<u> </u>	lo	
Wetland Hydrology Present?	<u>No</u>	If yes, optional Wetland	Site ID:		
Remarks: (Explain alternative procedures here	or in a separate report.)				
HYDROLOGY					
Wetland Hydrology Indicators:			Secondary Indicator	rs (minimum of two required)	
Primary Indicators (minimum of one is required	l; check all that apply)		Surface Soil C	racks (B6)	
Surface Water (A1)	Water-Stained Leaves (B9) Drainage Patterns (B10)				
High Water Table (A2)	Aquatic Fauna (B13) Moss Trim Lines (B16)		es (B16)		
Saturation (A3)	Marl Deposits (B15)		Dry-Season Water Table (C2)		
Water Marks (B1)	Hydrogen Sulfide Odor (C1)		Crayfish Burrows (C8)		
Sediment Deposits (B2)	Oxidized Rhizospheres on Living Roots (C3)		Saturation Visible on Aerial Imagery (C9)		
Drift Deposits (B3)	Presence of Reduced Iron (C4)		Stunted/Stress	Stunted/Stressed Plants (D1)	
Algal Mat or Crust (B4)	Recent Iron Reduction in Tilled Soils (C6)		Geomorphic Po	Geomorphic Position (D2)	
Iron Deposits (B5)	Thin Muck Surface (C7) Shallow Aq		Shallow Aquita	rd (D3)	
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Remarks)		Microtopograp	hic Relief (D4)	
Sparsely Vegetated Concave Surface (B8)	·		FAC-Neutral Te	est (D5)	
Field Observations:					
Surface Water Present? No	_ Depth (inches)	)			
Water Table Present? <u>No</u>	_ Depth (inches)				
Saturation Present? <u>No</u>	_ Depth (inches)		<b>Wetland Hydrology Pres</b>	ent? <u>No</u>	
(includes capillary fringe)					
Describe Recorded Data (stream gauge, monito	ring well, aerial photos, p	revious inspections), if ava	ailable:		
Remarks:					

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30	% Cover	Species?	Status	Number of Dominant Species
1. Portulaca grandiflora	35.00	Yes	UPL	That Are OBL, FACW, or FAC:(A)
2. Betula papyrifera	30.00	Yes	FACU	Total Number of Dominant
3. Quercus rubra	5.00	No	FACU	Species Across All Strata:(B)
4.				Percent of Dominant Species
5		-	-	That Are OBL, FACW, or FAC: (A/B)
	-		· -	Prevalence Index worksheet:
6				
7				Total % Cover of: Multiply by:
	70	= Total Cover		OBL species x 1 _ 0
Sapling/Shrub Stratum (Plot Size: 15				FACW species x 2 <u>0</u>
1. Corylus cornuta	25.00	Yes	UPL	FACU species x 3 <u>0</u>
2. Acer saccharum	10.00	Yes	UPL	UPL species x 4 <u>0</u>
3				(A) (B)
4				Prevalence Index = B/A =
5				Hydrophytic Vegetation Indicators:
6				1 - Rapid Test for Hydrophytic Vegetation
7.				2 - Dominance Test is > 50%
	35	= Total Cover		3 - Prevalence Index is ≤ 3.0 <sup>1</sup>
Herb Stratum (Plot Size: 5		-		4 - Morphological Adaptations (Provide
1. Eurybia macrophylla	45.00	Yes	FACU	supporting data in Remarks or on a separate sheet)
2. Aralia nudicaulis	15.00	No	FACU	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3. Solidago canadensis	10.00	No	FACU	roblematic mydrophytic vegetation (Explain)
				Indicators of hydric soil and wetland hydrology must be present, unless
4. Pteridium aquilinum	10.00	No No	FACU	disturbed or problematic.
5. Equisetum arvense	5.00	No No	FAC	Definitions of Vegetation Strata:
6			-	<b>-</b>
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height.
8		-	-	-
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
10				or equal to 3.28 ft (1 m) tall.
11.		_		Herb - All herbaeceous (non-woody) plants, regardless of size, and
12.	-	-	-	woody plants less than 3.28 ft tall.
	85	- Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
111 1 11 11 11 11 11 11 11 11 11 11 11	<u></u>	_ = Total Cover		woody villes - All woody villes greater than 3.28 it in neight.
Woody Vine Stratum (Plot Size: 30 )				
1		-	-	<b>-</b>
2	. <del></del>			Hydrophytic Vegetation
3		_		Present? No No
4		_		
	0	_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	:.)			

Sampling Point: u-47n18w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Matrix **Redox Features** Loc<sup>2</sup> (inches) Color (moist) Color (moist) % Type<sup>1</sup> Texture Remarks <sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil<sup>3</sup>: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? No Depth (inches): Remarks: Sample point taken on road shoulder. No digging.

Site Photograph 1 Sampling Point: u-47n18w2-aa1



Latitude: 46.5862245066525	Cowardin Classification:			
Longitude: -92.5827025809256	Circular 39:			
Direction: West	Eggers & Reed:			
Remarks:				

Site Photograph 2 Sampling Point: u-47n18w2-aa1



Latitude:	46.5862242971049	Cowardin Classification:		
Longitude:	-92.5827025809256	Circular 39:		
Direction: Sout	h	Eggers & Reed:		
Remarks:				