WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

| Project/Site: AR ESC | City/County | : Carlton | Sampling | Date: 19-Sep-17 |
|---|---|----------------------------|--|------------------------|
| Applicant/Owner: Enbridge | | State: MN | Sampling Point: | u-48n17w21-gg1 |
| Investigator(s): DPT | Section, | Township, Range: S. | | R. 17W |
| Landform (hillslope, terrace, etc.): Shoulder s | · | (concave, convex, none | | Slope: 8.7 % / 5.0 ° |
| Subregion (LRR or MLRA): LRR K | Lat.: 46 37.2121 | Long.: | -92 29.4633 | Datum: NAD 83 |
| Soil Map Unit Name: 975E | | | NWI classification: | |
| Are climatic/hydrologic conditions on the site t | vnical for this time of year? | Yes No (If | no, explain in Remarks | 1 |
| Are Vegetation, Soil, or Hydro | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | (| cumstances" present? | Yes No |
| Are Vegetation, Soil, or Hydro | · · · | | ain any answers in Ren | |
| Summary of Findings - Attach site | | , , , | • | • |
| Hydrophytic Vegetation Present? Yes | No • | · | , , | • |
| Hydric Soil Present? Yes | No (•) | the Sampled Area | 'es ○ No ● | |
| Wetland Hydrology Present? Yes | No • | hin a Wetland? | C3 = 140 = | |
| Remarks: (Explain alternative procedures her | | | | |
| Uvdralagy | | | | |
| Hydrology Wetland Hydrology Indicators: | | | | |
| Primary Indicators (minimum of one required | · check all that apply) | _ <u>Se</u> | condary Indicators (minimu | ım of 2 required) |
| Surface Water (A1) | Water-Stained Leaves (B9) | | Surface Soil Cracks (B6) Drainage Patterns (B10) | |
| High Water Table (A2) | Aquatic Fauna (B13) | | Moss Trim Lines (B16) | |
| Saturation (A3) | Marl Deposits (B15) | | Dry Season Water Table | (C2) |
| Water Marks (B1) | Hydrogen Sulfide Odor (C1) | | Crayfish Burrows (C8) | |
| Sediment Deposits (B2) | Oxidized Rhizospheres along Livi | ng Roots (C3) | Saturation Visible on Aer | al Imagery (C9) |
| Drift deposits (B3) | Presence of Reduced Iron (C4) | | Stunted or Stressed Plan | • • |
| Algal Mat or Crust (B4) | Recent Iron Reduction in Tilled S | Soils (C6) | Geomorphic Position (D2 |) |
| ☐ Iron Deposits (B5)☐ Inundation Visible on Aerial Imagery (B7) | ☐ Thin Muck Surface (C7) | | Shallow Aquitard (D3) | D.A.) |
| Sparsely Vegetated Concave Surface (B8) | Other (Explain in Remarks) | | Microtopographic Relief (FAC-neutral Test (D5) | D4) |
| operatory regulated contests surface (50) | | | TAC-neutral Test (D3) | |
| Field Observations: Surface Water Present? Yes No No | Depth (inches): 0 | | | |
| | | _ | | |
| | Depth (inches):0 | Wetland Hydrolo | gy Present? Yes | No • |
| (includes capillary fringe) Yes V NO | Depth (inches):0 | | | |
| Describe Recorded Data (stream gauge, moni | oring well, aerial photos, previous i | inspections), if available | e: | |
| | | | | |
| Remarks: | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

VEGETATION - Use scientific names of plants

| vegeration - ose scientific fiames of pla | Sampling Point: u-48n17w21-gg1 | | | |
|---|--------------------------------|-------------|-----------|--|
| (Diet size: 20 | Absolute | | Indicator | Dominance Test worksheet: |
| Tree Stratum (Plot size: 30) | % Cover | _species: _ | Status | Number of Dominant Species |
| 1 | | Ц. | | That are OBL, FACW, or FAC:1(A) |
| 2 | | Ц. | | Total Number of Dominant |
| 3 | 0 | Ш | | Species Across All Strata: 4 (B) |
| 4 | 0 | | | |
| 5 | 0 | | | Percent of dominant Species That Are OBL, FACW, or FAC:25.0% (A/B) |
| 6 | 0 | | | That are OBL, FACW, OF FAC. |
| 7 | 0 | | | Prevalence Index worksheet: |
| Sapling/Shrub Stratum (Plot size: 15) | 0 = | Total Cover | | Total % Cover of: Multiply by: |
| | 0 | | | 0BL speci es 10 x 1 = 10 |
| 1 | | | | FACW species |
| 2 | | | | FAC species |
| 3 | | | | FACU species |
| 4 | | | | UPL speci es |
| 5 | | | | Col umn Total s: 100 (A) 330 (B) |
| 6 | - | | | Column locals: |
| 7 | 0 | Ш. | | Prevalence Index = B/A = 3.300 |
| Herb Stratum (Plot size: 5 | | Total Cover | | Hydrophytic Vegetation Indicators: |
| | | | | Rapid Test for Hydrophytic Vegetation |
| 1. Trifolium pratense | | . | FACU | Dominance Test is > 50% |
| 2. Ambrosia artemislifolia | | | FACU | Prevalence Index is ≤3.0 ¹ |
| 3. Sonchus arvensis | 10 | | FACU | Morphological Adaptations ¹ (Provide supporting |
| 4. Cirsium arvense | | V | FACU | data in Remarks or on a separate sheet) |
| 5. Calamagrostis canadensis | 10 | | OBL | \square Problematic Hydrophytic Vegetation 1 (Explain) |
| 6. Solidago gigantea | 20 | ✓ | FACW | |
| 7 | 0 | Ш. | | Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. |
| 8 | 0 | | | |
| 9 | 0 | | | Definitions of Vegetation Strata: |
| 10 | 0 | | | Tree - Woody plants, 3 in. (7.6 cm) or more in diameter |
| 11 | 0 | | | at breast height (DBH), regardless of height. |
| 12 | | | | Continue to Mandy plants loop than 2 in DDI and |
| | | Total Cover | | Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1m) tall |
| Woody Vine Stratum (Plot size: 30) | | _ | | 9.00.0 |
| 1 | 0 | | | Herb - All herbaceous (non-woody) plants, regardless of |
| 2 | 0 | Ш. | | size, and woody plants less than 3.28 ft tall. |
| 3 | 0 | Ц. | | Woody vine - All woody vines greater than 3.28 ft in |
| 4 | 0 | | | height. |
| | 0 = | Total Cover | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | Hydrophytic |
| | | | | Vegetation Present? Yes ○ No ● |
| | | | | |
| Damada (Tadada abata anata abata a | | | | |
| Remarks: (Include photo numbers here or on a separate she | eet.) | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

^{*}Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: u-48n17w21-gg1

| Depth | Matrix | | | dox Features | | | |
|---------------------------|-----------------------------|--------------------|-------------------------------|------------------------|--------------|----------------------------|---------------------------|
| (inches) | Color (moist) | % Col | or (moist) | <u>% Type</u> 1 | Loc2 | Texture | Remarks |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | - | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Type: C-Con | contration D_Donlation | PM-Poducod Mat | riv CS_Covere | od or Coatod Sand Cra | ins 21 oca | tion: PL=Pore Lining. M=Ma | atriv |
| Hydric Soil | | Kivi-Reduced iviat | ix, c3=covere | eu or coateu sand Gra | IIIS -LUCA | | |
| | | | Naharahaa Dalar | | | Indicators for Proble | matic Hydric Soils: 3 |
| Histosol (| | | oryvarue Berov /ILRA 149B) | v Surface (S8) (LRR R | , | 2 cm Muck (A10) (| LRR K, L, MLRA 149B) |
| | pedon (A2) | | hin Dark Surfa | ace (S9) (LRR R, MLR | A 149B) | Coast Prairie Redox | (A16) (LRR K, L, R) |
| Black Hist | n Sulfide (A4) | | | Mineral (F1) LRR K, L) | ŕ | 5 cm Mucky Peat o | r Peat (S3) (LRR K, L, R) |
| | Layers (A5) | | oamy Gleyed | | | Dark Surface (S7) | (LRR K, L, M) |
| | Below Dark Surface (A11) | | Depleted Matrix | | | | ırface (S8) (LRR K, L) |
| | k Surface (A12) | | Redox Dark Su | | | Thin Dark Surface | (S9) (LRR K, L) |
| | | _ | Depleted Dark | | | Iron-Manganese M | asses (F12) (LRR K, L, R) |
| | uck Mineral (S1) | | Redox Depress | | | Piedmont Floodplai | n Soils (F19) (MLRA 149B) |
| | eyed Matrix (S4) | | | (* 5) | | Mesic Spodic (TA6) | (MLRA 144A, 145, 149B) |
| Sandy Re | | | | | | Red Parent Materia | l (F21) |
| | Matrix (S6) | 100) | | | | Very Shallow Dark | Surface (TF12) |
| | ace (S7) (LRR R, MLRA 14 | | | | | Other (Explain in R | emarks) |
| ³ Indicators o | f hydrophytic vegetation a | nd wetland hydro | ogy must be p | resent, unless disturb | ed or proble | ematic. | |
| Restrictive L | ayer (if observed): | | | | | | |
| Type: | | | | | | | |
| Depth (inc | hes): | | | | | Hydric Soil Present? | Yes O No 💿 |
| Remarks: | | | | | | | |
| | | | da la | | | | |
| No aigging, t | ouried utilities. Soils ass | sumea non-nya | ic based on | vegetation and nyd | rology. | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |